

## APPENDIX 2

Modified PID5BF+ scale characteristics for Germany (Kerber et al., 2019)

	Patients (n = 684)			Community (n = 587)	
	$\rho$	M	SD	M	SD
Emotional lability	0.86	3.22	1.80	2.75	1.84
Anxiousness	0.94	3.79	1.79	2.58	1.91
Separation Insecurity	0.80	2.71	1.76	1.84	1.54
Withdrawal	0.84	2.41	1.50	1.21	1.42
Anhedonia	0.84	2.81	1.66	1.28	1.42
Intimacy Avoidance	0.72	2.17	1.66	1.11	1.40
Manipulativeness	0.79	0.76	1.16	0.86	1.14
Deceitfulness	0.74	1.30	1.39	1.72	1.42
Grandiosity	0.71	0.88	1.11	0.98	1.15
Irresponsibility	0.63	1.30	1.37	1.03	1.25
Impulsivity	0.75	2.40	1.61	1.78	1.38
Distractibility	0.75	3.30	1.57	2.44	1.47
Perfectionism	0.85	2.43	1.75	2.22	1.74
Rigidity	0.72	2.30	1.57	2.11	1.53
Orderliness	0.69	1.65	1.53	1.73	1.59
Unusual Beliefs	0.81	1.86	1.70	1.57	1.61
Eccentricity	0.81	1.91	1.59	1.58	1.66
Perceptual Dysreg.	0.86	1.12	1.46	1.13	1.45
		M	SD	M	SD
Negative affectivity	-	3.24	1.41	2.39	1.44
Detachment	-	2.47	1.24	1.20	1.13
Antagonism	-	0.98	1.00	1.19	0.97
Disinhibition	-	2.33	1.13	1.75	1.07
Anankastia	-	2.13	1.37	2.02	1.38
Psychoticism	-	1.63	1.30	1.42	1.29

Note.  $\rho$  = polychoric correlation coefficient; M = mean; SD = standard deviation.