Ischemic Stroke 2013			Pre	valence	5.5 $(3.3  to  8.4)$ $6.9$ $(4.4  to  10.1)$ $16.3$ $(10.6  to  24.1)$ $7.5$ $(3.4  to  12.6)$ $6.9$ $(3.8  to  9.5)$ $4.9$ $(2.7  to  6.8)$ $7$ $(3.6  to  10.7)$ $7.9$ $(4.4  to  12.9)$ $6.1$ $(4.2  to  8.4)$ $6$ $(4.3  to  8.1)$ $12$ $(8.3  to  16.4)$ $10.5$ $(2.7  to  26.8)$ $7.2$ $(2.2  to  16.6)$ $8.1$ $(3.2  to  15.6)$ $24$ $(9.1  to  52.8)$ $8.2$ $(2.3  to  20.1)$ $7.6$ $(2.5  to  16.9)$ $5.4$ $(2.0  to  11.1)$ $9.9$ $(4.2  to  18.9)$		Deaths	
Country	Sex	Age group	Mean	95% Ui	Mean	95% Ui	Mean	95% Ui
China	Male	1 to 4	0.3	(0.3 to 0.4)	8.3	(4.2 to 14.2)	0.1	(0.0 to 0.2)
China	Male	5 to 9	0.9	(0.8 to 1.1)	5.5	(3.3 to 8.4)	0.1	(0.0 to 0.1)
China	Male	10 to 14	2	(1.7 to 2.2)	6.9	(4.4 to 10.1)	0.1	(0.1 to 0.1)
China	Male	15 to 19	3.3	(2.8 to 3.7)	16.3	(10.6 to 24.6)	0.2	(0.1 to 0.3)
China	Female	1 to 4	0.2	(0.2 to 0.2)	7.5	(3.4 to 12.6)	0.1	(0.0 to 0.1)
China	Female	5 to 9	0.7	(0.6 to 0.8)	6.9	(3.8 to 9.5)	0.1	(0.0 to 0.1)
China	Female	10 to 14	1.5	(1.3 to 1.7)	4.9	(2.7 to 6.8)	0.1	(0.0 to 0.1)
China	Female	15 to 19	2.6	(2.2 to 3.0)	7	(3.6 to 10.7)	0.1	(0.0 to 0.1)
China	Both	1 to 4	0.3	(0.2 to 0.3)	7.9	(4.4 to 12.9)	0.1	(0.1 to 0.2)
China	Both	5 to 9	0.8	(0.7 to 0.9)	6.1	(4.2 to 8.4)	0.1	(0.1 to 0.1)
China	Both	10 to 14	1.7	(1.6 to 1.9)	6	(4.3 to 8.1)	0.1	(0.1 to 0.1)
China	Both	15 to 19	3	(2.6 to 3.3)	12	(8.3 to 16.4)	0.2	(0.1 to 0.2)
North Korea	Male	1 to 4	0.4	(0.2 to 0.7)	10.5	(2.7 to 26.8)	0.1	(0.0 to 0.3)
North Korea	Male	5 to 9	1.2	(0.6 to 2.2)	7.2	(2.2 to 16.6)	0.1	(0.0 to 0.2)
North Korea	Male	10 to 14	2.4	(1.2 to 4.0)	8.1	(3.2 to 15.6)	0.1	(0.0 to 0.2)
North Korea	Male	15 to 19	3.9	(1.7 to 6.5)	24	(9.1 to 52.8)	0.3	(0.1 to 0.8)
North Korea	Female	1 to 4	0.2	(0.1 to 0.4)	8.2	(2.3 to 20.1)	0.1	(0.0 to 0.2)
North Korea	Female	5 to 9	0.7	(0.2 to 1.2)	7.6	(2.5 to 16.9)	0.1	(0.0 to 0.2)
North Korea	Female	10 to 14	1.6	(0.6 to 2.5)	5.4	(2.0 to 11.1)	0.1	(0.0 to 0.1)
North Korea	Female	15 to 19	2.8	(1.2 to 5.1)	9.9	(4.2 to 18.9)	0.1	(0.1 to 0.3)
North Korea	Both	1 to 4	0.3	(0.2 to 0.5)	9.4	(3.3 to 19.7)	0.1	(0.0 to 0.2)
North Korea	Both	5 to 9	1	(0.6 to 1.5)	7.4	(3.5 to 13.8)	0.1	(0.0 to 0.2)
North Korea	Both	10 to 14	2	(1.2 to 2.9)	6.8	(3.6 to 11.5)	0.1	(0.0 to 0.2)
North Korea	Both	15 to 19	3.3	(1.8 to 5.2)	17.1	(8.3 to 32.8)	0.2	(0.1 to 0.5)
Taiwan	Male	1 to 4	0.5	(0.1 to 1.0)	1.7	(0.6 to 4.0)	0	(0.0 to 0.0)
Taiwan	Male	5 to 9	1.4	(0.4 to 2.9)	1.5	(0.8 to 2.7)	0	(0.0 to 0.0)
Taiwan	Male	10 to 14	2.9	(1.3 to 5.0)	1.6	(0.9 to 2.6)	0	(0.0 to 0.0)
Taiwan	Male	15 to 19	4.6	(2.2 to 7.9)	3.9	(2.1 to 6.6)	0	(0.0 to 0.1)
Taiwan	Female	1 to 4	0.4	(0.2 to 0.8)	1.6	(0.6 to 3.3)	0	(0.0 to 0.0)
Taiwan	Female	5 to 9	1.2	(0.4 to 2.2)	1.7	(0.8 to 3.2)	0	(0.0 to 0.0)
Taiwan	Female	10 to 14	2.6	(1.3 to 4.1)	2.7	(1.3 to 5.7)	0	(0.0 to 0.1)

Taiwan	Female	15 to 19	4.3	(2.1 to 7.9)	2.2	(1.0 to 3.6)	0	(0.0 to 0.0)
Taiwan	Both	1 to 4	0.4	(0.2 to 0.7)	1.7	(0.8 to 3.1)	0	(0.0 to 0.0)
Taiwan	Both	5 to 9	1.3	(0.6 to 2.2)	1.6	(0.9 to 2.5)	0	(0.0 to 0.0)
Taiwan	Both	10 to 14	2.7	(1.6 to 4.0)	2.1	(1.3 to 3.7)	0	(0.0 to 0.0)
Taiwan	Both	15 to 19	4.5	(2.8 to 6.5)	3.1	(1.9 to 4.7)	0	(0.0 to 0.1)
Cambodia	Male	1 to 4	0.3	(0.1 to 0.6)	32.6	(9.4 to 77.9)	0.4	(0.1 to 0.9)
Cambodia	Male	5 to 9	1	(0.4 to 1.7)	13.6	(4.9 to 29.3)	0.2	(0.1 to 0.4)
Cambodia	Male	10 to 14	2.1	(1.2 to 3.5)	9	(3.7 to 19.8)	0.1	(0.0 to 0.3)
Cambodia	Male	15 to 19	3.7	(2.0 to 6.1)	46.4	(18.0 to 102.0)	0.7	(0.3 to 1.5)
Cambodia	Female	1 to 4	0.2	(0.1 to 0.4)	20.5	(6.7 to 49.1)	0.2	(0.1 to 0.6)
Cambodia	Female	5 to 9	0.8	(0.4 to 1.3)	16.7	(5.7 to 35.9)	0.2	(0.1 to 0.5)
Cambodia	Female	10 to 14	1.7	(0.9 to 2.7)	10.3	(3.8 to 22.3)	0.1	(0.0 to 0.3)
Cambodia	Female	15 to 19	3	(1.6 to 4.9)	36.6	(14.9 to 71.2)	0.5	(0.2 to 1.0)
Cambodia	Both	1 to 4	0.3	(0.1 to 0.4)	26.7	(10.4 to 53.8)	0.3	(0.1 to 0.6)
Cambodia	Both	5 to 9	0.9	(0.5 to 1.4)	15.1	(7.0 to 28.6)	0.2	(0.1 to 0.4)
Cambodia	Both	10 to 14	1.9	(1.2 to 2.7)	9.6	(5.0 to 17.4)	0.1	(0.1 to 0.2)
Cambodia	Both	15 to 19	3.4	(2.1 to 4.9)	41.7	(21.4 to 71.9)	0.6	(0.3 to 1.0)
Indonesia	Male	1 to 4	0.4	(0.2 to 0.6)	3.5	(1.1 to 8.6)	0	(0.0 to 0.1)
Indonesia	Male	5 to 9	1.1	(0.5 to 1.9)	1.4	(0.6 to 2.9)	0	(0.0 to 0.0)
Indonesia	Male	10 to 14	2.3	(1.4 to 3.4)	1.1	(0.6 to 2.0)	0	(0.0 to 0.0)
Indonesia	Male	15 to 19	4	(2.5 to 6.0)	22.9	(10.0 to 43.3)	0.3	(0.1 to 0.6)
Indonesia	Female	1 to 4	0.2	(0.1 to 0.4)	1.7	(0.5 to 3.8)	0	(0.0 to 0.0)
Indonesia	Female	5 to 9	0.8	(0.4 to 1.3)	2.4	(0.9 to 4.9)	0	(0.0 to 0.1)
Indonesia	Female	10 to 14	1.7	(1.0 to 2.6)	2.9	(1.2 to 6.2)	0	(0.0 to 0.1)
Indonesia	Female	15 to 19	3	(1.8 to 4.8)	15	(7.6 to 27.4)	0.2	(0.1 to 0.4)
Indonesia	Both	1 to 4	0.3	(0.2 to 0.5)	2.6	(1.0 to 5.5)	0	(0.0 to 0.1)
Indonesia	Both	5 to 9	0.9	(0.6 to 1.4)	1.9	(0.9 to 3.4)	0	(0.0 to 0.0)
Indonesia	Both	10 to 14	2	(1.4 to 2.8)	2	(1.0 to 3.6)	0	(0.0 to 0.0)
Indonesia	Both	15 to 19	3.5	(2.5 to 4.9)	19.1	(10.9 to 30.2)	0.3	(0.1 to 0.4)
Laos	Male	1 to 4	0.4	(0.2 to 0.6)	77.2	(16.3 to 223.1)	0.9	(0.2 to 2.6)
Laos	Male	5 to 9	1.1	(0.5 to 1.8)	20.9	(6.8 to 49.2)	0.3	(0.1 to 0.6)
Laos	Male	10 to 14	2.2	(1.3 to 3.4)	11.5	(4.7 to 24.8)	0.1	(0.1 to 0.3)
Laos	Male	15 to 19	3.8	(2.4 to 5.7)	48.9	(18.4 to 104.8)	0.7	(0.3 to 1.5)

	I		<b>I</b>	I		11		
Laos	Female	1 to 4	0.2	(0.1 to 0.4)	55.9	(3.6 to 168.9)	0.7	(0.0 to 2.0)
Laos	Female	5 to 9	0.8	(0.3 to 1.3)	26.6	(4.2 to 72.9)	0.3	(0.1 to 0.9)
Laos	Female	10 to 14	1.7	(0.9 to 2.8)	14.7	(3.1 to 35.6)	0.2	(0.0 to 0.5)
Laos	Female	15 to 19	3	(1.5 to 4.9)	44.9	(12.6 to 95.9)	0.6	(0.2 to 1.4)
Laos	Both	1 to 4	0.3	(0.2 to 0.4)	66.8	(13.8 to 152.6)	0.8	(0.2 to 1.8)
Laos	Both	5 to 9	0.9	(0.6 to 1.3)	23.6	(7.3 to 47.0)	0.3	(0.1 to 0.6)
Laos	Both	10 to 14	2	(1.4 to 2.7)	13	(5.2 to 25.8)	0.2	(0.1 to 0.3)
Laos	Both	15 to 19	3.4	(2.4 to 4.8)	47	(20.7 to 83.6)	0.7	(0.3 to 1.2)
Malaysia	Male	1 to 4	0.4	(0.2 to 0.6)	3.2	(1.1 to 7.7)	0	(0.0 to 0.1)
Malaysia	Male	5 to 9	1.1	(0.6 to 1.9)	2.7	(1.3 to 5.2)	0	(0.0 to 0.1)
Malaysia	Male	10 to 14	2.4	(1.5 to 3.8)	2.6	(1.4 to 4.7)	0	(0.0 to 0.1)
Malaysia	Male	15 to 19	4	(2.4 to 6.4)	10.1	(4.8 to 19.0)	0.1	(0.1 to 0.3)
Malaysia	Female	1 to 4	0.3	(0.1 to 0.4)	3.1	(1.2 to 6.5)	0	(0.0 to 0.1)
Malaysia	Female	5 to 9	0.8	(0.5 to 1.4)	2	(0.9 to 3.9)	0	(0.0 to 0.0)
Malaysia	Female	10 to 14	1.8	(1.1 to 2.7)	2	(1.0 to 4.0)	0	(0.0 to 0.0)
Malaysia	Female	15 to 19	3.2	(1.9 to 4.9)	5.3	(2.6 to 9.0)	0.1	(0.0 to 0.1)
Malaysia	Both	1 to 4	0.3	(0.2 to 0.5)	3.2	(1.5 to 6.3)	0	(0.0 to 0.1)
Malaysia	Both	5 to 9	1	(0.6 to 1.4)	2.4	(1.3 to 4.0)	0	(0.0 to 0.0)
Malaysia	Both	10 to 14	2.1	(1.4 to 2.9)	2.3	(1.4 to 3.8)	0	(0.0 to 0.0)
Malaysia	Both	15 to 19	3.6	(2.6 to 5.0)	7.6	(4.4 to 12.3)	0.1	(0.1 to 0.2)
Maldives	Male	1 to 4	0.4	(0.2 to 0.6)	31.2	(4.8 to 66.3)	0.4	(0.1 to 0.8)
Maldives	Male	5 to 9	1.1	(0.5 to 2.0)	42.6	(22.1 to 73.9)	0.5	(0.3 to 0.9)
Maldives	Male	10 to 14	2.3	(1.3 to 3.8)	17.6	(7.5 to 29.6)	0.2	(0.1 to 0.4)
Maldives	Male	15 to 19	4	(2.2 to 6.1)	43.9	(19.4 to 75.0)	0.6	(0.3 to 1.1)
Maldives	Female	1 to 4	0.2	(0.1 to 0.4)	20.5	(6.1 to 46.7)	0.2	(0.1 to 0.6)
Maldives	Female	5 to 9	0.8	(0.3 to 1.3)	14.6	(5.9 to 24.6)	0.2	(0.1 to 0.3)
Maldives	Female	10 to 14	1.7	(1.0 to 2.6)	10.3	(3.0 to 29.9)	0.1	(0.0 to 0.4)
Maldives	Female	15 to 19	3	(1.7 to 4.8)	20.9	(7.9 to 37.9)	0.3	(0.1 to 0.5)
Maldives	Both	1 to 4	0.3	(0.2 to 0.4)	26	(8.5 to 47.1)	0.3	(0.1 to 0.6)
Maldives	Both	5 to 9	0.9	(0.5 to 1.5)	29	(17.7 to 45.4)	0.4	(0.2 to 0.6)
Maldives	Both	10 to 14	2	(1.3 to 2.8)	14.1	(6.1 to 24.7)	0.2	(0.1 to 0.3)
Maldives	Both	15 to 19	3.5	(2.4 to 5.0)	32.7	(15.9 to 52.1)	0.5	(0.2 to 0.7)
Myanmar	Male	1 to 4	0.4	(0.2 to 0.6)	7.9	(1.4 to 23.3)	0.1	(0.0 to 0.3)

Myanmar	Male	5 to 9	1.1	(0.6 to 1.8)	8.7	(2.3 to 21.9)	0.1	(0.0 to 0.3)
Myanmar	Male	10 to 14	2.3	(1.4 to 3.6)	3.7	(1.2 to 8.5)	0	(0.0 to 0.1)
Myanmar	Male	15 to 19	4	(2.4 to 6.3)	18.1	(3.9 to 44.1)	0.3	(0.0 to 0.6)
Myanmar	Female	1 to 4	0.2	(0.1 to 0.4)	0.4	(0.1 to 1.0)	0	(0.0 to 0.0)
Myanmar	Female	5 to 9	0.8	(0.4 to 1.3)	2.3	(0.5 to 10.4)	0	(0.0 to 0.1)
Myanmar	Female	10 to 14	1.7	(1.0 to 2.6)	2.5	(0.6 to 11.2)	0	(0.0 to 0.1)
Myanmar	Female	15 to 19	3	(1.7 to 4.6)	4.4	(1.3 to 10.3)	0.1	(0.0 to 0.1)
Myanmar	Both	1 to 4	0.3	(0.2 to 0.4)	4.2	(0.9 to 12.1)	0	(0.0 to 0.1)
Myanmar	Both	5 to 9	0.9	(0.6 to 1.4)	5.5	(1.8 to 12.0)	0.1	(0.0 to 0.1)
Myanmar	Both	10 to 14	2	(1.4 to 2.8)	3.1	(1.1 to 8.0)	0	(0.0 to 0.1)
Myanmar	Both	15 to 19	3.5	(2.4 to 4.9)	11.2	(3.4 to 25.3)	0.2	(0.0 to 0.4)
Philippines	Male	1 to 4	0.4	(0.2 to 0.6)	9.9	(3.9 to 20.0)	0.1	(0.0 to 0.2)
Philippines	Male	5 to 9	1.1	(0.5 to 1.8)	4.8	(2.1 to 8.9)	0.1	(0.0 to 0.1)
Philippines	Male	10 to 14	2.3	(1.2 to 3.5)	6.6	(3.3 to 12.3)	0.1	(0.0 to 0.2)
Philippines	Male	15 to 19	4.1	(2.3 to 6.2)	23.7	(12.2 to 41.7)	0.3	(0.2 to 0.6)
Philippines	Female	1 to 4	0.2	(0.1 to 0.4)	8.2	(2.8 to 17.2)	0.1	(0.0 to 0.2)
Philippines	Female	5 to 9	0.7	(0.3 to 1.2)	4.3	(2.0 to 7.7)	0.1	(0.0 to 0.1)
Philippines	Female	10 to 14	1.6	(0.9 to 2.5)	5.4	(2.7 to 12.4)	0.1	(0.0 to 0.2)
Philippines	Female	15 to 19	2.8	(1.6 to 4.7)	12.2	(5.9 to 20.0)	0.2	(0.1 to 0.3)
Philippines	Both	1 to 4	0.3	(0.2 to 0.4)	9.1	(4.2 to 16.9)	0.1	(0.0 to 0.2)
Philippines	Both	5 to 9	0.9	(0.6 to 1.3)	4.6	(2.6 to 7.3)	0.1	(0.0 to 0.1)
Philippines	Both	10 to 14	2	(1.3 to 2.6)	6	(3.6 to 10.5)	0.1	(0.0 to 0.1)
Philippines	Both	15 to 19	3.5	(2.4 to 4.9)	18.1	(11.0 to 28.0)	0.3	(0.2 to 0.4)
Sri Lanka	Male	1 to 4	0.3	(0.2 to 0.5)	28.1	(7.9 to 57.2)	0.3	(0.1 to 0.7)
Sri Lanka	Male	5 to 9	1.1	(0.5 to 1.7)	15.1	(5.2 to 26.5)	0.2	(0.1 to 0.3)
Sri Lanka	Male	10 to 14	2.3	(1.4 to 3.4)	13.1	(6.1 to 23.3)	0.2	(0.1 to 0.3)
Sri Lanka	Male	15 to 19	3.9	(2.3 to 5.9)	30.4	(12.4 to 55.5)	0.4	(0.2 to 0.8)
Sri Lanka	Female	1 to 4	0.2	(0.1 to 0.4)	20.2	(5.9 to 50.6)	0.2	(0.1 to 0.6)
Sri Lanka	Female	5 to 9	0.8	(0.4 to 1.5)	18.4	(6.3 to 31.0)	0.2	(0.1 to 0.4)
Sri Lanka	Female	10 to 14	1.8	(1.0 to 2.8)	12.9	(5.5 to 23.9)	0.2	(0.1 to 0.3)
Sri Lanka	Female	15 to 19	3.1	(1.7 to 4.5)	20.3	(5.3 to 40.7)	0.3	(0.1 to 0.6)
Sri Lanka	Both	1 to 4	0.3	(0.2 to 0.4)	24.2	(8.4 to 52.6)	0.3	(0.1 to 0.6)
Sri Lanka	Both	5 to 9	0.9	(0.6 to 1.3)	16.7	(6.6 to 26.5)	0.2	(0.1 to 0.3)

Sri Lanka	Both	10 to 14	2	(1.4 to 2.7)	13	(6.6 to 21.2)	0.2	(0.1 to 0.3)
Sri Lanka	Both	15 to 19	3.5	(2.4 to 4.8)	25.4	(10.1 to 44.2)	0.4	(0.1 to 0.6)
Thailand	Male	1 to 4	0.4	(0.2 to 0.6)	7.7	(2.3 to 19.1)	0.1	(0.0 to 0.2)
Thailand	Male	5 to 9	1.1	(0.6 to 1.8)	6.1	(2.3 to 11.8)	0.1	(0.0 to 0.1)
Thailand	Male	10 to 14	2.3	(1.3 to 3.4)	4.9	(2.6 to 9.1)	0.1	(0.0 to 0.1)
Thailand	Male	15 to 19	3.8	(2.2 to 5.8)	24.4	(11.6 to 43.8)	0.3	(0.2 to 0.6)
Thailand	Female	1 to 4	0.2	(0.1 to 0.4)	6.9	(2.3 to 16.7)	0.1	(0.0 to 0.2)
Thailand	Female	5 to 9	0.8	(0.4 to 1.4)	6.4	(2.6 to 12.8)	0.1	(0.0 to 0.2)
Thailand	Female	10 to 14	1.7	(0.9 to 2.8)	4.8	(2.3 to 8.9)	0.1	(0.0 to 0.1)
Thailand	Female	15 to 19	3	(1.7 to 4.8)	11.7	(5.4 to 21.0)	0.2	(0.1 to 0.3)
Thailand	Both	1 to 4	0.3	(0.2 to 0.5)	7.3	(3.2 to 15.9)	0.1	(0.0 to 0.2)
Thailand	Both	5 to 9	1	(0.6 to 1.4)	6.3	(3.1 to 11.0)	0.1	(0.0 to 0.1)
Thailand	Both	10 to 14	2	(1.4 to 2.8)	4.8	(3.0 to 7.9)	0.1	(0.0 to 0.1)
Thailand	Both	15 to 19	3.4	(2.3 to 4.7)	18.1	(10.5 to 28.3)	0.3	(0.1 to 0.4)
Timor-Leste	Male	1 to 4	0.3	(0.2 to 0.6)	33.4	(9.5 to 82.4)	0.4	(0.1 to 1.0)
Timor-Leste	Male	5 to 9	1.1	(0.5 to 1.8)	11.8	(4.2 to 25.2)	0.1	(0.0 to 0.3)
Timor-Leste	Male	10 to 14	2.3	(1.4 to 3.5)	7.2	(2.7 to 16.0)	0.1	(0.0 to 0.2)
Timor-Leste	Male	15 to 19	3.9	(2.4 to 5.9)	32.1	(10.5 to 76.5)	0.5	(0.1 to 1.1)
Timor-Leste	Female	1 to 4	0.2	(0.1 to 0.4)	21.8	(4.9 to 61.6)	0.3	(0.1 to 0.7)
Timor-Leste	Female	5 to 9	0.8	(0.4 to 1.3)	16.8	(4.6 to 48.6)	0.2	(0.1 to 0.6)
Timor-Leste	Female	10 to 14	1.7	(1.0 to 2.6)	10.7	(2.9 to 36.1)	0.1	(0.0 to 0.5)
Timor-Leste	Female	15 to 19	2.9	(1.6 to 4.6)	29.3	(8.6 to 87.9)	0.4	(0.1 to 1.3)
Timor-Leste	Both	1 to 4	0.3	(0.2 to 0.4)	27.7	(11.5 to 60.2)	0.3	(0.1 to 0.7)
Timor-Leste	Both	5 to 9	0.9	(0.6 to 1.4)	14.3	(6.6 to 30.3)	0.2	(0.1 to 0.4)
Timor-Leste	Both	10 to 14	2	(1.4 to 2.8)	8.9	(3.9 to 21.8)	0.1	(0.0 to 0.3)
Timor-Leste	Both	15 to 19	3.4	(2.4 to 4.7)	30.7	(14.0 to 63.7)	0.4	(0.2 to 0.9)
Vietnam	Male	1 to 4	0.4	(0.2 to 0.6)	5.2	(1.8 to 11.5)	0.1	(0.0 to 0.1)
Vietnam	Male	5 to 9	1.1	(0.5 to 1.9)	0.3	(0.2 to 0.5)	0	(0.0 to 0.0)
Vietnam	Male	10 to 14	2.3	(1.3 to 3.5)	0.5	(0.3 to 0.8)	0	(0.0 to 0.0)
Vietnam	Male	15 to 19	3.8	(2.1 to 6.3)	11.8	(5.0 to 22.7)	0.2	(0.1 to 0.3)
Vietnam	Female	1 to 4	0.2	(0.1 to 0.4)	0.7	(0.2 to 1.8)	0	(0.0 to 0.0)
Vietnam	Female	5 to 9	0.7	(0.4 to 1.2)	0.7	(0.3 to 1.4)	0	(0.0 to 0.0)
Vietnam	Female	10 to 14	1.6	(1.0 to 2.5)	0.8	(0.4 to 1.6)	0	(0.0 to 0.0)

Vietnam	Female	15 to 19	2.9	(1.7 to 4.5)	4.3	(1.7 to 9.0)	0.1	(0.0 to 0.1)
Vietnam	Both	1 to 4	0.3	(0.2 to 0.5)	3.1	(1.2 to 6.5)	0	(0.0 to 0.1)
Vietnam	Both	5 to 9	0.9	(0.5 to 1.4)	0.5	(0.3 to 0.8)	0	(0.0 to 0.0)
Vietnam	Both	10 to 14	2	(1.3 to 2.7)	0.6	(0.4 to 1.0)	0	(0.0 to 0.0)
Vietnam	Both	15 to 19	3.4	(2.2 to 4.8)	8.1	(4.1 to 14.4)	0.1	(0.1 to 0.2)
Fiji	Male	1 to 4	0.3	(0.1 to 0.6)	64.8	(17.3 to 156.8)	0.8	(0.2 to 1.9)
Fiji	Male	5 to 9	1	(0.4 to 1.7)	56.6	(21.1 to 124.3)	0.7	(0.3 to 1.6)
Fiji	Male	10 to 14	2.2	(1.1 to 3.3)	16.5	(6.5 to 33.3)	0.2	(0.1 to 0.4)
Fiji	Male	15 to 19	3.7	(2.1 to 5.5)	51.2	(21.1 to 104.4)	0.7	(0.3 to 1.5)
Fiji	Female	1 to 4	0.2	(0.1 to 0.4)	24.2	(6.6 to 60.9)	0.3	(0.1 to 0.7)
Fiji	Female	5 to 9	0.7	(0.4 to 1.1)	8	(3.0 to 16.9)	0.1	(0.0 to 0.2)
Fiji	Female	10 to 14	1.5	(0.9 to 2.4)	18.5	(7.2 to 37.9)	0.2	(0.1 to 0.5)
Fiji	Female	15 to 19	2.7	(1.6 to 4.1)	8.7	(3.9 to 16.7)	0.1	(0.1 to 0.2)
Fiji	Both	1 to 4	0.3	(0.2 to 0.4)	45	(13.7 to 102.2)	0.5	(0.2 to 1.2)
Fiji	Both	5 to 9	0.9	(0.5 to 1.3)	33.1	(13.7 to 70.6)	0.4	(0.2 to 0.9)
Fiji	Both	10 to 14	1.9	(1.3 to 2.5)	17.4	(8.8 to 31.6)	0.2	(0.1 to 0.4)
Fiji	Both	15 to 19	3.2	(2.2 to 4.3)	30.6	(14.1 to 57.4)	0.4	(0.2 to 0.8)
Kiribati	Male	1 to 4	0.3	(0.2 to 0.5)	146.5	(53.5 to 312.0)	1.7	(0.6 to 3.7)
Kiribati	Male	5 to 9	1	(0.6 to 1.8)	126	(70.1 to 209.7)	1.6	(0.9 to 2.6)
Kiribati	Male	10 to 14	2.2	(1.3 to 3.4)	38.8	(18.9 to 75.5)	0.5	(0.2 to 1.0)
Kiribati	Male	15 to 19	3.6	(2.3 to 5.6)	116.8	(58.9 to 197.6)	1.7	(0.8 to 2.9)
Kiribati	Female	1 to 4	0.2	(0.1 to 0.4)	37.7	(12.2 to 103.9)	0.4	(0.1 to 1.2)
Kiribati	Female	5 to 9	0.7	(0.4 to 1.2)	7.4	(2.8 to 17.5)	0.1	(0.0 to 0.2)
Kiribati	Female	10 to 14	1.5	(0.8 to 2.4)	26.8	(12.4 to 60.1)	0.4	(0.2 to 0.8)
Kiribati	Female	15 to 19	2.6	(1.3 to 4.1)	10.9	(4.5 to 23.1)	0.2	(0.1 to 0.3)
Kiribati	Both	1 to 4	0.3	(0.2 to 0.4)	93.8	(37.0 to 197.3)	1.1	(0.4 to 2.3)
Kiribati	Both	5 to 9	0.9	(0.5 to 1.3)	67.9	(38.8 to 112.3)	0.9	(0.5 to 1.4)
Kiribati	Both	10 to 14	1.9	(1.3 to 2.6)	32.9	(19.8 to 57.4)	0.4	(0.3 to 0.8)
Kiribati	Both	15 to 19	3.1	(2.2 to 4.4)	65	(35.4 to 105.6)	0.9	(0.5 to 1.5)
Marshall Islands	Male	1 to 4	0.3	(0.1 to 0.5)	53.1	(10.3 to 166.3)	0.6	(0.1 to 2.0)
Marshall Islands	Male	5 to 9	1	(0.5 to 1.8)	63.9	(18.7 to 153.1)	0.8	(0.2 to 1.9)
Marshall Islands	Male	10 to 14	2.2	(1.2 to 3.6)	19.7	(7.5 to 41.0)	0.3	(0.1 to 0.5)
Marshall Islands	Male	15 to 19	3.7	(2.0 to 5.9)	68.3	(24.7 to 150.7)	1	(0.3 to 2.2)

Marshall Islands	Female	1 to 4	0.2	(0.1 to 0.4)	22.8	(3.9 to 121.0)	0.3	(0.0 to 1.4)
Marshall Islands	Female	5 to 9	0.7	(0.4 to 1.3)	7.4	(2.1 to 27.3)	0.1	(0.0 to 0.3)
Marshall Islands	Female	10 to 14	1.6	(0.9 to 2.5)	22	(5.8 to 59.9)	0.3	(0.1 to 0.8)
Marshall Islands	Female	15 to 19	2.7	(1.5 to 4.6)	11.4	(4.4 to 25.5)	0.2	(0.1 to 0.4)
Marshall Islands	Both	1 to 4	0.3	(0.2 to 0.4)	38.3	(10.4 to 125.0)	0.5	(0.1 to 1.5)
Marshall Islands	Both	5 to 9	0.9	(0.5 to 1.3)	36.7	(12.4 to 85.2)	0.5	(0.2 to 1.1)
Marshall Islands	Both	10 to 14	1.9	(1.3 to 2.7)	20.8	(8.6 to 42.9)	0.3	(0.1 to 0.6)
Marshall Islands	Both	15 to 19	3.2	(2.1 to 4.6)	40.8	(17.5 to 85.5)	0.6	(0.2 to 1.2)
Federated States of Micronesia	Male	1 to 4	0.3	(0.2 to 0.6)	16.8	(1.8 to 67.4)	0.2	(0.0 to 0.8)
Federated States of Micronesia	Male	5 to 9	1	(0.5 to 1.8)	32.2	(7.8 to 89.5)	0.4	(0.1 to 1.1)
Federated States of Micronesia	Male	10 to 14	2.1	(1.2 to 3.3)	11.7	(3.9 to 28.4)	0.2	(0.0 to 0.4)
Federated States of Micronesia	Male	15 to 19	3.6	(2.0 to 5.5)	59.8	(20.5 to 140.7)	0.9	(0.3 to 2.0)
Federated States of Micronesia	Female	1 to 4	0.2	(0.1 to 0.4)	9	(0.7 to 61.3)	0.1	(0.0 to 0.7)
Federated States of Micronesia	Female	5 to 9	0.7	(0.4 to 1.1)	4	(0.7 to 19.4)	0	(0.0 to 0.2)
Federated States of Micronesia	Female	10 to 14	1.5	(0.9 to 2.3)	16.1	(3.9 to 49.8)	0.2	(0.0 to 0.7)
Federated States of Micronesia	Female	15 to 19	2.7	(1.5 to 4.1)	9.8	(3.4 to 23.6)	0.1	(0.0 to 0.3)
Federated States of Micronesia	Both	1 to 4	0.3	(0.2 to 0.4)	13	(2.2 to 61.1)	0.2	(0.0 to 0.7)
Federated States of Micronesia	Both	5 to 9	0.8	(0.5 to 1.3)	18.6	(5.0 to 54.3)	0.2	(0.1 to 0.7)
Federated States of Micronesia	Both	10 to 14	1.8	(1.3 to 2.5)	13.8	(5.3 to 36.5)	0.2	(0.1 to 0.5)
Federated States of Micronesia	Both	15 to 19	3.1	(2.1 to 4.3)	35.5	(14.3 to 79.9)	0.5	(0.2 to 1.1)
Papua New Guinea	Male	1 to 4	0.3	(0.2 to 0.5)	17.5	(4.3 to 52.7)	0.2	(0.1 to 0.6)
Papua New Guinea	Male	5 to 9	1	(0.5 to 1.6)	18.8	(6.6 to 38.6)	0.2	(0.1 to 0.5)
Papua New Guinea	Male	10 to 14	2	(1.2 to 3.2)	6	(2.6 to 11.5)	0.1	(0.0 to 0.2)
Papua New Guinea	Male	15 to 19	3.5	(2.1 to 5.3)	19.2	(7.4 to 41.9)	0.3	(0.1 to 0.6)
Papua New Guinea	Female	1 to 4	0.2	(0.1 to 0.3)	6.5	(1.4 to 19.5)	0.1	(0.0 to 0.2)
Papua New Guinea	Female	5 to 9	0.7	(0.4 to 1.1)	2.5	(0.7 to 6.8)	0	(0.0 to 0.1)
Papua New Guinea	Female	10 to 14	1.4	(0.9 to 2.2)	8.2	(3.1 to 18.8)	0.1	(0.0 to 0.2)
Papua New Guinea	Female	15 to 19	2.5	(1.5 to 3.9)	3.8	(1.5 to 8.9)	0	(0.0 to 0.1)
Papua New Guinea	Both	1 to 4	0.3	(0.2 to 0.4)	12.2	(3.7 to 33.4)	0.1	(0.0 to 0.4)
Papua New Guinea	Both	5 to 9	0.8	(0.5 to 1.3)	11	(4.5 to 22.8)	0.1	(0.1 to 0.3)
Papua New Guinea	Both	10 to 14	1.7	(1.2 to 2.5)	7.1	(3.6 to 13.3)	0.1	(0.0 to 0.2)
Papua New Guinea	Both	15 to 19	3	(2.1 to 4.2)	11.7	(5.2 to 23.3)	0.2	(0.1 to 0.3)
Samoa	Male	1 to 4	0.3	(0.2 to 0.6)	11.5	(0.8 to 46.4)	0.1	(0.0 to 0.6)

Samoa	Male	5 to 9	1	(0.6 to 1.7)	18.2	(2.0 to 59.6)	0.2	(0.0 to 0.7)
Samoa	Male	10 to 14	2.1	(1.2 to 3.3)	8.6	(1.5 to 28.2)	0.1	(0.0 to 0.4)
Samoa	Male	15 to 19	3.5	(2.0 to 5.6)	43.2	(11.5 to 136.7)	0.6	(0.2 to 2.0)
Samoa	Female	1 to 4	0.2	(0.1 to 0.4)	4.5	(0.2 to 30.9)	0.1	(0.0 to 0.4)
Samoa	Female	5 to 9	0.7	(0.3 to 1.1)	3	(0.3 to 20.5)	0	(0.0 to 0.3)
Samoa	Female	10 to 14	1.5	(0.8 to 2.3)	10.5	(1.9 to 46.4)	0.1	(0.0 to 0.6)
Samoa	Female	15 to 19	2.6	(1.5 to 4.0)	6.8	(1.7 to 24.5)	0.1	(0.0 to 0.3)
Samoa	Both	1 to 4	0.3	(0.2 to 0.4)	8.1	(0.9 to 35.5)	0.1	(0.0 to 0.4)
Samoa	Both	5 to 9	0.8	(0.5 to 1.2)	10.9	(1.7 to 37.7)	0.1	(0.0 to 0.5)
Samoa	Both	10 to 14	1.8	(1.2 to 2.5)	9.5	(2.8 to 32.5)	0.1	(0.0 to 0.4)
Samoa	Both	15 to 19	3.1	(2.0 to 4.3)	25.9	(8.4 to 77.9)	0.4	(0.1 to 1.1)
Solomon Islands	Male	1 to 4	0.4	(0.2 to 0.6)	16.7	(1.4 to 56.0)	0.2	(0.0 to 0.7)
Solomon Islands	Male	5 to 9	1.1	(0.6 to 1.9)	32.1	(5.4 to 94.9)	0.4	(0.1 to 1.2)
Solomon Islands	Male	10 to 14	2.2	(1.3 to 3.5)	11.4	(2.6 to 27.2)	0.1	(0.0 to 0.4)
Solomon Islands	Male	15 to 19	3.6	(1.9 to 5.5)	51.1	(14.0 to 119.5)	0.7	(0.2 to 1.7)
Solomon Islands	Female	1 to 4	0.2	(0.1 to 0.4)	8.6	(0.5 to 65.6)	0.1	(0.0 to 0.8)
Solomon Islands	Female	5 to 9	0.7	(0.3 to 1.2)	4.2	(0.6 to 23.6)	0.1	(0.0 to 0.3)
Solomon Islands	Female	10 to 14	1.6	(0.9 to 2.4)	18.6	(4.1 to 57.7)	0.2	(0.1 to 0.8)
Solomon Islands	Female	15 to 19	2.7	(1.5 to 4.3)	10.2	(3.3 to 26.8)	0.1	(0.0 to 0.4)
Solomon Islands	Both	1 to 4	0.3	(0.2 to 0.4)	12.8	(1.4 to 57.9)	0.2	(0.0 to 0.7)
Solomon Islands	Both	5 to 9	0.9	(0.6 to 1.4)	18.6	(3.6 to 53.4)	0.2	(0.0 to 0.7)
Solomon Islands	Both	10 to 14	1.9	(1.3 to 2.7)	14.9	(4.4 to 39.5)	0.2	(0.1 to 0.5)
Solomon Islands	Both	15 to 19	3.2	(2.1 to 4.4)	31.4	(10.6 to 68.6)	0.4	(0.1 to 1.0)
Tonga	Male	1 to 4	0.3	(0.2 to 0.5)	25.3	(3.9 to 95.0)	0.3	(0.0 to 1.1)
Tonga	Male	5 to 9	1	(0.5 to 1.6)	25.9	(7.3 to 66.3)	0.3	(0.1 to 0.8)
Tonga	Male	10 to 14	2	(1.2 to 3.2)	7.1	(2.6 to 15.1)	0.1	(0.0 to 0.2)
Tonga	Male	15 to 19	3.4	(2.1 to 5.6)	33	(11.5 to 74.7)	0.5	(0.2 to 1.1)
Tonga	Female	1 to 4	0.2	(0.1 to 0.4)	13.2	(2.2 to 55.6)	0.2	(0.0 to 0.7)
Tonga	Female	5 to 9	0.7	(0.3 to 1.1)	4.7	(1.2 to 14.5)	0.1	(0.0 to 0.2)
Tonga	Female	10 to 14	1.5	(0.8 to 2.3)	11.5	(3.2 to 36.3)	0.2	(0.0 to 0.5)
Tonga	Female	15 to 19	2.6	(1.5 to 4.1)	5.2	(1.9 to 12.6)	0.1	(0.0 to 0.2)
Tonga	Both	1 to 4	0.3	(0.2 to 0.4)	19.4	(4.8 to 65.4)	0.2	(0.1 to 0.8)
Tonga	Both	5 to 9	0.8	(0.5 to 1.2)	15.7	(5.4 to 38.3)	0.2	(0.1 to 0.5)

			1	I	1	1		<u> </u>
Tonga	Both	10 to 14	1.8	(1.2 to 2.4)	9.2	(4.1 to 24.4)	0.1	(0.1 to 0.3)
Tonga	Both	15 to 19	3	(2.1 to 4.3)	19.6	(8.2 to 43.3)	0.3	(0.1 to 0.6)
Vanuatu	Male	1 to 4	0.3	(0.1 to 0.5)	41.1	(7.5 to 119.0)	0.5	(0.1 to 1.4)
Vanuatu	Male	5 to 9	1	(0.5 to 1.6)	51.4	(13.8 to 125.4)	0.6	(0.2 to 1.6)
Vanuatu	Male	10 to 14	2	(1.2 to 3.1)	16.7	(6.3 to 34.9)	0.2	(0.1 to 0.5)
Vanuatu	Male	15 to 19	3.5	(2.0 to 5.3)	59.5	(20.9 to 127.8)	0.9	(0.3 to 1.8)
Vanuatu	Female	1 to 4	0.2	(0.1 to 0.3)	16.6	(2.2 to 74.9)	0.2	(0.0 to 0.9)
Vanuatu	Female	5 to 9	0.7	(0.3 to 1.1)	6.6	(1.6 to 21.9)	0.1	(0.0 to 0.3)
Vanuatu	Female	10 to 14	1.4	(0.8 to 2.3)	19.7	(4.9 to 58.3)	0.3	(0.1 to 0.8)
Vanuatu	Female	15 to 19	2.6	(1.5 to 4.1)	10	(3.8 to 24.1)	0.1	(0.0 to 0.3)
Vanuatu	Both	1 to 4	0.2	(0.2 to 0.4)	29.2	(7.0 to 88.0)	0.3	(0.1 to 1.0)
Vanuatu	Both	5 to 9	0.8	(0.5 to 1.2)	29.8	(8.9 to 71.0)	0.4	(0.1 to 0.9)
Vanuatu	Both	10 to 14	1.8	(1.2 to 2.5)	18.2	(7.2 to 39.5)	0.2	(0.1 to 0.5)
Vanuatu	Both	15 to 19	3	(2.1 to 4.2)	35.6	(14.3 to 72.6)	0.5	(0.2 to 1.0)
Armenia	Male	1 to 4	0.3	(0.2 to 0.5)	0.7	(0.1 to 2.0)	0	(0.0 to 0.0)
Armenia	Male	5 to 9	0.9	(0.5 to 1.6)	6.7	(3.2 to 10.8)	0.1	(0.0 to 0.1)
Armenia	Male	10 to 14	1.8	(1.0 to 2.7)	20.6	(13.3 to 30.1)	0.3	(0.2 to 0.4)
Armenia	Male	15 to 19	2.7	(1.5 to 4.3)	54.5	(22.3 to 93.0)	0.8	(0.3 to 1.3)
Armenia	Female	1 to 4	0.3	(0.2 to 0.5)	7.1	(3.4 to 13.2)	0.1	(0.0 to 0.2)
Armenia	Female	5 to 9	0.9	(0.5 to 1.4)	9.8	(2.4 to 16.0)	0.1	(0.0 to 0.2)
Armenia	Female	10 to 14	1.7	(1.0 to 2.6)	6.1	(2.7 to 10.4)	0.1	(0.0 to 0.1)
Armenia	Female	15 to 19	2.7	(1.4 to 4.3)	33.1	(16.1 to 50.1)	0.5	(0.2 to 0.7)
Armenia	Both	1 to 4	0.3	(0.2 to 0.4)	3.7	(1.7 to 6.6)	0	(0.0 to 0.1)
Armenia	Both	5 to 9	0.9	(0.6 to 1.3)	8	(4.3 to 11.5)	0.1	(0.1 to 0.1)
Armenia	Both	10 to 14	1.8	(1.2 to 2.4)	14.4	(9.8 to 20.4)	0.2	(0.1 to 0.3)
Armenia	Both	15 to 19	2.7	(1.8 to 3.8)	45	(22.6 to 68.1)	0.6	(0.3 to 1.0)
Azerbaijan	Male	1 to 4	0.3	(0.2 to 0.6)	0.2	(0.1 to 0.5)	0	(0.0 to 0.0)
Azerbaijan	Male	5 to 9	0.9	(0.5 to 1.7)	1	(0.5 to 1.7)	0	(0.0 to 0.0)
Azerbaijan	Male	10 to 14	1.7	(1.0 to 2.7)	1.2	(0.7 to 2.0)	0	(0.0 to 0.0)
Azerbaijan	Male	15 to 19	2.6	(1.5 to 4.2)	6	(2.5 to 13.3)	0.1	(0.0 to 0.2)
Azerbaijan	Female	1 to 4	0.3	(0.1 to 0.4)	1.5	(0.3 to 5.1)	0	(0.0 to 0.1)
Azerbaijan	Female	5 to 9	0.8	(0.4 to 1.3)	2.1	(0.8 to 4.1)	0	(0.0 to 0.0)
Azerbaijan	Female	10 to 14	1.6	(0.9 to 2.3)	1.2	(0.6 to 2.2)	0	(0.0 to 0.0)

Azerbaijan	Female	15 to 19	2.5	(1.4 to 3.8)	14.2	(6.0 to 32.9)	0.2	(0.1 to 0.5)
Azerbaijan	Both	1 to 4	0.3	(0.2 to 0.4)	0.8	(0.2 to 2.5)	0	(0.0 to 0.0)
Azerbaijan	Both	5 to 9	0.9	(0.5 to 1.3)	1.5	(0.8 to 2.5)	0	(0.0 to 0.0)
Azerbaijan	Both	10 to 14	1.6	(1.1 to 2.3)	1.2	(0.7 to 1.8)	0	(0.0 to 0.0)
Azerbaijan	Both	15 to 19	2.6	(1.8 to 3.6)	9.9	(5.0 to 20.5)	0.1	(0.1 to 0.3)
Georgia	Male	1 to 4	0.3	(0.2 to 0.5)	10.4	(4.4 to 20.6)	0.1	(0.1 to 0.2)
Georgia	Male	5 to 9	0.9	(0.5 to 1.5)	21.7	(9.9 to 47.4)	0.3	(0.1 to 0.6)
Georgia	Male	10 to 14	1.7	(0.9 to 2.8)	16.4	(8.0 to 29.2)	0.2	(0.1 to 0.4)
Georgia	Male	15 to 19	2.6	(1.4 to 4.3)	55.2	(28.1 to 106.8)	0.8	(0.4 to 1.5)
Georgia	Female	1 to 4	0.3	(0.2 to 0.4)	25.7	(13.6 to 44.6)	0.3	(0.2 to 0.5)
Georgia	Female	5 to 9	0.8	(0.5 to 1.3)	30	(18.6 to 51.3)	0.4	(0.2 to 0.6)
Georgia	Female	10 to 14	1.6	(1.0 to 2.4)	8	(3.1 to 12.8)	0.1	(0.0 to 0.2)
Georgia	Female	15 to 19	2.3	(1.3 to 3.8)	38.5	(22.7 to 59.6)	0.5	(0.3 to 0.9)
Georgia	Both	1 to 4	0.3	(0.2 to 0.4)	17.7	(10.1 to 29.0)	0.2	(0.1 to 0.3)
Georgia	Both	5 to 9	0.9	(0.6 to 1.2)	25.6	(16.3 to 42.6)	0.3	(0.2 to 0.5)
Georgia	Both	10 to 14	1.6	(1.1 to 2.2)	12.5	(7.9 to 18.8)	0.2	(0.1 to 0.3)
Georgia	Both	15 to 19	2.5	(1.7 to 3.5)	47.1	(31.2 to 74.2)	0.7	(0.4 to 1.1)
Kazakhstan	Male	1 to 4	0.3	(0.2 to 0.6)	5.2	(2.1 to 11.3)	0.1	(0.0 to 0.1)
Kazakhstan	Male	5 to 9	1	(0.5 to 1.7)	9.8	(5.7 to 15.9)	0.1	(0.1 to 0.2)
Kazakhstan	Male	10 to 14	1.9	(1.1 to 3.2)	7.7	(4.3 to 12.8)	0.1	(0.1 to 0.2)
Kazakhstan	Male	15 to 19	2.9	(1.5 to 5.1)	34.2	(19.9 to 57.0)	0.5	(0.3 to 0.8)
Kazakhstan	Female	1 to 4	0.3	(0.1 to 0.5)	9.6	(4.0 to 17.4)	0.1	(0.0 to 0.2)
Kazakhstan	Female	5 to 9	0.9	(0.5 to 1.4)	8.2	(3.1 to 13.1)	0.1	(0.0 to 0.2)
Kazakhstan	Female	10 to 14	1.7	(1.1 to 2.7)	9.3	(5.3 to 17.0)	0.1	(0.1 to 0.2)
Kazakhstan	Female	15 to 19	2.7	(1.6 to 4.3)	23.2	(11.0 to 36.1)	0.3	(0.2 to 0.5)
Kazakhstan	Both	1 to 4	0.3	(0.2 to 0.5)	7.3	(4.1 to 13.2)	0.1	(0.0 to 0.2)
Kazakhstan	Both	5 to 9	0.9	(0.6 to 1.3)	9.1	(5.4 to 12.7)	0.1	(0.1 to 0.2)
Kazakhstan	Both	10 to 14	1.8	(1.3 to 2.5)	8.5	(5.8 to 13.4)	0.1	(0.1 to 0.2)
Kazakhstan	Both	15 to 19	2.8	(1.9 to 4.1)	28.8	(18.1 to 42.8)	0.4	(0.3 to 0.6)
Kyrgyzstan	Male	1 to 4	0.3	(0.2 to 0.6)	3.6	(1.6 to 6.7)	0	(0.0 to 0.1)
Kyrgyzstan	Male	5 to 9	1	(0.6 to 1.6)	4.6	(1.9 to 7.8)	0.1	(0.0 to 0.1)
Kyrgyzstan	Male	10 to 14	1.9	(1.1 to 2.9)	10.6	(6.1 to 16.9)	0.1	(0.1 to 0.2)
Kyrgyzstan	Male	15 to 19	3	(1.6 to 4.7)	23.2	(11.5 to 38.1)	0.3	(0.2 to 0.5)

Kyrgyzstan	Female	1 to 4	0.3	(0.1 to 0.5)	5.3	(1.6 to 9.6)	0.1	(0.0 to 0.1)
Kyrgyzstan	Female	5 to 9	0.9	(0.5 to 1.4)	4.8	(1.8 to 7.8)	0.1	(0.0 to 0.1)
Kyrgyzstan	Female	10 to 14	1.8	(1.1 to 2.7)	2.6	(1.1 to 4.2)	0	(0.0 to 0.1)
Kyrgyzstan	Female	15 to 19	2.7	(1.5 to 4.2)	16.4	(9.1 to 25.5)	0.2	(0.1 to 0.4)
Kyrgyzstan	Both	1 to 4	0.3	(0.2 to 0.5)	4.4	(2.0 to 7.5)	0.1	(0.0 to 0.1)
Kyrgyzstan	Both	5 to 9	1	(0.7 to 1.4)	4.7	(2.1 to 7.1)	0.1	(0.0 to 0.1)
Kyrgyzstan	Both	10 to 14	1.8	(1.3 to 2.6)	6.7	(4.0 to 10.0)	0.1	(0.1 to 0.1)
Kyrgyzstan	Both	15 to 19	2.8	(1.9 to 3.9)	19.8	(12.4 to 28.3)	0.3	(0.2 to 0.4)
Mongolia	Male	1 to 4	0.3	(0.2 to 0.5)	19	(4.5 to 50.3)	0.2	(0.1 to 0.6)
Mongolia	Male	5 to 9	0.9	(0.4 to 1.5)	12.8	(5.3 to 26.7)	0.2	(0.1 to 0.3)
Mongolia	Male	10 to 14	1.6	(0.9 to 2.6)	2.8	(1.1 to 5.7)	0	(0.0 to 0.1)
Mongolia	Male	15 to 19	2.5	(1.4 to 4.0)	6	(2.6 to 11.8)	0.1	(0.0 to 0.2)
Mongolia	Female	1 to 4	0.3	(0.1 to 0.4)	27.9	(9.9 to 61.3)	0.3	(0.1 to 0.7)
Mongolia	Female	5 to 9	0.8	(0.4 to 1.3)	7.4	(3.0 to 14.9)	0.1	(0.0 to 0.2)
Mongolia	Female	10 to 14	1.5	(0.9 to 2.3)	3.5	(1.2 to 7.5)	0	(0.0 to 0.1)
Mongolia	Female	15 to 19	2.4	(1.3 to 3.6)	35.2	(15.8 to 77.5)	0.5	(0.2 to 1.1)
Mongolia	Both	1 to 4	0.3	(0.2 to 0.4)	23.4	(9.8 to 48.9)	0.3	(0.1 to 0.6)
Mongolia	Both	5 to 9	0.8	(0.5 to 1.2)	10.1	(5.5 to 17.1)	0.1	(0.1 to 0.2)
Mongolia	Both	10 to 14	1.6	(1.1 to 2.2)	3.2	(1.3 to 5.7)	0	(0.0 to 0.1)
Mongolia	Both	15 to 19	2.4	(1.7 to 3.4)	20.5	(10.7 to 41.7)	0.3	(0.2 to 0.6)
Tajikistan	Male	1 to 4	0.3	(0.1 to 0.7)	2.7	(1.0 to 5.7)	0	(0.0 to 0.1)
Tajikistan	Male	5 to 9	1	(0.5 to 1.8)	4.4	(1.6 to 8.3)	0.1	(0.0 to 0.1)
Tajikistan	Male	10 to 14	1.9	(1.1 to 3.0)	4.8	(2.0 to 8.8)	0.1	(0.0 to 0.1)
Tajikistan	Male	15 to 19	2.8	(1.5 to 4.7)	10.8	(3.3 to 22.8)	0.1	(0.0 to 0.3)
Tajikistan	Female	1 to 4	0.3	(0.1 to 0.4)	4.8	(1.0 to 9.5)	0.1	(0.0 to 0.1)
Tajikistan	Female	5 to 9	0.8	(0.4 to 1.4)	4.6	(1.4 to 8.8)	0.1	(0.0 to 0.1)
Tajikistan	Female	10 to 14	1.6	(1.0 to 2.4)	2.1	(0.8 to 3.7)	0	(0.0 to 0.0)
Tajikistan	Female	15 to 19	2.5	(1.5 to 3.8)	11.3	(4.7 to 20.5)	0.2	(0.1 to 0.3)
Tajikistan	Both	1 to 4	0.3	(0.2 to 0.5)	3.7	(1.3 to 6.8)	0	(0.0 to 0.1)
Tajikistan	Both	5 to 9	0.9	(0.6 to 1.3)	4.5	(1.9 to 7.5)	0.1	(0.0 to 0.1)
Tajikistan	Both	10 to 14	1.7	(1.2 to 2.4)	3.5	(1.8 to 5.7)	0	(0.0 to 0.1)
Tajikistan	Both	15 to 19	2.6	(1.8 to 3.8)	11	(5.1 to 18.6)	0.2	(0.1 to 0.3)
Turkmenistan	Male	1 to 4	0.2	(0.1 to 0.4)	6.9	(1.5 to 19.4)	0.1	(0.0 to 0.2)

Turkmenistan	Male	5 to 9	0.7	(0.4 to 1.2)	3.9	(1.5 to 8.3)	0	(0.0 to 0.1)
Turkmenistan	Male	10 to 14	1.3	(0.7 to 2.2)	3.3	(1.6 to 5.9)	0	(0.0 to 0.1)
Turkmenistan	Male	15 to 19	2.1	(1.1 to 3.5)	7.1	(3.1 to 14.3)	0.1	(0.0 to 0.2)
Turkmenistan	Female	1 to 4	0.2	(0.1 to 0.4)	7.6	(2.6 to 18.8)	0.1	(0.0 to 0.2)
Turkmenistan	Female	5 to 9	0.7	(0.3 to 1.1)	4	(1.2 to 9.0)	0	(0.0 to 0.1)
Turkmenistan	Female	10 to 14	1.3	(0.7 to 2.0)	3	(1.1 to 8.0)	0	(0.0 to 0.1)
Turkmenistan	Female	15 to 19	2	(1.2 to 3.2)	6.7	(2.7 to 13.2)	0.1	(0.0 to 0.2)
Turkmenistan	Both	1 to 4	0.2	(0.1 to 0.4)	7.3	(3.1 to 17.1)	0.1	(0.0 to 0.2)
Turkmenistan	Both	5 to 9	0.7	(0.4 to 1.0)	4	(1.7 to 7.6)	0	(0.0 to 0.1)
Turkmenistan	Both	10 to 14	1.3	(0.9 to 1.8)	3.1	(1.7 to 6.1)	0	(0.0 to 0.1)
Turkmenistan	Both	15 to 19	2	(1.4 to 2.9)	6.9	(3.7 to 11.2)	0.1	(0.0 to 0.2)
Uzbekistan	Male	1 to 4	0.3	(0.2 to 0.6)	4	(1.9 to 7.8)	0	(0.0 to 0.1)
Uzbekistan	Male	5 to 9	1	(0.5 to 1.7)	7.2	(4.1 to 11.5)	0.1	(0.0 to 0.1)
Uzbekistan	Male	10 to 14	1.8	(1.0 to 2.8)	6.7	(3.6 to 11.0)	0.1	(0.0 to 0.1)
Uzbekistan	Male	15 to 19	2.7	(1.5 to 4.4)	30.7	(14.2 to 56.8)	0.4	(0.2 to 0.8)
Uzbekistan	Female	1 to 4	0.3	(0.1 to 0.4)	6	(3.2 to 10.2)	0.1	(0.0 to 0.1)
Uzbekistan	Female	5 to 9	0.8	(0.3 to 1.3)	7.2	(3.8 to 11.9)	0.1	(0.0 to 0.1)
Uzbekistan	Female	10 to 14	1.6	(0.8 to 2.4)	4.9	(2.4 to 10.8)	0.1	(0.0 to 0.1)
Uzbekistan	Female	15 to 19	2.6	(1.5 to 4.0)	17.7	(8.7 to 40.4)	0.3	(0.1 to 0.6)
Uzbekistan	Both	1 to 4	0.3	(0.2 to 0.5)	5	(2.9 to 7.9)	0.1	(0.0 to 0.1)
Uzbekistan	Both	5 to 9	0.9	(0.5 to 1.3)	7.2	(4.8 to 10.2)	0.1	(0.1 to 0.1)
Uzbekistan	Both	10 to 14	1.7	(1.1 to 2.3)	5.8	(3.7 to 8.9)	0.1	(0.0 to 0.1)
Uzbekistan	Both	15 to 19	2.6	(1.7 to 3.8)	24.4	(14.2 to 38.7)	0.3	(0.2 to 0.6)
Albania	Male	1 to 4	1.3	(0.8 to 2.0)	35.4	(12.5 to 84.7)	0.4	(0.1 to 1.0)
Albania	Male	5 to 9	3.9	(2.4 to 5.9)	12.7	(5.9 to 25.1)	0.2	(0.1 to 0.3)
Albania	Male	10 to 14	7.4	(4.6 to 10.9)	11.1	(5.8 to 20.2)	0.1	(0.1 to 0.3)
Albania	Male	15 to 19	11.2	(6.7 to 16.9)	30.9	(17.3 to 51.5)	0.4	(0.2 to 0.7)
Albania	Female	1 to 4	0.8	(0.5 to 1.2)	54.9	(17.2 to 124.0)	0.6	(0.2 to 1.5)
Albania	Female	5 to 9	2.4	(1.4 to 3.5)	17.2	(7.1 to 35.0)	0.2	(0.1 to 0.4)
Albania	Female	10 to 14	4.5	(2.9 to 6.7)	17.4	(8.9 to 30.4)	0.2	(0.1 to 0.4)
Albania	Female	15 to 19	7	(4.1 to 10.7)	22	(11.8 to 43.0)	0.3	(0.2 to 0.6)
Albania	Both	1 to 4	1.1	(0.7 to 1.4)	44.8	(18.1 to 95.0)	0.5	(0.2 to 1.1)
Albania	Both	5 to 9	3.2	(2.2 to 4.4)	14.8	(7.5 to 28.0)	0.2	(0.1 to 0.3)

Albania	Both	10 to 14	6	(4.3 to 8.1)	14.1	(8.2 to 22.9)	0.2	(0.1 to 0.3)
Albania	Both	15 to 19	9.1	(6.2 to 12.5)	26.5	(17.0 to 40.5)	0.4	(0.2 to 0.6)
Bosnia and Herzegovina	Male	1 to 4	1.3	(0.8 to 2.0)	6.3	(1.9 to 14.6)	0.1	(0.0 to 0.2)
Bosnia and Herzegovina	Male	5 to 9	3.9	(2.4 to 5.8)	3.1	(0.8 to 7.6)	0	(0.0 to 0.1)
Bosnia and Herzegovina	Male	10 to 14	7.5	(4.6 to 10.3)	6.3	(3.1 to 11.2)	0.1	(0.0 to 0.1)
Bosnia and Herzegovina	Male	15 to 19	11.4	(6.9 to 15.9)	16.7	(3.6 to 39.6)	0.2	(0.0 to 0.5)
Bosnia and Herzegovina	Female	1 to 4	0.8	(0.5 to 1.2)	6.3	(0.8 to 14.2)	0.1	(0.0 to 0.2)
Bosnia and Herzegovina	Female	5 to 9	2.4	(1.5 to 3.5)	3	(0.4 to 6.8)	0	(0.0 to 0.1)
Bosnia and Herzegovina	Female	10 to 14	4.8	(3.2 to 6.8)	6.5	(1.7 to 13.3)	0.1	(0.0 to 0.2)
Bosnia and Herzegovina	Female	15 to 19	7.6	(5.1 to 10.5)	21.8	(4.8 to 42.5)	0.3	(0.1 to 0.6)
Bosnia and Herzegovina	Both	1 to 4	1.1	(0.8 to 1.5)	6.3	(1.7 to 13.5)	0.1	(0.0 to 0.2)
Bosnia and Herzegovina	Both	5 to 9	3.2	(2.2 to 4.2)	3.1	(0.7 to 6.3)	0	(0.0 to 0.1)
Bosnia and Herzegovina	Both	10 to 14	6.2	(4.5 to 7.8)	6.4	(3.2 to 10.3)	0.1	(0.0 to 0.1)
Bosnia and Herzegovina	Both	15 to 19	9.6	(7.1 to 12.2)	19.2	(5.2 to 36.9)	0.3	(0.1 to 0.5)
Bulgaria	Male	1 to 4	1.4	(0.8 to 2.0)	8.1	(3.7 to 15.0)	0.1	(0.0 to 0.2)
Bulgaria	Male	5 to 9	4	(2.7 to 5.7)	5.5	(2.9 to 9.2)	0.1	(0.0 to 0.1)
Bulgaria	Male	10 to 14	7.7	(5.2 to 10.6)	8	(4.9 to 12.4)	0.1	(0.0 to 0.2)
Bulgaria	Male	15 to 19	11.7	(7.7 to 16.8)	17.9	(9.9 to 29.2)	0.2	(0.1 to 0.4)
Bulgaria	Female	1 to 4	0.8	(0.5 to 1.2)	6.8	(3.3 to 12.0)	0.1	(0.0 to 0.1)
Bulgaria	Female	5 to 9	2.5	(1.5 to 3.6)	3.3	(1.5 to 5.5)	0	(0.0 to 0.1)
Bulgaria	Female	10 to 14	4.9	(3.1 to 6.9)	5.1	(2.9 to 7.6)	0.1	(0.0 to 0.1)
Bulgaria	Female	15 to 19	7.7	(4.8 to 11.1)	13.4	(8.6 to 21.2)	0.2	(0.1 to 0.3)
Bulgaria	Both	1 to 4	1.1	(0.8 to 1.5)	7.5	(4.1 to 12.6)	0.1	(0.0 to 0.1)
Bulgaria	Both	5 to 9	3.3	(2.4 to 4.3)	4.5	(2.5 to 6.9)	0	(0.0 to 0.1)
Bulgaria	Both	10 to 14	6.3	(4.8 to 8.1)	6.6	(4.6 to 9.1)	0.1	(0.0 to 0.1)
Bulgaria	Both	15 to 19	9.8	(7.2 to 12.7)	15.7	(10.6 to 22.4)	0.2	(0.1 to 0.3)
Croatia	Male	1 to 4	1.4	(0.7 to 2.0)	1.6	(0.7 to 3.2)	0	(0.0 to 0.0)
Croatia	Male	5 to 9	4	(2.4 to 5.7)	1.2	(0.7 to 2.0)	0	(0.0 to 0.0)
Croatia	Male	10 to 14	7.8	(5.2 to 10.8)	2.3	(1.5 to 3.3)	0	(0.0 to 0.0)
Croatia	Male	15 to 19	12	(7.5 to 17.2)	6.9	(4.2 to 11.0)	0.1	(0.0 to 0.1)
Croatia	Female	1 to 4	0.8	(0.4 to 1.2)	0.9	(0.4 to 1.6)	0	(0.0 to 0.0)
Croatia	Female	5 to 9	2.4	(1.4 to 3.6)	1.4	(0.8 to 2.2)	0	(0.0 to 0.0)
Croatia	Female	10 to 14	4.6	(3.1 to 6.7)	1.5	(0.8 to 2.2)	0	(0.0 to 0.0)

Croatia	Female	15 to 19	7	(4.5 to 10.1)	4	(2.3 to 5.8)	0	(0.0 to 0.1)
Croatia	Both	1 to 4	1.1	(0.7 to 1.4)	1.2	(0.6 to 2.2)	0	(0.0 to 0.0)
Croatia	Both	5 to 9	3.2	(2.3 to 4.2)	1.3	(0.9 to 1.9)	0	(0.0 to 0.0)
Croatia	Both	10 to 14	6.2	(4.7 to 8.0)	1.9	(1.3 to 2.6)	0	(0.0 to 0.0)
Croatia	Both	15 to 19	9.6	(7.0 to 12.7)	5.5	(3.8 to 7.8)	0.1	(0.0 to 0.1)
Czech Republic	Male	1 to 4	1.3	(0.9 to 1.9)	1.7	(0.8 to 3.3)	0	(0.0 to 0.0)
Czech Republic	Male	5 to 9	3.9	(2.6 to 5.7)	1.6	(1.0 to 2.4)	0	(0.0 to 0.0)
Czech Republic	Male	10 to 14	7.5	(5.1 to 10.8)	2.1	(1.4 to 3.1)	0	(0.0 to 0.0)
Czech Republic	Male	15 to 19	11.5	(7.3 to 16.7)	6.6	(4.4 to 9.9)	0.1	(0.0 to 0.1)
Czech Republic	Female	1 to 4	0.8	(0.4 to 1.2)	1.6	(0.7 to 2.7)	0	(0.0 to 0.0)
Czech Republic	Female	5 to 9	2.3	(1.3 to 3.4)	2	(1.2 to 3.1)	0	(0.0 to 0.0)
Czech Republic	Female	10 to 14	4.6	(2.9 to 6.6)	2.5	(1.6 to 3.7)	0	(0.0 to 0.0)
Czech Republic	Female	15 to 19	7.3	(4.5 to 10.7)	4.4	(2.7 to 6.4)	0	(0.0 to 0.1)
Czech Republic	Both	1 to 4	1.1	(0.8 to 1.4)	1.7	(0.9 to 2.8)	0	(0.0 to 0.0)
Czech Republic	Both	5 to 9	3.1	(2.3 to 4.4)	1.8	(1.2 to 2.6)	0	(0.0 to 0.0)
Czech Republic	Both	10 to 14	6.1	(4.6 to 8.0)	2.3	(1.7 to 3.1)	0	(0.0 to 0.0)
Czech Republic	Both	15 to 19	9.5	(6.9 to 12.5)	5.5	(4.0 to 7.5)	0.1	(0.0 to 0.1)
Hungary	Male	1 to 4	1.5	(1.0 to 2.2)	3.2	(1.1 to 6.7)	0	(0.0 to 0.1)
Hungary	Male	5 to 9	4.4	(2.9 to 6.1)	2.6	(1.2 to 4.6)	0	(0.0 to 0.0)
Hungary	Male	10 to 14	8.5	(5.8 to 11.9)	4.6	(2.7 to 7.3)	0	(0.0 to 0.1)
Hungary	Male	15 to 19	13.2	(8.9 to 18.8)	8.2	(4.5 to 12.6)	0.1	(0.0 to 0.1)
Hungary	Female	1 to 4	1	(0.6 to 1.5)	3.1	(1.2 to 6.4)	0	(0.0 to 0.1)
Hungary	Female	5 to 9	2.9	(1.9 to 4.2)	3	(1.5 to 4.6)	0	(0.0 to 0.1)
Hungary	Female	10 to 14	5.6	(3.9 to 8.0)	4.7	(2.7 to 7.1)	0.1	(0.0 to 0.1)
Hungary	Female	15 to 19	8.5	(5.5 to 12.6)	10.7	(6.1 to 15.7)	0.1	(0.1 to 0.2)
Hungary	Both	1 to 4	1.3	(0.9 to 1.6)	3.1	(1.3 to 5.5)	0	(0.0 to 0.1)
Hungary	Both	5 to 9	3.7	(2.7 to 4.7)	2.8	(1.5 to 4.3)	0	(0.0 to 0.0)
Hungary	Both	10 to 14	7.1	(5.4 to 8.9)	4.6	(3.1 to 6.5)	0	(0.0 to 0.1)
Hungary	Both	15 to 19	10.9	(8.1 to 14.2)	9.4	(5.9 to 12.8)	0.1	(0.1 to 0.2)
Macedonia	Male	1 to 4	1.4	(0.9 to 1.9)	9	(2.9 to 19.2)	0.1	(0.0 to 0.2)
Macedonia	Male	5 to 9	4.1	(2.7 to 5.7)	7.7	(3.6 to 14.1)	0.1	(0.0 to 0.2)
Macedonia	Male	10 to 14	7.7	(5.3 to 10.7)	3.4	(1.6 to 6.2)	0	(0.0 to 0.1)
Macedonia	Male	15 to 19	11.9	(7.7 to 17.0)	29.1	(13.6 to 50.9)	0.4	(0.2 to 0.7)

	Famala	1 + - 1	0.0		11	(4 4 + 2 2 2)	0.1	$(0,0+\epsilon,0,2)$
Macedonia	Female	1 to 4	0.8	(0.5 to 1.2)	11	(4.1 to 22.3)	0.1	(0.0 to 0.3)
Macedonia	Female	5 to 9	2.4	(1.5 to 3.5)	11.6	(5.5 to 24.9)	0.1	(0.1 to 0.3)
Macedonia	Female	10 to 14	4.7	(3.1 to 6.7)	8.4	(3.8 to 14.2)	0.1	(0.0 to 0.2)
Macedonia	Female	15 to 19	7.4	(4.7 to 10.7)	25.8	(13.7 to 39.4)	0.4	(0.2 to 0.6)
Macedonia	Both	1 to 4	1.1	(0.8 to 1.5)	10	(4.1 to 17.9)	0.1	(0.0 to 0.2)
Macedonia	Both	5 to 9	3.2	(2.4 to 4.2)	9.6	(5.1 to 18.4)	0.1	(0.1 to 0.2)
Macedonia	Both	10 to 14	6.3	(4.8 to 8.1)	5.8	(2.8 to 9.3)	0.1	(0.0 to 0.1)
Macedonia	Both	15 to 19	9.7	(7.2 to 12.8)	27.5	(16.6 to 40.9)	0.4	(0.2 to 0.6)
Montenegro	Male	1 to 4	1.4	(0.8 to 2.1)	23.6	(6.5 to 66.6)	0.3	(0.1 to 0.8)
Montenegro	Male	5 to 9	4	(2.6 to 5.9)	16.7	(6.4 to 37.3)	0.2	(0.1 to 0.5)
Montenegro	Male	10 to 14	7.6	(5.3 to 10.5)	14.8	(6.5 to 29.4)	0.2	(0.1 to 0.4)
Montenegro	Male	15 to 19	11.7	(7.9 to 16.4)	71.7	(34.2 to 133.8)	1	(0.5 to 1.9)
Montenegro	Female	1 to 4	0.8	(0.5 to 1.1)	42.8	(15.4 to 94.8)	0.5	(0.2 to 1.1)
Montenegro	Female	5 to 9	2.3	(1.5 to 3.3)	29.5	(9.0 to 67.0)	0.4	(0.1 to 0.8)
Montenegro	Female	10 to 14	4.7	(3.1 to 6.5)	76.7	(34.8 to 149.9)	1	(0.5 to 2.0)
Montenegro	Female	15 to 19	7.4	(4.6 to 10.6)	33.7	(8.5 to 64.7)	0.5	(0.1 to 0.9)
Montenegro	Both	1 to 4	1.1	(0.8 to 1.5)	32.8	(12.9 to 72.3)	0.4	(0.2 to 0.9)
Montenegro	Both	5 to 9	3.2	(2.3 to 4.2)	22.8	(9.6 to 47.9)	0.3	(0.1 to 0.6)
Montenegro	Both	10 to 14	6.2	(4.7 to 7.9)	44.7	(23.8 to 79.6)	0.6	(0.3 to 1.1)
Montenegro	Both	15 to 19	9.6	(7.1 to 12.3)	53.3	(26.9 to 89.9)	0.7	(0.4 to 1.3)
Poland	Male	1 to 4	1.1	(0.7 to 1.6)	2.9	(1.3 to 5.4)	0	(0.0 to 0.1)
Poland	Male	5 to 9	3.2	(2.1 to 4.7)	2.5	(1.4 to 3.9)	0	(0.0 to 0.0)
Poland	Male	10 to 14	6.2	(4.1 to 8.9)	3.7	(2.3 to 5.8)	0	(0.0 to 0.1)
Poland	Male	15 to 19	9.7	(5.8 to 13.8)	8.8	(5.0 to 13.4)	0.1	(0.1 to 0.2)
Poland	Female	1 to 4	0.6	(0.4 to 0.9)	2.9	(1.2 to 5.4)	0	(0.0 to 0.1)
Poland	Female	5 to 9	1.9	(1.1 to 2.7)	3	(1.6 to 4.8)	0	(0.0 to 0.1)
Poland	Female	10 to 14	3.7	(2.2 to 5.2)	4.5	(2.7 to 6.8)	0.1	(0.0 to 0.1)
Poland	Female	15 to 19	5.6	(3.3 to 8.6)	7.4	(4.1 to 11.0)	0.1	(0.0 to 0.1)
Poland	Both	1 to 4	0.9	(0.6 to 1.2)	2.9	(1.5 to 4.9)	0	(0.0 to 0.1)
Poland	Both	5 to 9	2.6	(1.8 to 3.5)	2.8	(1.7 to 4.0)	0	(0.0 to 0.0)
Poland	Both	10 to 14	5	(3.5 to 6.4)	4.1	(2.9 to 5.6)	0	(0.0 to 0.1)
Poland	Both	15 to 19	7.7	(5.3 to 10.0)	8.1	(5.2 to 11.1)	0.1	(0.1 to 0.1)
Romania	Male	1 to 4	1.4	(0.9 to 2.3)	0.8	(0.4 to 1.6)	0	(0.0 to 0.0)

Romania	Male	5 to 9	4.1	(2.7 to 6.3)	1.6	(0.8 to 2.8)	0	(0.0 to 0.0)
Romania	Male	10 to 14	7.9	(5.3 to 11.7)	2.8	(1.7 to 4.2)	0	(0.0 to 0.0)
Romania	Male	15 to 19	12.1	(7.5 to 18.0)	4.9	(2.4 to 8.0)	0	(0.0 to 0.1)
Romania	Female	1 to 4	0.8	(0.5 to 1.2)	0.8	(0.2 to 1.7)	0	(0.0 to 0.0)
Romania	Female	5 to 9	2.6	(1.5 to 3.9)	1.3	(0.6 to 2.2)	0	(0.0 to 0.0)
Romania	Female	10 to 14	5	(3.1 to 7.3)	1.9	(1.0 to 2.9)	0	(0.0 to 0.0)
Romania	Female	15 to 19	7.5	(4.6 to 11.4)	3.7	(1.9 to 5.8)	0	(0.0 to 0.1)
Romania	Both	1 to 4	1.1	(0.8 to 1.6)	0.8	(0.3 to 1.5)	0	(0.0 to 0.0)
Romania	Both	5 to 9	3.4	(2.4 to 4.7)	1.5	(0.8 to 2.3)	0	(0.0 to 0.0)
Romania	Both	10 to 14	6.5	(4.7 to 8.7)	2.3	(1.4 to 3.4)	0	(0.0 to 0.0)
Romania	Both	15 to 19	9.9	(6.9 to 13.1)	4.3	(2.3 to 6.3)	0	(0.0 to 0.1)
Serbia	Male	1 to 4	1.4	(1.0 to 2.0)	1.9	(0.9 to 3.3)	0	(0.0 to 0.0)
Serbia	Male	5 to 9	4.2	(2.8 to 6.0)	2.6	(1.7 to 4.2)	0	(0.0 to 0.0)
Serbia	Male	10 to 14	7.9	(5.4 to 11.4)	2.7	(1.7 to 4.0)	0	(0.0 to 0.0)
Serbia	Male	15 to 19	12.2	(7.5 to 17.8)	8.5	(5.0 to 12.6)	0.1	(0.0 to 0.2)
Serbia	Female	1 to 4	0.8	(0.5 to 1.2)	1.4	(0.5 to 2.5)	0	(0.0 to 0.0)
Serbia	Female	5 to 9	2.5	(1.6 to 3.5)	1.4	(0.9 to 2.0)	0	(0.0 to 0.0)
Serbia	Female	10 to 14	4.8	(3.3 to 6.7)	1.8	(1.1 to 2.6)	0	(0.0 to 0.0)
Serbia	Female	15 to 19	7.3	(4.7 to 10.9)	4.7	(2.7 to 7.0)	0.1	(0.0 to 0.1)
Serbia	Both	1 to 4	1.1	(0.8 to 1.5)	1.7	(0.8 to 2.7)	0	(0.0 to 0.0)
Serbia	Both	5 to 9	3.4	(2.5 to 4.3)	2.1	(1.5 to 2.8)	0	(0.0 to 0.0)
Serbia	Both	10 to 14	6.4	(4.9 to 8.5)	2.3	(1.5 to 3.1)	0	(0.0 to 0.0)
Serbia	Both	15 to 19	9.8	(7.2 to 13.4)	6.6	(4.3 to 9.1)	0.1	(0.0 to 0.1)
Slovakia	Male	1 to 4	1.4	(0.8 to 2.0)	1.3	(0.5 to 2.9)	0	(0.0 to 0.0)
Slovakia	Male	5 to 9	4	(2.5 to 5.5)	4.2	(2.1 to 8.5)	0	(0.0 to 0.1)
Slovakia	Male	10 to 14	7.7	(5.1 to 10.5)	3.2	(2.1 to 4.8)	0	(0.0 to 0.0)
Slovakia	Male	15 to 19	11.8	(7.6 to 16.8)	6.2	(3.9 to 9.7)	0.1	(0.0 to 0.1)
Slovakia	Female	1 to 4	0.7	(0.4 to 1.0)	1.7	(0.5 to 3.4)	0	(0.0 to 0.0)
Slovakia	Female	5 to 9	2.3	(1.3 to 3.3)	1.9	(1.0 to 3.1)	0	(0.0 to 0.0)
Slovakia	Female	10 to 14	4.6	(3.0 to 6.7)	1.9	(1.2 to 2.8)	0	(0.0 to 0.0)
Slovakia	Female	15 to 19	7.2	(4.7 to 10.3)	3.6	(2.1 to 5.4)	0	(0.0 to 0.1)
Slovakia	Both	1 to 4	1	(0.7 to 1.4)	1.5	(0.6 to 2.7)	0	(0.0 to 0.0)
Slovakia	Both	5 to 9	3.2	(2.2 to 4.2)	3	(1.8 to 5.5)	0	(0.0 to 0.1)

		40 - 44	6.4		2.6		<u>^</u>	
Slovakia	Both	10 to 14	6.1	(4.4 to 7.9)	2.6	(1.8 to 3.6)	0	(0.0 to 0.0)
Slovakia	Both	15 to 19	9.5	(6.9 to 12.5)	4.9	(3.4 to 7.1)	0	(0.0 to 0.1)
Slovenia	Male	1 to 4	1.3	(0.8 to 1.8)	1.1	(0.3 to 2.4)	0	(0.0 to 0.0)
Slovenia	Male	5 to 9	3.8	(2.3 to 5.3)	1.7	(1.0 to 2.7)	0	(0.0 to 0.0)
Slovenia	Male	10 to 14	7.4	(4.8 to 10.3)	1.8	(1.0 to 2.7)	0	(0.0 to 0.0)
Slovenia	Male	15 to 19	11.5	(7.4 to 16.9)	4.7	(3.0 to 7.0)	0	(0.0 to 0.1)
Slovenia	Female	1 to 4	0.8	(0.5 to 1.3)	3.9	(1.7 to 8.0)	0	(0.0 to 0.1)
Slovenia	Female	5 to 9	2.6	(1.6 to 3.8)	1.1	(0.5 to 1.8)	0	(0.0 to 0.0)
Slovenia	Female	10 to 14	4.8	(3.2 to 6.8)	1.3	(0.9 to 2.0)	0	(0.0 to 0.0)
Slovenia	Female	15 to 19	7.3	(4.4 to 10.5)	2.3	(1.3 to 3.3)	0	(0.0 to 0.0)
Slovenia	Both	1 to 4	1.1	(0.7 to 1.4)	2.5	(1.1 to 4.9)	0	(0.0 to 0.1)
Slovenia	Both	5 to 9	3.2	(2.3 to 4.2)	1.4	(1.0 to 2.0)	0	(0.0 to 0.0)
Slovenia	Both	10 to 14	6.1	(4.5 to 8.0)	1.6	(1.0 to 2.2)	0	(0.0 to 0.0)
Slovenia	Both	15 to 19	9.5	(6.7 to 12.8)	3.5	(2.4 to 4.8)	0	(0.0 to 0.0)
Belarus	Male	1 to 4	4.2	(2.8 to 5.7)	0.7	(0.4 to 1.2)	0	(0.0 to 0.0)
Belarus	Male	5 to 9	11.5	(8.3 to 15.7)	2.5	(1.6 to 3.7)	0	(0.0 to 0.0)
Belarus	Male	10 to 14	20.5	(14.8 to 27.2)	3.8	(2.3 to 5.8)	0	(0.0 to 0.0)
Belarus	Male	15 to 19	29.2	(20.1 to 39.9)	9.9	(5.8 to 15.4)	0.1	(0.0 to 0.1)
Belarus	Female	1 to 4	2.5	(1.7 to 3.5)	1.3	(0.7 to 2.3)	0	(0.0 to 0.0)
Belarus	Female	5 to 9	7.1	(5.2 to 9.5)	1.9	(1.2 to 2.7)	0	(0.0 to 0.0)
Belarus	Female	10 to 14	13.1	(9.5 to 17.1)	3.1	(2.0 to 4.4)	0	(0.0 to 0.0)
Belarus	Female	15 to 19	19.5	(13.8 to 25.8)	9.4	(6.1 to 14.7)	0.1	(0.0 to 0.2)
Belarus	Both	1 to 4	3.4	(2.5 to 4.3)	1	(0.6 to 1.5)	0	(0.0 to 0.0)
Belarus	Both	5 to 9	9.4	(7.4 to 11.5)	2.2	(1.5 to 3.0)	0	(0.0 to 0.0)
Belarus	Both	10 to 14	16.9	(13.4 to 20.9)	3.5	(2.3 to 4.9)	0	(0.0 to 0.0)
Belarus	Both	15 to 19	24.5	(18.8 to 31.3)	9.7	(6.6 to 13.6)	0.1	(0.0 to 0.1)
Estonia	Male	1 to 4	5	(3.4 to 6.6)	2.2	(1.2 to 3.4)	0	(0.0 to 0.0)
Estonia	Male	5 to 9	13.4	(9.7 to 17.2)	4.2	(2.8 to 6.0)	0	(0.0 to 0.0)
Estonia	Male	10 to 14	23.8	(17.4 to 30.9)	4.9	(3.0 to 7.2)	0	(0.0 to 0.0)
Estonia	Male	15 to 19	34	(24.6 to 45.7)	11	(6.8 to 16.5)	0.1	(0.0 to 0.1)
Estonia	Female	1 to 4	3.2	(2.2 to 4.4)	0.7	(0.4 to 1.0)	0	(0.0 to 0.0)
Estonia	Female	5 to 9	9	(6.6 to 11.5)	1.7	(1.1 to 2.4)	0	(0.0 to 0.0)
Estonia	Female	10 to 14	16.3	(11.8 to 21.1)	3.4	(2.2 to 4.7)	0	(0.0 to 0.0)

Estonia	Female	15 to 19	23.4	(16.0 to 31.0)	7.7	(5.0 to 12.0)	0.1	(0.0 to 0.1)
Estonia	Both	1 to 4	4.1	(3.1 to 5.2)	1.5	(0.8 to 2.2)	0	(0.0 to 0.0)
Estonia	Both	5 to 9	11.3	(9.0 to 13.8)	3	(2.0 to 4.1)	0	(0.0 to 0.0)
Estonia	Both	10 to 14	20.2	(16.6 to 24.5)	4.2	(2.8 to 5.8)	0	(0.0 to 0.0)
Estonia	Both	15 to 19	28.8	(23.1 to 35.6)	9.4	(6.4 to 13.1)	0.1	(0.0 to 0.1)
Latvia	Male	1 to 4	4	(2.8 to 5.4)	3.2	(1.6 to 5.4)	0	(0.0 to 0.1)
Latvia	Male	5 to 9	11.1	(8.0 to 14.7)	2.3	(1.4 to 3.5)	0	(0.0 to 0.0)
Latvia	Male	10 to 14	20	(14.6 to 26.6)	3.7	(2.3 to 5.6)	0	(0.0 to 0.0)
Latvia	Male	15 to 19	29	(20.2 to 39.9)	7.5	(4.5 to 11.0)	0	(0.0 to 0.1)
Latvia	Female	1 to 4	2.3	(1.4 to 3.2)	2.6	(1.4 to 4.1)	0	(0.0 to 0.0)
Latvia	Female	5 to 9	6.5	(4.4 to 8.9)	2.5	(1.4 to 3.6)	0	(0.0 to 0.0)
Latvia	Female	10 to 14	12.4	(8.8 to 16.6)	3.1	(1.9 to 4.3)	0	(0.0 to 0.0)
Latvia	Female	15 to 19	18.5	(12.7 to 25.8)	10.8	(7.0 to 16.2)	0.1	(0.1 to 0.2)
Latvia	Both	1 to 4	3.2	(2.4 to 4.0)	2.9	(1.8 to 4.3)	0	(0.0 to 0.0)
Latvia	Both	5 to 9	8.9	(6.9 to 10.9)	2.4	(1.6 to 3.4)	0	(0.0 to 0.0)
Latvia	Both	10 to 14	16.3	(12.7 to 20.2)	3.4	(2.3 to 4.8)	0	(0.0 to 0.0)
Latvia	Both	15 to 19	24	(18.0 to 30.2)	9.1	(6.2 to 12.6)	0.1	(0.0 to 0.1)
Lithuania	Male	1 to 4	2.8	(1.9 to 4.0)	0.6	(0.4 to 0.9)	0	(0.0 to 0.0)
Lithuania	Male	5 to 9	7.9	(5.7 to 10.8)	1.5	(0.9 to 2.3)	0	(0.0 to 0.0)
Lithuania	Male	10 to 14	14.5	(10.2 to 19.5)	2.7	(1.7 to 4.2)	0	(0.0 to 0.0)
Lithuania	Male	15 to 19	21.2	(14.0 to 29.3)	6.4	(4.1 to 9.6)	0	(0.0 to 0.1)
Lithuania	Female	1 to 4	1.7	(1.1 to 2.3)	0.4	(0.3 to 0.7)	0	(0.0 to 0.0)
Lithuania	Female	5 to 9	5	(3.4 to 6.5)	1	(0.6 to 1.5)	0	(0.0 to 0.0)
Lithuania	Female	10 to 14	9.5	(6.5 to 12.5)	2.1	(1.3 to 2.9)	0	(0.0 to 0.0)
Lithuania	Female	15 to 19	14.2	(9.4 to 19.5)	3.7	(2.2 to 5.5)	0	(0.0 to 0.0)
Lithuania	Both	1 to 4	2.3	(1.7 to 3.0)	0.5	(0.4 to 0.8)	0	(0.0 to 0.0)
Lithuania	Both	5 to 9	6.5	(5.2 to 8.3)	1.3	(0.9 to 1.9)	0	(0.0 to 0.0)
Lithuania	Both	10 to 14	12.1	(9.4 to 15.2)	2.4	(1.6 to 3.4)	0	(0.0 to 0.0)
Lithuania	Both	15 to 19	17.8	(13.2 to 23.0)	5.1	(3.5 to 7.2)	0	(0.0 to 0.1)
Moldova	Male	1 to 4	3.9	(2.5 to 5.3)	1.5	(0.8 to 2.3)	0	(0.0 to 0.0)
Moldova	Male	5 to 9	10.6	(7.3 to 14.1)	2.4	(1.5 to 3.4)	0	(0.0 to 0.0)
Moldova	Male	10 to 14	19	(13.0 to 25.6)	4	(2.5 to 5.9)	0	(0.0 to 0.0)
Moldova	Male	15 to 19	27.5	(17.2 to 38.7)	13	(7.8 to 19.5)	0.1	(0.1 to 0.2)

Moldova	Female	1 to 4	2.1	(1.4 to 2.9)	1	(0.6 to 1.5)	0	(0.0 to 0.0)
Moldova	Female	5 to 9	6.2	(4.4 to 8.3)	1.5	(1.0 to 2.1)	0	(0.0 to 0.0)
Moldova	Female	10 to 14	11.8	(8.4 to 15.9)	2.5	(1.6 to 3.5)	0	(0.0 to 0.0)
Moldova	Female	15 to 19	17.7	(12.3 to 24.4)	8	(4.6 to 11.6)	0.1	(0.0 to 0.1)
Moldova	Both	1 to 4	3	(2.2 to 3.9)	1.2	(0.8 to 1.8)	0	(0.0 to 0.0)
Moldova	Both	5 to 9	8.4	(6.4 to 10.6)	2	(1.3 to 2.6)	0	(0.0 to 0.0)
Moldova	Both	10 to 14	15.5	(11.8 to 19.7)	3.3	(2.2 to 4.4)	0	(0.0 to 0.0)
Moldova	Both	15 to 19	22.6	(16.5 to 29.5)	10.5	(6.9 to 14.5)	0.1	(0.0 to 0.2)
Russia	Male	1 to 4	2	(1.3 to 2.7)	0.8	(0.4 to 1.6)	0	(0.0 to 0.0)
Russia	Male	5 to 9	5.8	(3.9 to 7.7)	1.2	(0.8 to 1.8)	0	(0.0 to 0.0)
Russia	Male	10 to 14	10.6	(7.3 to 14.2)	2.2	(1.3 to 3.2)	0	(0.0 to 0.0)
Russia	Male	15 to 19	15.8	(10.5 to 22.7)	10	(5.9 to 16.4)	0.1	(0.1 to 0.2)
Russia	Female	1 to 4	1.3	(0.8 to 1.9)	0.8	(0.4 to 1.6)	0	(0.0 to 0.0)
Russia	Female	5 to 9	3.9	(2.6 to 5.4)	1.2	(0.8 to 1.8)	0	(0.0 to 0.0)
Russia	Female	10 to 14	7.5	(5.0 to 10.2)	2	(1.4 to 3.0)	0	(0.0 to 0.0)
Russia	Female	15 to 19	11.4	(6.9 to 16.5)	8.8	(4.8 to 13.4)	0.1	(0.0 to 0.2)
Russia	Both	1 to 4	1.7	(1.2 to 2.2)	0.8	(0.5 to 1.5)	0	(0.0 to 0.0)
Russia	Both	5 to 9	4.8	(3.6 to 6.2)	1.2	(0.8 to 1.7)	0	(0.0 to 0.0)
Russia	Both	10 to 14	9.1	(6.9 to 11.5)	2.1	(1.5 to 2.9)	0	(0.0 to 0.0)
Russia	Both	15 to 19	13.7	(10.2 to 18.0)	9.4	(6.6 to 13.5)	0.1	(0.1 to 0.2)
Ukraine	Male	1 to 4	6	(4.0 to 8.2)	2.8	(1.4 to 5.1)	0	(0.0 to 0.0)
Ukraine	Male	5 to 9	16	(11.4 to 21.5)	3.8	(2.4 to 5.7)	0	(0.0 to 0.0)
Ukraine	Male	10 to 14	27.7	(20.6 to 36.9)	5.3	(3.3 to 7.9)	0	(0.0 to 0.0)
Ukraine	Male	15 to 19	38.1	(27.6 to 51.1)	11.3	(6.2 to 17.9)	0.1	(0.0 to 0.1)
Ukraine	Female	1 to 4	3	(1.8 to 4.1)	2.1	(1.0 to 3.7)	0	(0.0 to 0.0)
Ukraine	Female	5 to 9	8.3	(5.1 to 11.3)	2.5	(1.5 to 3.7)	0	(0.0 to 0.0)
Ukraine	Female	10 to 14	15.3	(10.5 to 20.9)	3.7	(2.3 to 5.5)	0	(0.0 to 0.0)
Ukraine	Female	15 to 19	22.7	(15.3 to 31.1)	8.7	(5.3 to 12.8)	0.1	(0.0 to 0.1)
Ukraine	Both	1 to 4	4.5	(3.4 to 5.7)	2.5	(1.3 to 4.0)	0	(0.0 to 0.0)
Ukraine	Both	5 to 9	12.3	(9.6 to 15.3)	3.2	(2.1 to 4.4)	0	(0.0 to 0.0)
Ukraine	Both	10 to 14	21.6	(17.2 to 26.9)	4.5	(3.1 to 6.3)	0	(0.0 to 0.0)
Ukraine	Both	15 to 19	30.6	(24.2 to 38.3)	10	(6.5 to 14.1)	0.1	(0.0 to 0.1)
Brunei	Male	1 to 4	1.3	(0.6 to 2.6)	9.1	(2.6 to 22.2)	0.1	(0.0 to 0.3)

Brunei	Male	5 to 9	4	(2.1 to 7.1)	1.1	(0.6 to 1.9)	0	(0.0 to 0.0)
Brunei	Male	10 to 14	7.9	(4.7 to 12.2)	10.8	(4.5 to 22.2)	0.1	(0.0 to 0.3)
Brunei	Male	15 to 19	12.6	(7.7 to 19.1)	5.1	(2.2 to 10.9)	0	(0.0 to 0.1)
Brunei	Female	1 to 4	0.8	(0.4 to 1.3)	0.8	(0.2 to 2.2)	0	(0.0 to 0.0)
Brunei	Female	5 to 9	2.5	(1.4 to 3.9)	13.9	(4.5 to 28.2)	0.2	(0.1 to 0.4)
Brunei	Female	10 to 14	5.1	(3.1 to 7.3)	10.5	(2.7 to 21.8)	0.1	(0.0 to 0.3)
Brunei	Female	15 to 19	8.7	(5.5 to 13.0)	4.3	(1.4 to 8.6)	0	(0.0 to 0.1)
Brunei	Both	1 to 4	1	(0.6 to 1.7)	5.1	(1.5 to 12.0)	0.1	(0.0 to 0.1)
Brunei	Both	5 to 9	3.2	(2.2 to 4.8)	7.4	(2.6 to 14.5)	0.1	(0.0 to 0.2)
Brunei	Both	10 to 14	6.5	(4.7 to 9.0)	10.7	(6.3 to 17.6)	0.1	(0.1 to 0.2)
Brunei	Both	15 to 19	10.7	(7.6 to 14.3)	4.7	(2.2 to 8.4)	0	(0.0 to 0.1)
Japan	Male	1 to 4	1.1	(0.6 to 1.9)	1.7	(0.6 to 3.4)	0	(0.0 to 0.0)
Japan	Male	5 to 9	3.3	(1.9 to 5.4)	0.9	(0.6 to 1.4)	0	(0.0 to 0.0)
Japan	Male	10 to 14	6.7	(4.2 to 9.9)	1.9	(1.2 to 2.8)	0	(0.0 to 0.0)
Japan	Male	15 to 19	10.9	(6.9 to 16.6)	3.6	(2.3 to 5.4)	0	(0.0 to 0.0)
Japan	Female	1 to 4	0.6	(0.3 to 1.0)	0.6	(0.3 to 1.0)	0	(0.0 to 0.0)
Japan	Female	5 to 9	2.1	(1.2 to 3.2)	1	(0.6 to 1.6)	0	(0.0 to 0.0)
Japan	Female	10 to 14	4.5	(2.8 to 6.5)	1.5	(1.0 to 2.4)	0	(0.0 to 0.0)
Japan	Female	15 to 19	7.5	(4.8 to 11.1)	3	(2.0 to 5.2)	0	(0.0 to 0.1)
Japan	Both	1 to 4	0.9	(0.6 to 1.3)	1.2	(0.6 to 2.1)	0	(0.0 to 0.0)
Japan	Both	5 to 9	2.7	(1.9 to 3.8)	1	(0.7 to 1.4)	0	(0.0 to 0.0)
Japan	Both	10 to 14	5.6	(4.0 to 7.7)	1.7	(1.2 to 2.4)	0	(0.0 to 0.0)
Japan	Both	15 to 19	9.2	(6.7 to 12.7)	3.3	(2.4 to 4.7)	0	(0.0 to 0.0)
South Korea	Male	1 to 4	1.1	(0.6 to 1.9)	6.4	(2.6 to 11.3)	0.1	(0.0 to 0.1)
South Korea	Male	5 to 9	3.6	(2.0 to 5.6)	1.7	(1.0 to 2.6)	0	(0.0 to 0.0)
South Korea	Male	10 to 14	7.2	(4.5 to 10.6)	2.8	(1.7 to 4.1)	0	(0.0 to 0.0)
South Korea	Male	15 to 19	11.8	(7.3 to 17.1)	6.8	(3.7 to 10.3)	0.1	(0.0 to 0.1)
South Korea	Female	1 to 4	0.7	(0.4 to 1.1)	3.6	(1.7 to 7.0)	0	(0.0 to 0.1)
South Korea	Female	5 to 9	2.5	(1.4 to 3.6)	2.6	(1.2 to 4.0)	0	(0.0 to 0.0)
South Korea	Female	10 to 14	5.3	(3.3 to 7.8)	2.7	(1.7 to 4.1)	0	(0.0 to 0.0)
South Korea	Female	15 to 19	8.9	(5.7 to 13.6)	4.4	(2.7 to 8.0)	0	(0.0 to 0.1)
South Korea	Both	1 to 4	0.9	(0.6 to 1.4)	5	(2.5 to 8.2)	0.1	(0.0 to 0.1)
South Korea	Both	5 to 9	3	(2.0 to 4.3)	2.1	(1.1 to 3.0)	0	(0.0 to 0.0)

South Korea	Both	10 to 14	6.3	(4.4 to 8.5)	2.8	(1.9 to 3.7)	0	(0.0 to 0.0)
South Korea	Both	15 to 19	10.4	(7.4 to 14.1)	5.6	(3.7 to 8.0)	0.1	(0.0 to 0.1)
Singapore	Male	1 to 4	1.2	(0.6 to 2.0)	1.7	(0.8 to 3.0)	0	(0.0 to 0.0)
Singapore	Male	5 to 9	3.6	(2.1 to 5.9)	0.8	(0.5 to 1.3)	0	(0.0 to 0.0)
Singapore	Male	10 to 14	7.2	(4.4 to 10.9)	1.7	(1.0 to 2.5)	0	(0.0 to 0.0)
Singapore	Male	15 to 19	11.8	(6.9 to 17.4)	4.4	(2.7 to 6.7)	0	(0.0 to 0.1)
Singapore	Female	1 to 4	0.7	(0.4 to 1.1)	0.4	(0.2 to 0.7)	0	(0.0 to 0.0)
Singapore	Female	5 to 9	2.3	(1.3 to 3.4)	1.3	(0.7 to 2.3)	0	(0.0 to 0.0)
Singapore	Female	10 to 14	4.9	(3.0 to 7.1)	1.2	(0.6 to 1.8)	0	(0.0 to 0.0)
Singapore	Female	15 to 19	8.3	(5.0 to 13.2)	1.9	(1.0 to 3.0)	0	(0.0 to 0.0)
Singapore	Both	1 to 4	0.9	(0.6 to 1.4)	1.1	(0.6 to 1.8)	0	(0.0 to 0.0)
Singapore	Both	5 to 9	2.9	(2.0 to 4.1)	1.1	(0.7 to 1.6)	0	(0.0 to 0.0)
Singapore	Both	10 to 14	6.1	(4.4 to 8.2)	1.4	(0.9 to 2.1)	0	(0.0 to 0.0)
Singapore	Both	15 to 19	10.1	(7.3 to 13.5)	3.2	(2.1 to 4.6)	0	(0.0 to 0.0)
Australia	Male	1 to 4	1.4	(0.8 to 2.1)	1.4	(0.7 to 2.3)	0	(0.0 to 0.0)
Australia	Male	5 to 9	4.3	(2.8 to 6.1)	1.1	(0.7 to 1.6)	0	(0.0 to 0.0)
Australia	Male	10 to 14	8.8	(6.0 to 12.3)	1.9	(1.2 to 2.9)	0	(0.0 to 0.0)
Australia	Male	15 to 19	14.4	(9.3 to 20.6)	3.7	(2.3 to 5.3)	0	(0.0 to 0.0)
Australia	Female	1 to 4	1	(0.6 to 1.5)	0.7	(0.4 to 1.2)	0	(0.0 to 0.0)
Australia	Female	5 to 9	3.2	(2.0 to 4.5)	1	(0.6 to 1.4)	0	(0.0 to 0.0)
Australia	Female	10 to 14	6.7	(4.7 to 9.1)	1.7	(1.1 to 2.5)	0	(0.0 to 0.0)
Australia	Female	15 to 19	11.3	(7.9 to 15.5)	3.3	(2.2 to 4.6)	0	(0.0 to 0.0)
Australia	Both	1 to 4	1.2	(0.8 to 1.6)	1.1	(0.6 to 1.7)	0	(0.0 to 0.0)
Australia	Both	5 to 9	3.8	(2.8 to 4.9)	1	(0.7 to 1.4)	0	(0.0 to 0.0)
Australia	Both	10 to 14	7.8	(6.0 to 9.8)	1.8	(1.3 to 2.5)	0	(0.0 to 0.0)
Australia	Both	15 to 19	12.9	(9.7 to 16.7)	3.5	(2.5 to 4.7)	0	(0.0 to 0.0)
New Zealand	Male	1 to 4	0.5	(0.3 to 0.9)	1.9	(0.9 to 3.6)	0	(0.0 to 0.0)
New Zealand	Male	5 to 9	1.8	(0.9 to 2.8)	0.5	(0.3 to 0.8)	0	(0.0 to 0.0)
New Zealand	Male	10 to 14	3.7	(2.3 to 5.5)	1.4	(0.9 to 2.1)	0	(0.0 to 0.0)
New Zealand	Male	15 to 19	5.9	(3.9 to 8.6)	2.3	(1.4 to 3.5)	0	(0.0 to 0.0)
New Zealand	Female	1 to 4	0.5	(0.3 to 1.0)	0.4	(0.1 to 0.7)	0	(0.0 to 0.0)
New Zealand	Female	5 to 9	1.7	(1.0 to 2.7)	0.9	(0.5 to 1.4)	0	(0.0 to 0.0)
New Zealand	Female	10 to 14	3.6	(2.3 to 5.3)	1.4	(0.9 to 2.0)	0	(0.0 to 0.0)

New Zealand	Female	15 to 19	6.1	(3.9 to 9.2)	2.8	(1.7 to 4.1)	0	(0.0 to 0.0)
New Zealand	Both	1 to 4	0.5	(0.3 to 0.8)	1.2	(0.6 to 2.1)	0	(0.0 to 0.0)
New Zealand	Both	5 to 9	1.7	(1.1 to 2.4)	0.7	(0.4 to 1.0)	0	(0.0 to 0.0)
New Zealand	Both	10 to 14	3.6	(2.6 to 4.8)	1.4	(1.0 to 1.9)	0	(0.0 to 0.0)
New Zealand	Both	15 to 19	6	(4.3 to 7.9)	2.5	(1.7 to 3.5)	0	(0.0 to 0.0)
Andorra	Male	1 to 4	1.5	(0.7 to 2.6)	0.7	(0.3 to 1.6)	0	(0.0 to 0.0)
Andorra	Male	5 to 9	4.5	(2.2 to 7.1)	1	(0.5 to 1.7)	0	(0.0 to 0.0)
Andorra	Male	10 to 14	9.1	(5.2 to 13.6)	2	(1.2 to 3.1)	0	(0.0 to 0.0)
Andorra	Male	15 to 19	15.3	(9.2 to 22.2)	3.8	(2.2 to 6.2)	0	(0.0 to 0.0)
Andorra	Female	1 to 4	1.4	(0.8 to 2.3)	0.9	(0.3 to 2.1)	0	(0.0 to 0.0)
Andorra	Female	5 to 9	4.4	(2.6 to 6.6)	1.2	(0.6 to 2.0)	0	(0.0 to 0.0)
Andorra	Female	10 to 14	8.9	(5.6 to 12.7)	2.1	(1.2 to 3.4)	0	(0.0 to 0.0)
Andorra	Female	15 to 19	14.6	(8.4 to 20.8)	3.7	(2.1 to 6.2)	0	(0.0 to 0.0)
Andorra	Both	1 to 4	1.5	(0.9 to 2.2)	0.8	(0.4 to 1.6)	0	(0.0 to 0.0)
Andorra	Both	5 to 9	4.4	(3.0 to 6.3)	1.1	(0.7 to 1.7)	0	(0.0 to 0.0)
Andorra	Both	10 to 14	9	(6.4 to 12.1)	2.1	(1.3 to 3.0)	0	(0.0 to 0.0)
Andorra	Both	15 to 19	15	(10.1 to 19.9)	3.8	(2.5 to 5.7)	0	(0.0 to 0.0)
Austria	Male	1 to 4	1.5	(0.6 to 2.5)	2.3	(1.0 to 4.3)	0	(0.0 to 0.0)
Austria	Male	5 to 9	4.5	(2.1 to 7.0)	1.8	(1.1 to 2.7)	0	(0.0 to 0.0)
Austria	Male	10 to 14	9.2	(5.2 to 13.3)	3.5	(2.2 to 5.3)	0	(0.0 to 0.0)
Austria	Male	15 to 19	15.1	(8.7 to 22.0)	6.6	(4.2 to 9.8)	0.1	(0.0 to 0.1)
Austria	Female	1 to 4	1.3	(0.7 to 2.1)	2.4	(1.2 to 4.8)	0	(0.0 to 0.1)
Austria	Female	5 to 9	4.3	(2.3 to 6.6)	1.5	(1.0 to 2.2)	0	(0.0 to 0.0)
Austria	Female	10 to 14	9	(5.7 to 13.4)	3.1	(2.1 to 4.9)	0	(0.0 to 0.0)
Austria	Female	15 to 19	15.2	(9.8 to 22.0)	5.6	(3.7 to 8.6)	0	(0.0 to 0.1)
Austria	Both	1 to 4	1.4	(0.8 to 2.0)	2.3	(1.2 to 3.9)	0	(0.0 to 0.0)
Austria	Both	5 to 9	4.4	(2.6 to 5.9)	1.7	(1.2 to 2.3)	0	(0.0 to 0.0)
Austria	Both	10 to 14	9.1	(6.4 to 12.1)	3.3	(2.3 to 4.6)	0	(0.0 to 0.0)
Austria	Both	15 to 19	15.1	(10.7 to 19.8)	6.1	(4.3 to 8.3)	0.1	(0.0 to 0.1)
Belgium	Male	1 to 4	1.5	(0.6 to 2.7)	1.9	(0.9 to 3.3)	0	(0.0 to 0.0)
Belgium	Male	5 to 9	4.7	(1.5 to 7.4)	1.4	(0.8 to 2.3)	0	(0.0 to 0.0)
Belgium	Male	10 to 14	9.5	(4.3 to 14.3)	3.1	(1.8 to 4.8)	0	(0.0 to 0.0)
Belgium	Male	15 to 19	15.7	(8.4 to 23.5)	4.9	(3.1 to 7.5)	0	(0.0 to 0.1)

Belgium	Female	1 to 4	1.3	(0.5 to 2.1)	3	(1.2 to 9.5)	0	(0.0 to 0.1)
Belgium	Female	5 to 9	4	(1.8 to 6.0)	1.6	(1.0 to 2.6)	0	(0.0 to 0.0)
Belgium	Female	10 to 14	8.3	(5.1 to 11.9)	2.6	(1.7 to 3.9)	0	(0.0 to 0.0)
Belgium	Female	15 to 19	13.8	(7.9 to 20.2)	6.6	(3.9 to 13.1)	0.1	(0.0 to 0.2)
Belgium	Both	1 to 4	1.4	(0.8 to 2.1)	2.4	(1.2 to 5.7)	0	(0.0 to 0.1)
Belgium	Both	5 to 9	4.3	(2.5 to 6.0)	1.5	(1.0 to 2.1)	0	(0.0 to 0.0)
Belgium	Both	10 to 14	8.9	(6.0 to 11.9)	2.8	(1.9 to 4.0)	0	(0.0 to 0.0)
Belgium	Both	15 to 19	14.8	(10.3 to 19.7)	5.7	(3.8 to 9.4)	0	(0.0 to 0.1)
Cyprus	Male	1 to 4	1.4	(0.7 to 2.2)	1.2	(0.6 to 2.4)	0	(0.0 to 0.0)
Cyprus	Male	5 to 9	4.2	(2.4 to 6.2)	2.3	(1.1 to 4.2)	0	(0.0 to 0.0)
Cyprus	Male	10 to 14	8.6	(5.5 to 12.3)	3	(1.9 to 4.6)	0	(0.0 to 0.0)
Cyprus	Male	15 to 19	14.4	(8.6 to 20.7)	4.5	(2.4 to 7.4)	0	(0.0 to 0.1)
Cyprus	Female	1 to 4	1.4	(0.8 to 2.1)	2.1	(0.4 to 5.4)	0	(0.0 to 0.1)
Cyprus	Female	5 to 9	4.3	(2.6 to 6.3)	8.3	(3.6 to 18.6)	0.1	(0.0 to 0.2)
Cyprus	Female	10 to 14	8.8	(5.5 to 12.7)	3.5	(2.0 to 5.7)	0	(0.0 to 0.1)
Cyprus	Female	15 to 19	14.5	(8.5 to 21.8)	7.3	(3.4 to 13.4)	0.1	(0.0 to 0.2)
Cyprus	Both	1 to 4	1.4	(0.9 to 1.9)	1.7	(0.5 to 3.4)	0	(0.0 to 0.0)
Cyprus	Both	5 to 9	4.2	(3.1 to 5.5)	5.2	(2.7 to 9.8)	0.1	(0.0 to 0.1)
Cyprus	Both	10 to 14	8.7	(6.6 to 11.1)	3.3	(2.3 to 4.4)	0	(0.0 to 0.0)
Cyprus	Both	15 to 19	14.4	(10.4 to 19.1)	5.9	(3.3 to 9.0)	0.1	(0.0 to 0.1)
Denmark	Male	1 to 4	2.8	(1.8 to 4.0)	1.6	(1.0 to 2.6)	0	(0.0 to 0.0)
Denmark	Male	5 to 9	8	(5.7 to 10.9)	2.1	(1.4 to 3.0)	0	(0.0 to 0.0)
Denmark	Male	10 to 14	15.4	(11.0 to 20.7)	4.4	(3.0 to 6.3)	0	(0.0 to 0.0)
Denmark	Male	15 to 19	24.5	(17.2 to 33.5)	5.8	(3.7 to 8.4)	0	(0.0 to 0.0)
Denmark	Female	1 to 4	2	(1.3 to 2.8)	1	(0.5 to 1.5)	0	(0.0 to 0.0)
Denmark	Female	5 to 9	6.3	(4.4 to 8.3)	1.5	(0.9 to 2.1)	0	(0.0 to 0.0)
Denmark	Female	10 to 14	13	(9.5 to 17.0)	3.7	(2.5 to 5.4)	0	(0.0 to 0.0)
Denmark	Female	15 to 19	21.6	(14.7 to 29.0)	7.3	(5.0 to 9.9)	0.1	(0.0 to 0.1)
Denmark	Both	1 to 4	2.4	(1.8 to 3.1)	1.3	(0.9 to 1.9)	0	(0.0 to 0.0)
Denmark	Both	5 to 9	7.1	(5.7 to 8.9)	1.8	(1.3 to 2.4)	0	(0.0 to 0.0)
Denmark	Both	10 to 14	14.2	(11.6 to 17.3)	4.1	(2.9 to 5.5)	0	(0.0 to 0.0)
Denmark	Both	15 to 19	23.1	(18.5 to 28.4)	6.5	(4.7 to 8.5)	0	(0.0 to 0.1)
Finland	Male	1 to 4	1.6	(0.9 to 2.5)	0.6	(0.3 to 0.9)	0	(0.0 to 0.0)

Finland	Male	5 to 9	4.7	(2.7 to 6.9)	1.6	(0.9 to 2.5)	0	(0.0 to 0.0)
Finland	Male	10 to 14	9.1	(5.9 to 12.9)	2	(1.2 to 3.0)	0	(0.0 to 0.0)
Finland	Male	15 to 19	14.4	(9.6 to 20.8)	3.5	(2.1 to 5.4)	0	(0.0 to 0.0)
Finland	Female	1 to 4	1.3	(0.8 to 2.0)	0.4	(0.2 to 0.7)	0	(0.0 to 0.0)
Finland	Female	5 to 9	4	(2.6 to 5.8)	1.5	(0.9 to 3.1)	0	(0.0 to 0.0)
Finland	Female	10 to 14	8.4	(5.4 to 11.3)	1.9	(1.2 to 2.8)	0	(0.0 to 0.0)
Finland	Female	15 to 19	13.9	(9.1 to 19.1)	4.2	(2.7 to 6.0)	0	(0.0 to 0.0)
Finland	Both	1 to 4	1.4	(1.0 to 2.1)	0.5	(0.3 to 0.7)	0	(0.0 to 0.0)
Finland	Both	5 to 9	4.4	(3.1 to 5.8)	1.5	(1.0 to 2.5)	0	(0.0 to 0.0)
Finland	Both	10 to 14	8.7	(6.6 to 11.3)	2	(1.4 to 2.7)	0	(0.0 to 0.0)
Finland	Both	15 to 19	14.2	(10.7 to 18.2)	3.9	(2.6 to 5.3)	0	(0.0 to 0.0)
France	Male	1 to 4	2	(1.4 to 2.9)	1	(0.5 to 1.5)	0	(0.0 to 0.0)
France	Male	5 to 9	6	(4.3 to 7.9)	1.3	(0.9 to 1.9)	0	(0.0 to 0.0)
France	Male	10 to 14	11.8	(8.5 to 15.4)	2.5	(1.6 to 3.5)	0	(0.0 to 0.0)
France	Male	15 to 19	18.9	(13.0 to 25.2)	4.6	(3.0 to 6.4)	0	(0.0 to 0.0)
France	Female	1 to 4	1.5	(0.9 to 2.1)	1.1	(0.6 to 2.0)	0	(0.0 to 0.0)
France	Female	5 to 9	4.6	(3.0 to 6.3)	1.2	(0.8 to 1.7)	0	(0.0 to 0.0)
France	Female	10 to 14	9.8	(6.8 to 12.8)	2.2	(1.4 to 3.1)	0	(0.0 to 0.0)
France	Female	15 to 19	16.5	(11.3 to 22.5)	3.9	(2.5 to 5.6)	0	(0.0 to 0.0)
France	Both	1 to 4	1.8	(1.3 to 2.3)	1	(0.7 to 1.5)	0	(0.0 to 0.0)
France	Both	5 to 9	5.3	(4.2 to 6.5)	1.3	(0.9 to 1.7)	0	(0.0 to 0.0)
France	Both	10 to 14	10.8	(8.8 to 13.1)	2.3	(1.6 to 3.2)	0	(0.0 to 0.0)
France	Both	15 to 19	17.7	(14.1 to 22.0)	4.2	(2.9 to 5.6)	0	(0.0 to 0.0)
Germany	Male	1 to 4	1.6	(0.8 to 2.5)	1.4	(0.8 to 2.3)	0	(0.0 to 0.0)
Germany	Male	5 to 9	4.8	(2.6 to 7.2)	1.4	(0.9 to 2.1)	0	(0.0 to 0.0)
Germany	Male	10 to 14	9.5	(6.1 to 13.5)	2.4	(1.6 to 3.4)	0	(0.0 to 0.0)
Germany	Male	15 to 19	15.5	(10.0 to 21.3)	4.3	(2.9 to 6.2)	0	(0.0 to 0.0)
Germany	Female	1 to 4	1.5	(0.9 to 2.4)	1.4	(0.8 to 2.5)	0	(0.0 to 0.0)
Germany	Female	5 to 9	4.7	(2.9 to 6.9)	1.5	(1.0 to 2.2)	0	(0.0 to 0.0)
Germany	Female	10 to 14	9.6	(6.5 to 13.5)	2.6	(1.7 to 3.6)	0	(0.0 to 0.0)
Germany	Female	15 to 19	15.8	(10.8 to 21.9)	4.5	(2.9 to 6.3)	0	(0.0 to 0.0)
Germany	Both	1 to 4	1.6	(1.0 to 2.1)	1.4	(0.9 to 2.2)	0	(0.0 to 0.0)
Germany	Both	5 to 9	4.7	(3.3 to 6.3)	1.5	(1.1 to 2.0)	0	(0.0 to 0.0)

Germany	Both	10 to 14	9.6	(7.2 to 12.0)	2.5	(1.8 to 3.3)	0	(0.0 to 0.0)
Germany	Both	15 to 19	15.6	(12.0 to 19.8)	4.4	(3.1 to 5.7)	0	(0.0 to 0.0)
Greece	Male	1 to 4	1.4	(0.8 to 2.1)	1.3	(0.6 to 2.5)	0	(0.0 to 0.0)
Greece	Male	5 to 9	4.2	(2.6 to 6.0)	2	(1.3 to 2.8)	0	(0.0 to 0.0)
Greece	Male	10 to 14	8.6	(5.6 to 11.9)	3.1	(2.0 to 4.5)	0	(0.0 to 0.0)
Greece	Male	15 to 19	14.3	(9.5 to 19.8)	5.9	(3.7 to 8.7)	0.1	(0.0 to 0.1)
Greece	Female	1 to 4	1.2	(0.7 to 1.8)	2	(0.9 to 4.2)	0	(0.0 to 0.0)
Greece	Female	5 to 9	3.7	(2.4 to 5.6)	2	(1.2 to 3.1)	0	(0.0 to 0.0)
Greece	Female	10 to 14	7.8	(5.2 to 10.9)	3.7	(2.4 to 5.8)	0	(0.0 to 0.1)
Greece	Female	15 to 19	12.9	(8.3 to 17.8)	5.6	(3.6 to 8.0)	0	(0.0 to 0.1)
Greece	Both	1 to 4	1.3	(0.9 to 1.8)	1.7	(0.9 to 2.7)	0	(0.0 to 0.0)
Greece	Both	5 to 9	4	(2.9 to 5.2)	2	(1.3 to 2.7)	0	(0.0 to 0.0)
Greece	Both	10 to 14	8.2	(6.2 to 10.4)	3.4	(2.5 to 4.6)	0	(0.0 to 0.0)
Greece	Both	15 to 19	13.6	(10.2 to 17.5)	5.7	(4.0 to 7.6)	0.1	(0.0 to 0.1)
Iceland	Male	1 to 4	1.4	(0.7 to 2.3)	0.3	(0.2 to 0.5)	0	(0.0 to 0.0)
Iceland	Male	5 to 9	4.2	(2.3 to 6.2)	0.8	(0.4 to 1.2)	0	(0.0 to 0.0)
Iceland	Male	10 to 14	8.1	(4.8 to 11.5)	1.9	(1.1 to 2.9)	0	(0.0 to 0.0)
Iceland	Male	15 to 19	12.8	(7.9 to 19.3)	6.7	(4.0 to 10.8)	0.1	(0.0 to 0.1)
Iceland	Female	1 to 4	1.4	(0.8 to 2.1)	0.6	(0.3 to 1.0)	0	(0.0 to 0.0)
Iceland	Female	5 to 9	4.4	(2.8 to 6.1)	0.9	(0.5 to 1.3)	0	(0.0 to 0.0)
Iceland	Female	10 to 14	8.9	(6.2 to 12.2)	2	(1.2 to 2.9)	0	(0.0 to 0.0)
Iceland	Female	15 to 19	14.6	(9.7 to 20.9)	8.4	(4.4 to 18.8)	0.1	(0.0 to 0.2)
Iceland	Both	1 to 4	1.4	(0.9 to 2.0)	0.4	(0.3 to 0.7)	0	(0.0 to 0.0)
Iceland	Both	5 to 9	4.3	(3.0 to 5.6)	0.8	(0.5 to 1.2)	0	(0.0 to 0.0)
Iceland	Both	10 to 14	8.5	(6.2 to 10.8)	2	(1.2 to 2.7)	0	(0.0 to 0.0)
Iceland	Both	15 to 19	13.6	(10.1 to 18.0)	7.5	(4.6 to 13.5)	0.1	(0.0 to 0.2)
Ireland	Male	1 to 4	1.6	(0.5 to 2.7)	0.9	(0.5 to 1.5)	0	(0.0 to 0.0)
Ireland	Male	5 to 9	4.6	(1.1 to 7.4)	1.1	(0.6 to 1.8)	0	(0.0 to 0.0)
Ireland	Male	10 to 14	9.4	(4.1 to 14.2)	2.1	(1.1 to 3.2)	0	(0.0 to 0.0)
Ireland	Male	15 to 19	15.3	(7.7 to 23.0)	4.2	(2.5 to 6.3)	0	(0.0 to 0.0)
Ireland	Female	1 to 4	1.3	(0.6 to 2.0)	1.9	(1.0 to 3.4)	0	(0.0 to 0.0)
Ireland	Female	5 to 9	4.1	(2.0 to 6.2)	1.5	(0.8 to 2.4)	0	(0.0 to 0.0)
Ireland	Female	10 to 14	8.7	(5.3 to 12.2)	2.4	(1.5 to 3.5)	0	(0.0 to 0.0)

Ireland	Female	15 to 19	14.5	(9.0 to 20.7)	4.2	(2.6 to 6.0)	0	(0.0 to 0.0)
Ireland	Both	1 to 4	1.4	(0.9 to 2.1)	1.4	(0.8 to 2.2)	0	(0.0 to 0.0)
Ireland	Both	5 to 9	4.4	(2.6 to 6.1)	1.3	(0.9 to 1.9)	0	(0.0 to 0.0)
Ireland	Both	10 to 14	9	(6.0 to 12.0)	2.2	(1.4 to 3.1)	0	(0.0 to 0.0)
Ireland	Both	15 to 19	15	(10.3 to 19.8)	4.2	(2.9 to 5.8)	0	(0.0 to 0.0)
Israel	Male	1 to 4	0.8	(0.4 to 1.3)	0.5	(0.3 to 0.9)	0	(0.0 to 0.0)
Israel	Male	5 to 9	2.5	(1.5 to 3.7)	0.9	(0.5 to 1.3)	0	(0.0 to 0.0)
Israel	Male	10 to 14	4.9	(3.1 to 7.2)	1.2	(0.8 to 1.9)	0	(0.0 to 0.0)
Israel	Male	15 to 19	8	(4.9 to 11.8)	2.2	(1.3 to 3.3)	0	(0.0 to 0.0)
Israel	Female	1 to 4	1.2	(0.7 to 1.7)	0.9	(0.5 to 1.4)	0	(0.0 to 0.0)
Israel	Female	5 to 9	3.7	(2.5 to 5.2)	1	(0.6 to 1.5)	0	(0.0 to 0.0)
Israel	Female	10 to 14	7.6	(5.1 to 10.3)	1.7	(1.1 to 2.5)	0	(0.0 to 0.0)
Israel	Female	15 to 19	12.5	(8.2 to 17.0)	2.7	(1.6 to 4.0)	0	(0.0 to 0.0)
Israel	Both	1 to 4	1	(0.7 to 1.3)	0.7	(0.4 to 1.0)	0	(0.0 to 0.0)
Israel	Both	5 to 9	3.1	(2.2 to 3.9)	1	(0.6 to 1.3)	0	(0.0 to 0.0)
Israel	Both	10 to 14	6.2	(4.6 to 7.9)	1.5	(1.0 to 2.0)	0	(0.0 to 0.0)
Israel	Both	15 to 19	10.2	(7.6 to 12.8)	2.4	(1.6 to 3.4)	0	(0.0 to 0.0)
Italy	Male	1 to 4	1.3	(0.8 to 2.0)	1.1	(0.5 to 2.0)	0	(0.0 to 0.0)
Italy	Male	5 to 9	3.7	(2.3 to 5.2)	1.4	(0.9 to 2.0)	0	(0.0 to 0.0)
Italy	Male	10 to 14	6.9	(4.6 to 9.6)	2.6	(1.7 to 3.8)	0	(0.0 to 0.0)
Italy	Male	15 to 19	10.8	(7.4 to 15.0)	4.8	(3.1 to 7.2)	0	(0.0 to 0.1)
Italy	Female	1 to 4	0.9	(0.5 to 1.3)	2	(0.9 to 4.7)	0	(0.0 to 0.1)
Italy	Female	5 to 9	2.6	(1.7 to 3.7)	1.9	(1.1 to 3.8)	0	(0.0 to 0.0)
Italy	Female	10 to 14	5.4	(3.7 to 7.5)	2.7	(1.7 to 4.3)	0	(0.0 to 0.0)
Italy	Female	15 to 19	9	(6.2 to 12.8)	4.8	(3.0 to 7.4)	0	(0.0 to 0.1)
Italy	Both	1 to 4	1.1	(0.8 to 1.5)	1.5	(0.8 to 3.0)	0	(0.0 to 0.0)
Italy	Both	5 to 9	3.2	(2.4 to 4.1)	1.6	(1.1 to 2.7)	0	(0.0 to 0.0)
Italy	Both	10 to 14	6.2	(4.8 to 7.8)	2.6	(1.9 to 3.7)	0	(0.0 to 0.0)
Italy	Both	15 to 19	9.9	(7.6 to 12.8)	4.8	(3.4 to 6.7)	0	(0.0 to 0.1)
Luxembourg	Male	1 to 4	1.5	(0.7 to 2.5)	2	(0.8 to 4.4)	0	(0.0 to 0.0)
Luxembourg	Male	5 to 9	4.5	(2.2 to 7.2)	1.1	(0.5 to 1.8)	0	(0.0 to 0.0)
Luxembourg	Male	10 to 14	9.2	(5.5 to 14.0)	2.5	(1.6 to 3.7)	0	(0.0 to 0.0)
Luxembourg	Male	15 to 19	15	(8.8 to 22.8)	3.3	(1.9 to 5.0)	0	(0.0 to 0.0)

			1	<b>I</b>				T
Luxembourg	Female	1 to 4	1.4	(0.6 to 2.3)	1.1	(0.4 to 1.9)	0	(0.0 to 0.0)
Luxembourg	Female	5 to 9	4.3	(2.2 to 7.1)	1.5	(1.0 to 2.3)	0	(0.0 to 0.0)
Luxembourg	Female	10 to 14	9.1	(5.6 to 14.2)	5.1	(3.2 to 8.2)	0	(0.0 to 0.1)
Luxembourg	Female	15 to 19	15.2	(9.5 to 22.7)	6.8	(4.0 to 11.2)	0.1	(0.0 to 0.1)
Luxembourg	Both	1 to 4	1.5	(0.9 to 2.2)	1.6	(0.9 to 3.0)	0	(0.0 to 0.0)
Luxembourg	Both	5 to 9	4.4	(2.9 to 6.5)	1.3	(0.8 to 1.9)	0	(0.0 to 0.0)
Luxembourg	Both	10 to 14	9.1	(6.6 to 12.8)	3.7	(2.6 to 5.6)	0	(0.0 to 0.1)
Luxembourg	Both	15 to 19	15.1	(10.5 to 21.0)	5	(3.2 to 7.3)	0	(0.0 to 0.1)
Malta	Male	1 to 4	1.5	(0.5 to 2.5)	1.1	(0.5 to 1.8)	0	(0.0 to 0.0)
Malta	Male	5 to 9	4.5	(1.4 to 7.4)	1.8	(0.8 to 2.8)	0	(0.0 to 0.0)
Malta	Male	10 to 14	9.3	(5.5 to 14.2)	2.8	(1.8 to 4.0)	0	(0.0 to 0.0)
Malta	Male	15 to 19	15.7	(9.1 to 23.6)	4.2	(2.5 to 6.3)	0	(0.0 to 0.0)
Malta	Female	1 to 4	1.4	(0.6 to 2.2)	3.5	(1.6 to 8.5)	0	(0.0 to 0.1)
Malta	Female	5 to 9	4.4	(2.2 to 6.5)	1.9	(0.9 to 4.0)	0	(0.0 to 0.0)
Malta	Female	10 to 14	9.1	(5.9 to 12.9)	2.8	(1.6 to 4.0)	0	(0.0 to 0.0)
Malta	Female	15 to 19	15	(9.8 to 21.5)	3.5	(1.9 to 5.4)	0	(0.0 to 0.0)
Malta	Both	1 to 4	1.4	(0.9 to 2.2)	2.2	(1.2 to 4.8)	0	(0.0 to 0.1)
Malta	Both	5 to 9	4.4	(2.5 to 6.1)	1.8	(1.0 to 2.8)	0	(0.0 to 0.0)
Malta	Both	10 to 14	9.2	(6.6 to 12.0)	2.8	(1.9 to 3.7)	0	(0.0 to 0.0)
Malta	Both	15 to 19	15.4	(11.0 to 20.0)	3.9	(2.4 to 5.5)	0	(0.0 to 0.0)
Netherlands	Male	1 to 4	0.9	(0.4 to 1.5)	0.8	(0.4 to 1.4)	0	(0.0 to 0.0)
Netherlands	Male	5 to 9	2.7	(1.5 to 4.5)	0.7	(0.4 to 1.1)	0	(0.0 to 0.0)
Netherlands	Male	10 to 14	5.1	(3.3 to 8.2)	1.6	(1.0 to 2.3)	0	(0.0 to 0.0)
Netherlands	Male	15 to 19	8.1	(5.1 to 12.0)	2.6	(1.6 to 3.8)	0	(0.0 to 0.0)
Netherlands	Female	1 to 4	0.9	(0.6 to 1.4)	2.3	(1.1 to 4.1)	0	(0.0 to 0.0)
Netherlands	Female	5 to 9	2.9	(1.8 to 4.4)	0.9	(0.5 to 1.4)	0	(0.0 to 0.0)
Netherlands	Female	10 to 14	5.9	(3.8 to 8.6)	1.7	(1.0 to 2.5)	0	(0.0 to 0.0)
Netherlands	Female	15 to 19	9.9	(6.2 to 14.1)	3.1	(1.9 to 4.5)	0	(0.0 to 0.0)
Netherlands	Both	1 to 4	0.9	(0.6 to 1.3)	1.5	(0.9 to 2.5)	0	(0.0 to 0.0)
Netherlands	Both	5 to 9	2.8	(1.9 to 3.8)	0.8	(0.5 to 1.2)	0	(0.0 to 0.0)
Netherlands	Both	10 to 14	5.5	(4.0 to 7.6)	1.6	(1.1 to 2.3)	0	(0.0 to 0.0)
Netherlands	Both	15 to 19	8.9	(6.5 to 11.8)	2.9	(2.0 to 3.9)	0	(0.0 to 0.0)
Norway	Male	1 to 4	1.6	(0.9 to 2.5)	0.5	(0.2 to 0.8)	0	(0.0 to 0.0)

Norway	Mala	Γ to 0	10	$(2.1 \pm 0.70)$	1	(0.6 to 1.5)	0	$(0, 0, t_0, 0, 0)$
Norway	Male	5 to 9	4.8	(3.1 to 7.0)	1	(0.6 to 1.5)	0	(0.0 to 0.0)
Norway	Male	10 to 14	9.6	(6.5 to 13.1)	1.9	(1.1 to 2.8)	0	(0.0 to 0.0)
Norway	Male	15 to 19	15.7	(10.7 to 20.9)	3.3	(2.1 to 4.8)	0	(0.0 to 0.0)
Norway	Female	1 to 4	1.3	(0.8 to 2.1)	0.7	(0.4 to 1.1)	0	(0.0 to 0.0)
Norway	Female	5 to 9	4.3	(2.7 to 6.1)	1.2	(0.7 to 1.8)	0	(0.0 to 0.0)
Norway	Female	10 to 14	9.2	(6.2 to 12.1)	1.9	(1.2 to 2.8)	0	(0.0 to 0.0)
Norway	Female	15 to 19	15.4	(10.2 to 21.0)	3.7	(2.4 to 5.3)	0	(0.0 to 0.0)
Norway	Both	1 to 4	1.5	(1.0 to 2.0)	0.6	(0.4 to 0.9)	0	(0.0 to 0.0)
Norway	Both	5 to 9	4.6	(3.3 to 5.9)	1.1	(0.7 to 1.5)	0	(0.0 to 0.0)
Norway	Both	10 to 14	9.4	(7.0 to 11.6)	1.9	(1.2 to 2.6)	0	(0.0 to 0.0)
Norway	Both	15 to 19	15.5	(11.7 to 19.3)	3.5	(2.4 to 4.8)	0	(0.0 to 0.0)
Portugal	Male	1 to 4	1.7	(0.7 to 2.6)	0.8	(0.4 to 1.2)	0	(0.0 to 0.0)
Portugal	Male	5 to 9	4.9	(2.1 to 7.5)	1.3	(0.8 to 2.0)	0	(0.0 to 0.0)
Portugal	Male	10 to 14	9.9	(5.7 to 14.6)	2.5	(1.6 to 3.7)	0	(0.0 to 0.0)
Portugal	Male	15 to 19	16	(9.2 to 23.4)	5.1	(3.3 to 7.8)	0	(0.0 to 0.1)
Portugal	Female	1 to 4	1.9	(1.1 to 2.8)	0.6	(0.4 to 0.9)	0	(0.0 to 0.0)
Portugal	Female	5 to 9	5.5	(3.3 to 8.3)	1.4	(0.9 to 2.1)	0	(0.0 to 0.0)
Portugal	Female	10 to 14	11.2	(7.0 to 16.3)	2.8	(1.8 to 4.3)	0	(0.0 to 0.0)
Portugal	Female	15 to 19	18.3	(11.1 to 26.8)	4.8	(3.0 to 7.1)	0	(0.0 to 0.0)
Portugal	Both	1 to 4	1.8	(1.1 to 2.4)	0.7	(0.4 to 1.0)	0	(0.0 to 0.0)
Portugal	Both	5 to 9	5.2	(3.4 to 7.0)	1.4	(0.9 to 1.9)	0	(0.0 to 0.0)
Portugal	Both	10 to 14	10.5	(7.3 to 13.6)	2.7	(1.8 to 3.8)	0	(0.0 to 0.0)
Portugal	Both	15 to 19	17.1	(11.7 to 22.6)	5	(3.4 to 6.9)	0	(0.0 to 0.0)
Spain	Male	1 to 4	1.8	(1.0 to 3.1)	1.4	(0.7 to 2.5)	0	(0.0 to 0.0)
Spain	Male	5 to 9	5	(2.9 to 7.5)	1.8	(1.2 to 2.7)	0	(0.0 to 0.0)
Spain	Male	10 to 14	8.9	(5.8 to 12.7)	3.3	(2.1 to 4.8)	0	(0.0 to 0.0)
Spain	Male	15 to 19	13.3	(8.9 to 18.6)	5.8	(3.7 to 9.1)	0.1	(0.0 to 0.1)
Spain	Female	1 to 4	1.6	(0.9 to 2.3)	1.5	(0.8 to 2.5)	0	(0.0 to 0.0)
Spain	Female	5 to 9	4.7	(3.0 to 6.6)	1.8	(1.2 to 2.9)	0	(0.0 to 0.0)
Spain	Female	10 to 14	9.3	(6.4 to 12.5)	3.4	(2.3 to 5.4)	0	(0.0 to 0.1)
Spain	Female	15 to 19	14.8	(9.8 to 20.0)	5.8	(3.9 to 8.4)	0	(0.0 to 0.1)
Spain	Both	1 to 4	1.7	(1.2 to 2.5)	1.5	(0.9 to 2.3)	0	(0.0 to 0.0)
Spain	Both	5 to 9	4.9	(3.3 to 6.6)	1.8	(1.3 to 2.6)	0	(0.0 to 0.0)

Spain	Both	10 to 14	9.1	(6.7 to 11.6)	3.3	(2.4 to 4.7)	0	(0.0 to 0.0)
Spain	Both	15 to 19	14	(10.6 to 17.8)	5.8	(4.2 to 8.0)	0.1	(0.0 to 0.1)
Sweden	Male	1 to 4	1.6	(0.9 to 2.6)	0.6	(0.4 to 1.1)	0	(0.0 to 0.0)
Sweden	Male	5 to 9	4.6	(2.9 to 6.9)	1.1	(0.7 to 1.7)	0	(0.0 to 0.0)
Sweden	Male	10 to 14	8.8	(5.9 to 12.5)	2.2	(1.4 to 3.2)	0	(0.0 to 0.0)
Sweden	Male	15 to 19	13.6	(9.0 to 18.5)	3.3	(2.1 to 4.8)	0	(0.0 to 0.0)
Sweden	Female	1 to 4	1.3	(0.7 to 2.3)	0.5	(0.3 to 0.7)	0	(0.0 to 0.0)
Sweden	Female	5 to 9	4.2	(2.3 to 6.5)	0.9	(0.6 to 1.4)	0	(0.0 to 0.0)
Sweden	Female	10 to 14	8.5	(5.4 to 12.4)	2.3	(1.4 to 3.4)	0	(0.0 to 0.0)
Sweden	Female	15 to 19	14	(9.0 to 21.2)	3.4	(2.1 to 5.2)	0	(0.0 to 0.0)
Sweden	Both	1 to 4	1.5	(1.0 to 2.0)	0.6	(0.4 to 0.8)	0	(0.0 to 0.0)
Sweden	Both	5 to 9	4.4	(3.2 to 5.9)	1	(0.7 to 1.4)	0	(0.0 to 0.0)
Sweden	Both	10 to 14	8.6	(6.7 to 11.2)	2.2	(1.6 to 3.0)	0	(0.0 to 0.0)
Sweden	Both	15 to 19	13.8	(10.6 to 18.2)	3.3	(2.2 to 4.6)	0	(0.0 to 0.0)
Switzerland	Male	1 to 4	1.5	(0.5 to 2.6)	0.5	(0.3 to 0.9)	0	(0.0 to 0.0)
Switzerland	Male	5 to 9	4.5	(1.6 to 7.3)	1	(0.5 to 1.7)	0	(0.0 to 0.0)
Switzerland	Male	10 to 14	9.2	(4.7 to 13.8)	1.7	(0.9 to 2.8)	0	(0.0 to 0.0)
Switzerland	Male	15 to 19	15.1	(7.4 to 22.4)	3.2	(1.8 to 5.0)	0	(0.0 to 0.0)
Switzerland	Female	1 to 4	1.3	(0.6 to 2.1)	0.7	(0.4 to 1.1)	0	(0.0 to 0.0)
Switzerland	Female	5 to 9	4.2	(2.1 to 6.6)	1	(0.5 to 1.5)	0	(0.0 to 0.0)
Switzerland	Female	10 to 14	8.7	(4.9 to 12.4)	2	(1.2 to 3.0)	0	(0.0 to 0.0)
Switzerland	Female	15 to 19	14.4	(7.1 to 21.2)	3.6	(2.2 to 5.5)	0	(0.0 to 0.0)
Switzerland	Both	1 to 4	1.4	(0.9 to 2.1)	0.6	(0.4 to 0.9)	0	(0.0 to 0.0)
Switzerland	Both	5 to 9	4.4	(2.5 to 6.2)	1	(0.6 to 1.4)	0	(0.0 to 0.0)
Switzerland	Both	10 to 14	8.9	(5.9 to 11.9)	1.9	(1.2 to 2.7)	0	(0.0 to 0.0)
Switzerland	Both	15 to 19	14.7	(9.7 to 19.3)	3.4	(2.3 to 4.8)	0	(0.0 to 0.0)
United Kingdom	Male	1 to 4	1.5	(1.3 to 1.8)	2.1	(1.2 to 3.3)	0	(0.0 to 0.0)
United Kingdom	Male	5 to 9	4.5	(3.7 to 5.2)	1.4	(1.0 to 1.9)	0	(0.0 to 0.0)
United Kingdom	Male	10 to 14	9.1	(7.9 to 10.3)	2.3	(1.6 to 3.1)	0	(0.0 to 0.0)
United Kingdom	Male	15 to 19	15.1	(12.9 to 17.1)	4.4	(3.1 to 5.8)	0	(0.0 to 0.0)
United Kingdom	Female	1 to 4	1.3	(1.1 to 1.5)	1.8	(1.1 to 2.8)	0	(0.0 to 0.0)
United Kingdom	Female	5 to 9	4.2	(3.6 to 4.8)	1.4	(1.0 to 1.9)	0	(0.0 to 0.0)
United Kingdom	Female	10 to 14	8.9	(7.9 to 10.1)	2.4	(1.7 to 3.1)	0	(0.0 to 0.0)

United Kingdom	Female	15 to 19	15	(13.4 to 16.8)	4.5	(3.4 to 5.8)	0	(0.0 to 0.0)
United Kingdom	Both	1 to 4	1.4	(1.3 to 1.5)	2	(1.3 to 2.8)	0	(0.0 to 0.0)
United Kingdom	Both	5 to 9	4.3	(3.9 to 4.8)	1.4	(1.1 to 1.8)	0	(0.0 to 0.0)
United Kingdom	Both	10 to 14	9	(8.3 to 9.7)	2.4	(1.8 to 3.0)	0	(0.0 to 0.0)
United Kingdom	Both	15 to 19	15	(13.8 to 16.4)	4.5	(3.4 to 5.7)	0	(0.0 to 0.0)
Argentina	Male	1 to 4	0.7	(0.4 to 1.2)	9.4	(4.7 to 18.5)	0.1	(0.1 to 0.2)
Argentina	Male	5 to 9	2.2	(1.4 to 3.4)	7.1	(4.1 to 12.3)	0.1	(0.0 to 0.2)
Argentina	Male	10 to 14	4.5	(3.0 to 6.5)	8.5	(5.1 to 14.3)	0.1	(0.1 to 0.2)
Argentina	Male	15 to 19	7.2	(4.7 to 10.8)	24.3	(14.4 to 42.7)	0.3	(0.2 to 0.6)
Argentina	Female	1 to 4	0.6	(0.3 to 1.0)	7.6	(3.9 to 15.6)	0.1	(0.0 to 0.2)
Argentina	Female	5 to 9	1.9	(1.0 to 2.8)	6.3	(3.6 to 12.9)	0.1	(0.0 to 0.2)
Argentina	Female	10 to 14	3.7	(2.4 to 5.3)	7.7	(4.6 to 15.5)	0.1	(0.1 to 0.2)
Argentina	Female	15 to 19	5.9	(4.1 to 8.3)	13.5	(8.5 to 24.8)	0.2	(0.1 to 0.3)
Argentina	Both	1 to 4	0.7	(0.4 to 1.0)	8.5	(4.7 to 15.4)	0.1	(0.1 to 0.2)
Argentina	Both	5 to 9	2	(1.4 to 2.8)	6.7	(4.2 to 11.4)	0.1	(0.0 to 0.1)
Argentina	Both	10 to 14	4.1	(3.1 to 5.4)	8.1	(5.3 to 13.7)	0.1	(0.1 to 0.2)
Argentina	Both	15 to 19	6.6	(4.8 to 8.7)	19	(12.6 to 31.4)	0.3	(0.2 to 0.4)
Chile	Male	1 to 4	0.7	(0.4 to 1.2)	2.8	(1.1 to 5.9)	0	(0.0 to 0.1)
Chile	Male	5 to 9	2.2	(1.3 to 3.4)	2.8	(1.6 to 4.5)	0	(0.0 to 0.1)
Chile	Male	10 to 14	4.3	(2.8 to 6.3)	4.5	(2.6 to 7.6)	0.1	(0.0 to 0.1)
Chile	Male	15 to 19	6.9	(4.3 to 9.9)	14.5	(8.4 to 23.9)	0.2	(0.1 to 0.3)
Chile	Female	1 to 4	0.6	(0.3 to 0.9)	1.8	(0.8 to 3.3)	0	(0.0 to 0.0)
Chile	Female	5 to 9	1.8	(1.0 to 2.6)	1.9	(1.0 to 3.5)	0	(0.0 to 0.0)
Chile	Female	10 to 14	3.6	(2.3 to 5.1)	3.3	(1.9 to 5.7)	0	(0.0 to 0.1)
Chile	Female	15 to 19	5.9	(3.9 to 8.5)	8.5	(5.2 to 14.3)	0.1	(0.1 to 0.2)
Chile	Both	1 to 4	0.7	(0.4 to 0.9)	2.3	(1.1 to 4.4)	0	(0.0 to 0.1)
Chile	Both	5 to 9	2	(1.4 to 2.7)	2.3	(1.5 to 3.7)	0	(0.0 to 0.0)
Chile	Both	10 to 14	4	(3.0 to 5.2)	3.9	(2.6 to 5.9)	0	(0.0 to 0.1)
Chile	Both	15 to 19	6.4	(4.7 to 8.5)	11.5	(7.8 to 17.2)	0.2	(0.1 to 0.2)
Uruguay	Male	1 to 4	0.7	(0.3 to 1.2)	3.4	(1.4 to 6.7)	0	(0.0 to 0.1)
Uruguay	Male	5 to 9	2.2	(1.1 to 3.4)	4.4	(2.2 to 8.4)	0.1	(0.0 to 0.1)
Uruguay	Male	10 to 14	4.5	(2.8 to 6.6)	7.2	(4.2 to 12.3)	0.1	(0.0 to 0.2)
Uruguay	Male	15 to 19	7.3	(4.6 to 10.5)	23.5	(13.3 to 40.6)	0.3	(0.2 to 0.6)

							-	
Uruguay	Female	1 to 4	0.6	(0.4 to 0.9)	3.9	(1.8 to 8.6)	0	(0.0 to 0.1)
Uruguay	Female	5 to 9	1.9	(1.0 to 2.7)	4.9	(2.7 to 10.0)	0.1	(0.0 to 0.1)
Uruguay	Female	10 to 14	3.7	(2.3 to 5.3)	6.8	(3.8 to 13.2)	0.1	(0.0 to 0.2)
Uruguay	Female	15 to 19	6.1	(3.8 to 8.6)	12.2	(7.5 to 21.5)	0.2	(0.1 to 0.3)
Uruguay	Both	1 to 4	0.7	(0.4 to 1.0)	3.7	(1.9 to 7.0)	0	(0.0 to 0.1)
Uruguay	Both	5 to 9	2.1	(1.3 to 2.8)	4.7	(2.7 to 8.2)	0.1	(0.0 to 0.1)
Uruguay	Both	10 to 14	4.1	(3.0 to 5.3)	7	(4.5 to 11.9)	0.1	(0.1 to 0.2)
Uruguay	Both	15 to 19	6.7	(5.0 to 8.7)	18	(11.8 to 28.2)	0.2	(0.2 to 0.4)
Canada	Male	1 to 4	2.2	(1.3 to 3.3)	1.5	(0.8 to 2.5)	0	(0.0 to 0.0)
Canada	Male	5 to 9	7.3	(4.7 to 10.2)	1.6	(1.1 to 2.4)	0	(0.0 to 0.0)
Canada	Male	10 to 14	15.4	(9.9 to 21.5)	3	(1.8 to 4.4)	0	(0.0 to 0.0)
Canada	Male	15 to 19	26.1	(16.1 to 37.8)	5.2	(3.1 to 8.0)	0	(0.0 to 0.0)
Canada	Female	1 to 4	1.6	(0.9 to 2.4)	1.2	(0.7 to 2.0)	0	(0.0 to 0.0)
Canada	Female	5 to 9	5.2	(3.3 to 7.8)	1.4	(0.9 to 2.1)	0	(0.0 to 0.0)
Canada	Female	10 to 14	11.6	(7.7 to 16.9)	2.4	(1.5 to 3.7)	0	(0.0 to 0.0)
Canada	Female	15 to 19	20.7	(13.5 to 30.1)	5	(3.2 to 7.6)	0	(0.0 to 0.0)
Canada	Both	1 to 4	1.9	(1.3 to 2.6)	1.4	(0.8 to 2.1)	0	(0.0 to 0.0)
Canada	Both	5 to 9	6.3	(4.6 to 8.2)	1.5	(1.1 to 2.1)	0	(0.0 to 0.0)
Canada	Both	10 to 14	13.6	(10.1 to 17.7)	2.7	(1.8 to 3.8)	0	(0.0 to 0.0)
Canada	Both	15 to 19	23.4	(17.0 to 31.1)	5.1	(3.4 to 7.2)	0	(0.0 to 0.0)
United States	Male	1 to 4	4.7	(3.3 to 6.2)	5.4	(2.7 to 9.8)	0.1	(0.0 to 0.1)
United States	Male	5 to 9	17.6	(13.1 to 22.2)	4.3	(2.8 to 6.0)	0	(0.0 to 0.0)
United States	Male	10 to 14	40.6	(31.8 to 50.6)	7.9	(4.6 to 11.9)	0	(0.0 to 0.0)
United States	Male	15 to 19	72.3	(55.2 to 90.0)	14.1	(7.6 to 23.2)	0	(0.0 to 0.1)
United States	Female	1 to 4	3.3	(1.9 to 4.5)	5.1	(2.8 to 8.4)	0.1	(0.0 to 0.1)
United States	Female	5 to 9	13.4	(8.6 to 17.6)	3.7	(2.4 to 5.2)	0	(0.0 to 0.0)
United States	Female	10 to 14	33.1	(23.9 to 41.5)	6.6	(3.8 to 10.5)	0	(0.0 to 0.0)
United States	Female	15 to 19	62.1	(45.5 to 78.4)	12.6	(6.8 to 20.6)	0	(0.0 to 0.1)
United States	Both	1 to 4	4	(3.1 to 5.0)	5.2	(3.2 to 8.4)	0.1	(0.0 to 0.1)
United States	Both	5 to 9	15.5	(12.4 to 18.6)	4	(2.9 to 5.3)	0	(0.0 to 0.0)
United States	Both	10 to 14	36.9	(31.4 to 43.4)	7.3	(4.7 to 10.6)	0	(0.0 to 0.0)
United States	Both	15 to 19	67.3	(57.0 to 80.1)	13.4	(8.3 to 20.3)	0	(0.0 to 0.1)
Antigua and Barbuda	Male	1 to 4	0.5	(0.3 to 0.9)	24.9	(8.8 to 61.1)	0.3	(0.1 to 0.7)

Antigua and Barbuda	Male	5 to 9	1.7	(1.0 to 2.7)	15.2	(7.4 to 27.9)	0.2	(0.1 to 0.3)
Antigua and Barbuda	Male	10 to 14	3.7	(2.2 to 5.5)	21.8	(10.7 to 38.1)	0.3	(0.1 to 0.5)
Antigua and Barbuda	Male	15 to 19	6.3	(3.5 to 9.5)	46.1	(24.9 to 74.7)	0.7	(0.3 to 1.1)
Antigua and Barbuda	Female	1 to 4	0.3	(0.1 to 0.5)	14.5	(5.6 to 32.6)	0.2	(0.1 to 0.4)
Antigua and Barbuda	Female	5 to 9	1	(0.4 to 1.6)	14.2	(6.8 to 26.6)	0.2	(0.1 to 0.3)
Antigua and Barbuda	Female	10 to 14	2.2	(1.1 to 3.4)	16.6	(8.1 to 31.1)	0.2	(0.1 to 0.4)
Antigua and Barbuda	Female	15 to 19	4.1	(2.3 to 6.4)	21.9	(12.6 to 38.5)	0.3	(0.2 to 0.5)
Antigua and Barbuda	Both	1 to 4	0.4	(0.3 to 0.6)	19.8	(7.8 to 44.0)	0.2	(0.1 to 0.5)
Antigua and Barbuda	Both	5 to 9	1.3	(0.9 to 1.9)	14.7	(7.9 to 25.5)	0.2	(0.1 to 0.3)
Antigua and Barbuda	Both	10 to 14	3	(2.1 to 4.0)	19.2	(10.9 to 31.4)	0.3	(0.1 to 0.4)
Antigua and Barbuda	Both	15 to 19	5.2	(3.4 to 7.2)	33.9	(21.3 to 50.4)	0.5	(0.3 to 0.7)
The Bahamas	Male	1 to 4	0.5	(0.2 to 0.9)	20.3	(7.2 to 45.5)	0.2	(0.1 to 0.5)
The Bahamas	Male	5 to 9	1.7	(0.8 to 2.8)	14.7	(7.0 to 27.3)	0.2	(0.1 to 0.3)
The Bahamas	Male	10 to 14	3.8	(2.2 to 5.6)	19.7	(10.2 to 35.8)	0.3	(0.1 to 0.5)
The Bahamas	Male	15 to 19	6.6	(3.5 to 9.7)	43.4	(23.4 to 74.0)	0.6	(0.3 to 1.1)
The Bahamas	Female	1 to 4	0.3	(0.1 to 0.5)	8.6	(3.0 to 20.3)	0.1	(0.0 to 0.2)
The Bahamas	Female	5 to 9	1	(0.5 to 1.6)	15.9	(8.0 to 28.6)	0.2	(0.1 to 0.4)
The Bahamas	Female	10 to 14	2.3	(1.3 to 3.5)	17.8	(9.1 to 30.7)	0.2	(0.1 to 0.4)
The Bahamas	Female	15 to 19	4.2	(2.2 to 6.3)	24.2	(13.5 to 39.6)	0.3	(0.2 to 0.6)
The Bahamas	Both	1 to 4	0.4	(0.2 to 0.6)	14.6	(5.7 to 32.2)	0.2	(0.1 to 0.4)
The Bahamas	Both	5 to 9	1.3	(0.8 to 2.0)	15.3	(8.4 to 25.9)	0.2	(0.1 to 0.3)
The Bahamas	Both	10 to 14	3	(2.0 to 4.1)	18.7	(10.8 to 30.2)	0.2	(0.1 to 0.4)
The Bahamas	Both	15 to 19	5.4	(3.6 to 7.2)	33.9	(21.7 to 50.0)	0.5	(0.3 to 0.7)
Barbados	Male	1 to 4	0.5	(0.3 to 0.8)	13.5	(4.9 to 31.1)	0.2	(0.1 to 0.4)
Barbados	Male	5 to 9	1.8	(0.9 to 2.7)	13.6	(6.2 to 26.5)	0.2	(0.1 to 0.3)
Barbados	Male	10 to 14	3.9	(2.4 to 5.5)	19.2	(9.1 to 35.3)	0.3	(0.1 to 0.5)
Barbados	Male	15 to 19	6.8	(4.0 to 10.0)	37.2	(20.4 to 61.3)	0.5	(0.3 to 0.9)
Barbados	Female	1 to 4	0.2	(0.1 to 0.4)	9.3	(3.4 to 20.9)	0.1	(0.0 to 0.2)
Barbados	Female	5 to 9	0.9	(0.4 to 1.6)	14.4	(7.2 to 28.6)	0.2	(0.1 to 0.4)
Barbados	Female	10 to 14	2.3	(1.1 to 3.6)	17.1	(9.1 to 32.4)	0.2	(0.1 to 0.4)
Barbados	Female	15 to 19	4.2	(2.0 to 6.5)	22.5	(12.4 to 37.8)	0.3	(0.2 to 0.5)
Barbados	Both	1 to 4	0.4	(0.2 to 0.6)	11.4	(4.7 to 24.9)	0.1	(0.1 to 0.3)
Barbados	Both	5 to 9	1.4	(0.8 to 2.0)	14	(7.4 to 25.0)	0.2	(0.1 to 0.3)

			1	I		11		1
Barbados	Both	10 to 14	3.1	(2.1 to 4.3)	18.2	(10.0 to 31.2)	0.2	(0.1 to 0.4)
Barbados	Both	15 to 19	5.6	(3.7 to 7.7)	30.2	(19.9 to 44.7)	0.4	(0.3 to 0.6)
Belize	Male	1 to 4	0.5	(0.1 to 0.8)	25.8	(9.8 to 55.9)	0.3	(0.1 to 0.7)
Belize	Male	5 to 9	1.5	(0.2 to 2.6)	17.6	(9.0 to 30.7)	0.2	(0.1 to 0.4)
Belize	Male	10 to 14	3.5	(2.0 to 5.5)	22.4	(11.8 to 39.3)	0.3	(0.2 to 0.5)
Belize	Male	15 to 19	6.4	(3.6 to 9.6)	49.2	(27.4 to 80.7)	0.7	(0.4 to 1.1)
Belize	Female	1 to 4	0.3	(0.1 to 0.5)	17.7	(7.0 to 38.5)	0.2	(0.1 to 0.5)
Belize	Female	5 to 9	1	(0.2 to 1.8)	18.8	(9.6 to 35.1)	0.2	(0.1 to 0.4)
Belize	Female	10 to 14	2.3	(1.1 to 3.6)	22.5	(12.3 to 39.6)	0.3	(0.2 to 0.5)
Belize	Female	15 to 19	4.3	(2.3 to 6.7)	31.2	(16.9 to 54.2)	0.4	(0.2 to 0.8)
Belize	Both	1 to 4	0.4	(0.1 to 0.6)	21.8	(9.2 to 46.7)	0.3	(0.1 to 0.6)
Belize	Both	5 to 9	1.2	(0.3 to 1.9)	18.2	(10.1 to 30.7)	0.2	(0.1 to 0.4)
Belize	Both	10 to 14	2.9	(1.8 to 4.1)	22.4	(13.7 to 36.9)	0.3	(0.2 to 0.5)
Belize	Both	15 to 19	5.3	(3.7 to 7.3)	40.3	(26.6 to 62.0)	0.6	(0.4 to 0.9)
Cuba	Male	1 to 4	0.5	(0.2 to 0.8)	1.4	(0.4 to 2.8)	0	(0.0 to 0.0)
Cuba	Male	5 to 9	1.7	(0.6 to 2.7)	2.9	(1.3 to 4.7)	0	(0.0 to 0.1)
Cuba	Male	10 to 14	3.7	(2.0 to 5.5)	5.3	(2.6 to 9.1)	0.1	(0.0 to 0.1)
Cuba	Male	15 to 19	6.4	(3.4 to 9.8)	10.3	(4.9 to 17.3)	0.1	(0.1 to 0.2)
Cuba	Female	1 to 4	0.3	(0.1 to 0.5)	0.9	(0.3 to 1.6)	0	(0.0 to 0.0)
Cuba	Female	5 to 9	1	(0.4 to 1.8)	1.7	(0.7 to 2.9)	0	(0.0 to 0.0)
Cuba	Female	10 to 14	2.4	(1.4 to 3.9)	3.2	(1.3 to 5.3)	0	(0.0 to 0.1)
Cuba	Female	15 to 19	4.6	(2.6 to 6.9)	6	(2.2 to 9.8)	0.1	(0.0 to 0.1)
Cuba	Both	1 to 4	0.4	(0.2 to 0.6)	1.2	(0.5 to 2.0)	0	(0.0 to 0.0)
Cuba	Both	5 to 9	1.3	(0.7 to 2.0)	2.3	(1.2 to 3.4)	0	(0.0 to 0.0)
Cuba	Both	10 to 14	3.1	(2.1 to 4.2)	4.3	(2.2 to 6.4)	0.1	(0.0 to 0.1)
Cuba	Both	15 to 19	5.5	(3.8 to 7.7)	8.2	(4.2 to 12.3)	0.1	(0.0 to 0.2)
Dominica	Male	1 to 4	0.5	(0.1 to 0.8)	31.4	(12.4 to 73.4)	0.4	(0.1 to 0.9)
Dominica	Male	5 to 9	1.6	(0.3 to 2.6)	18.2	(8.9 to 34.0)	0.2	(0.1 to 0.4)
Dominica	Male	10 to 14	3.7	(2.0 to 5.8)	24.8	(13.1 to 42.2)	0.3	(0.2 to 0.6)
Dominica	Male	15 to 19	6.7	(3.5 to 10.7)	48.1	(25.7 to 79.5)	0.7	(0.4 to 1.1)
Dominica	Female	1 to 4	0.3	(0.1 to 0.5)	21.4	(8.1 to 52.1)	0.3	(0.1 to 0.6)
Dominica	Female	5 to 9	1	(0.5 to 1.6)	18.2	(8.6 to 37.9)	0.2	(0.1 to 0.5)
Dominica	Female	10 to 14	2.4	(1.3 to 3.5)	19.6	(10.2 to 34.4)	0.3	(0.1 to 0.5)

Dominica	Female	15 to 19	4.5	(2.3 to 6.8)	22.4	(12.1 to 37.0)	0.3	(0.2 to 0.5)
Dominica	Both	1 to 4	0.4	(0.2 to 0.6)	26.5	(11.4 to 59.1)	0.3	(0.1 to 0.7)
Dominica	Both	5 to 9	1.3	(0.7 to 1.9)	18.2	(9.8 to 33.7)	0.2	(0.1 to 0.4)
Dominica	Both	10 to 14	3.1	(2.0 to 4.3)	22.3	(12.8 to 34.7)	0.3	(0.2 to 0.5)
Dominica	Both	15 to 19	5.6	(3.7 to 7.9)	35.4	(22.6 to 53.5)	0.5	(0.3 to 0.8)
Dominican Republic	Male	1 to 4	0.5	(0.3 to 0.9)	20.6	(8.9 to 41.3)	0.2	(0.1 to 0.5)
Dominican Republic	Male	5 to 9	1.8	(0.9 to 2.8)	16.6	(9.3 to 27.2)	0.2	(0.1 to 0.3)
Dominican Republic	Male	10 to 14	3.9	(2.4 to 5.6)	22.7	(13.1 to 37.5)	0.3	(0.2 to 0.5)
Dominican Republic	Male	15 to 19	6.7	(3.9 to 9.8)	23.7	(13.1 to 41.2)	0.3	(0.2 to 0.6)
Dominican Republic	Female	1 to 4	0.2	(0.0 to 0.5)	12.9	(5.3 to 25.5)	0.2	(0.1 to 0.3)
Dominican Republic	Female	5 to 9	0.8	(0.1 to 1.6)	11.3	(5.5 to 19.6)	0.1	(0.1 to 0.2)
Dominican Republic	Female	10 to 14	2.2	(1.1 to 3.4)	17.7	(10.4 to 29.2)	0.2	(0.1 to 0.4)
Dominican Republic	Female	15 to 19	4.4	(2.3 to 6.8)	25.6	(14.7 to 45.1)	0.4	(0.2 to 0.6)
Dominican Republic	Both	1 to 4	0.4	(0.2 to 0.6)	16.8	(8.5 to 30.0)	0.2	(0.1 to 0.4)
Dominican Republic	Both	5 to 9	1.3	(0.8 to 1.9)	14	(9.2 to 21.3)	0.2	(0.1 to 0.3)
Dominican Republic	Both	10 to 14	3.1	(2.3 to 4.0)	20.2	(13.8 to 30.1)	0.3	(0.2 to 0.4)
Dominican Republic	Both	15 to 19	5.6	(3.8 to 7.5)	24.6	(16.0 to 38.1)	0.3	(0.2 to 0.5)
Grenada	Male	1 to 4	0.5	(0.2 to 0.8)	18	(6.1 to 42.5)	0.2	(0.1 to 0.5)
Grenada	Male	5 to 9	1.6	(0.6 to 2.6)	13.7	(6.8 to 25.3)	0.2	(0.1 to 0.3)
Grenada	Male	10 to 14	3.7	(2.0 to 5.6)	19	(10.6 to 32.3)	0.2	(0.1 to 0.4)
Grenada	Male	15 to 19	6.5	(3.4 to 10.0)	54.9	(31.5 to 90.0)	0.8	(0.4 to 1.3)
Grenada	Female	1 to 4	0.3	(0.1 to 0.5)	11.5	(4.2 to 25.7)	0.1	(0.0 to 0.3)
Grenada	Female	5 to 9	0.9	(0.3 to 1.6)	14.5	(7.0 to 26.2)	0.2	(0.1 to 0.3)
Grenada	Female	10 to 14	2.3	(1.2 to 3.4)	18.8	(10.4 to 32.0)	0.2	(0.1 to 0.4)
Grenada	Female	15 to 19	4.3	(2.3 to 6.8)	29.4	(16.6 to 47.0)	0.4	(0.2 to 0.7)
Grenada	Both	1 to 4	0.4	(0.2 to 0.6)	14.9	(5.5 to 33.3)	0.2	(0.1 to 0.4)
Grenada	Both	5 to 9	1.3	(0.7 to 1.9)	14	(7.8 to 23.9)	0.2	(0.1 to 0.3)
Grenada	Both	10 to 14	3	(2.0 to 4.2)	18.9	(11.8 to 29.7)	0.2	(0.2 to 0.4)
Grenada	Both	15 to 19	5.4	(3.6 to 7.5)	42.3	(27.9 to 62.7)	0.6	(0.4 to 0.9)
Guyana	Male	1 to 4	0.5	(0.2 to 0.9)	67.1	(23.1 to 155.4)	0.8	(0.3 to 1.8)
Guyana	Male	5 to 9	1.7	(0.9 to 2.7)	34.7	(17.8 to 63.1)	0.4	(0.2 to 0.8)
Guyana	Male	10 to 14	3.7	(2.2 to 5.4)	36.2	(19.2 to 64.5)	0.5	(0.3 to 0.9)
Guyana	Male	15 to 19	6.4	(3.4 to 9.6)	62.1	(34.2 to 113.8)	0.9	(0.5 to 1.6)

Guyana	Female	1 to 4	0.2	(0.0 to 0.4)	45.3	(14.2 to 115.9)	0.5	(0.2 to 1.4)
Guyana	Female	5 to 9	0.2	(0.0 to 0.4)	33.2	(14.3 to 74.3)	0.5	(0.2 to 1.4)
Guyana	Female	10 to 14	2.2	(0.1 to 1.5) (0.9 to 3.5)	37.3	(14.3 to 74.3) (18.9 to 70.9)	0.4	(0.2 to 0.5) (0.3 to 1.0)
Guyana	Female	15 to 19	4	(0.9 to 5.3) (2.0 to 6.3)	45.6	(18.9 to 70.9) (23.5 to 84.7)	0.5	(0.3 to 1.0)
Guyana	Both	1 to 4	0.4	(0.2 to 0.6)	56.4	(23.3 to 84.7) (21.2 to 137.9)	0.0	(0.3 to 1.2)
-	Both	5 to 9	1.3	(0.2 to 0.0) (0.8 to 2.0)	34	(18.5 to 61.4)	0.7	(0.2 to 0.8)
Guyana	Both	10 to 14	3	(0.8 to 2.0) (2.1 to 4.2)	36.7	(18.3 to 61.4) (22.0 to 60.1)	0.4	(0.2 to 0.8)
Guyana	Both	10 to 14 15 to 19	5.3	(2.1 to 4.2) (3.6 to 7.4)	54.4	(34.9 to 88.0)	0.8	(0.5 to 0.8)
Guyana Haiti	Male	13 to 19	0.5	(0.2 to 0.9)	100.4	(32.0 to 220.7)	1.2	(0.5 to 1.5) (0.4 to 2.6)
							0.4	. ,
Haiti	Male	5 to 9	1.7	(0.6 to 2.8)	34.2	(12.0 to 70.8)		(0.1 to 0.9)
Haiti	Male	10 to 14	3.8	(1.9 to 5.8)	35.4	(15.7 to 65.6)	0.5	(0.2 to 0.9)
Haiti	Male	15 to 19	6.6	(3.6 to 10.0)	59.6	(26.3 to 110.3)	0.8	(0.4 to 1.6)
Haiti	Female	1 to 4	0.3	(0.1 to 0.5)	105.7	(38.9 to 217.9)	1.3	(0.5 to 2.6)
Haiti	Female	5 to 9	1	(0.5 to 1.7)	33.6	(12.5 to 69.2)	0.4	(0.2 to 0.9)
Haiti	Female	10 to 14	2.4	(1.4 to 3.6)	31.2	(11.8 to 68.0)	0.4	(0.2 to 0.9)
Haiti	Female	15 to 19	4.4	(2.5 to 6.8)	51.8	(22.3 to 106.6)	0.7	(0.3 to 1.5)
Haiti	Both	1 to 4	0.4	(0.2 to 0.6)	103	(47.7 to 190.5)	1.2	(0.6 to 2.3)
Haiti	Both	5 to 9	1.4	(0.7 to 2.0)	33.9	(16.5 to 61.6)	0.4	(0.2 to 0.8)
Haiti	Both	10 to 14	3.1	(1.9 to 4.2)	33.4	(17.5 to 63.9)	0.4	(0.2 to 0.9)
Haiti	Both	15 to 19	5.5	(3.6 to 7.5)	55.8	(31.1 to 95.1)	0.8	(0.4 to 1.4)
Jamaica	Male	1 to 4	0.6	(0.2 to 0.9)	42.8	(15.2 to 103.6)	0.5	(0.2 to 1.2)
Jamaica	Male	5 to 9	1.8	(0.9 to 2.8)	14.6	(6.8 to 29.0)	0.2	(0.1 to 0.4)
Jamaica	Male	10 to 14	3.8	(1.9 to 5.4)	18.9	(9.0 to 33.7)	0.2	(0.1 to 0.4)
Jamaica	Male	15 to 19	6.5	(3.1 to 9.6)	33.9	(17.6 to 59.6)	0.5	(0.2 to 0.8)
Jamaica	Female	1 to 4	0.3	(0.1 to 0.5)	29.4	(10.3 to 71.0)	0.3	(0.1 to 0.8)
Jamaica	Female	5 to 9	1	(0.4 to 1.7)	15.5	(7.2 to 31.7)	0.2	(0.1 to 0.4)
Jamaica	Female	10 to 14	2.3	(1.1 to 3.7)	17.2	(8.6 to 34.7)	0.2	(0.1 to 0.5)
Jamaica	Female	15 to 19	4.4	(2.2 to 6.7)	24.2	(12.9 to 48.8)	0.3	(0.2 to 0.7)
Jamaica	Both	1 to 4	0.4	(0.2 to 0.6)	36.2	(13.9 to 81.4)	0.4	(0.2 to 1.0)
Jamaica	Both	5 to 9	1.4	(0.9 to 2.0)	15.1	(7.7 to 28.9)	0.2	(0.1 to 0.4)
Jamaica	Both	10 to 14	3.1	(2.1 to 4.2)	18	(9.8 to 32.1)	0.2	(0.1 to 0.4)
Jamaica	Both	15 to 19	5.4	(3.6 to 7.3)	29.1	(18.2 to 47.7)	0.4	(0.2 to 0.7)
Saint Lucia	Male	1 to 4	0.5	(0.3 to 0.8)	24.6	(8.8 to 58.7)	0.3	(0.1 to 0.7)

Saint Lucia	Male	5 to 9	1.7	(0.9 to 2.7)	14.4	(6.6 to 28.1)	0.2	(0.1 to 0.4)
Saint Lucia	Male	10 to 14	3.7	(2.3 to 5.5)	20.1	(9.7 to 36.7)	0.3	(0.1 to 0.5)
Saint Lucia	Male	15 to 19	6.4	(3.9 to 9.6)	38.2	(20.5 to 67.3)	0.5	(0.3 to 1.0)
Saint Lucia	Female	1 to 4	0.3	(0.1 to 0.5)	16.3	(5.8 to 37.5)	0.2	(0.1 to 0.4)
Saint Lucia	Female	5 to 9	0.9	(0.4 to 1.6)	14.7	(6.8 to 27.8)	0.2	(0.1 to 0.3)
Saint Lucia	Female	10 to 14	2.2	(1.2 to 3.5)	17	(8.3 to 30.6)	0.2	(0.1 to 0.4)
Saint Lucia	Female	15 to 19	4.2	(2.1 to 6.5)	22.7	(11.8 to 37.8)	0.3	(0.2 to 0.5)
Saint Lucia	Both	1 to 4	0.4	(0.2 to 0.6)	20.5	(7.7 to 46.2)	0.2	(0.1 to 0.5)
Saint Lucia	Both	5 to 9	1.3	(0.8 to 1.9)	14.5	(7.5 to 26.1)	0.2	(0.1 to 0.3)
Saint Lucia	Both	10 to 14	3	(2.0 to 4.0)	18.5	(9.9 to 31.9)	0.2	(0.1 to 0.4)
Saint Lucia	Both	15 to 19	5.3	(3.6 to 7.1)	30.4	(18.6 to 46.2)	0.4	(0.3 to 0.7)
Saint Vincent and the Grenadines	Male	1 to 4	0.5	(0.3 to 0.9)	32.5	(11.8 to 75.5)	0.4	(0.1 to 0.9)
Saint Vincent and the Grenadines	Male	5 to 9	1.7	(0.9 to 2.8)	18.3	(9.0 to 36.0)	0.2	(0.1 to 0.5)
Saint Vincent and the Grenadines	Male	10 to 14	3.8	(2.2 to 5.9)	25	(13.6 to 43.3)	0.3	(0.2 to 0.6)
Saint Vincent and the Grenadines	Male	15 to 19	6.6	(3.4 to 10.4)	46.4	(26.6 to 77.3)	0.7	(0.4 to 1.1)
Saint Vincent and the Grenadines	Female	1 to 4	0.3	(0.1 to 0.4)	21.6	(7.8 to 51.8)	0.3	(0.1 to 0.6)
Saint Vincent and the Grenadines	Female	5 to 9	0.9	(0.4 to 1.6)	18.6	(9.8 to 34.0)	0.2	(0.1 to 0.4)
Saint Vincent and the Grenadines	Female	10 to 14	2.2	(1.1 to 3.6)	20.3	(10.8 to 35.0)	0.3	(0.1 to 0.5)
Saint Vincent and the Grenadines	Female	15 to 19	4.1	(2.0 to 6.6)	26.5	(13.6 to 42.4)	0.4	(0.2 to 0.6)
Saint Vincent and the Grenadines	Both	1 to 4	0.4	(0.2 to 0.6)	27.2	(10.7 to 61.9)	0.3	(0.1 to 0.7)
Saint Vincent and the Grenadines	Both	5 to 9	1.3	(0.9 to 1.9)	18.5	(10.2 to 32.5)	0.2	(0.1 to 0.4)
Saint Vincent and the Grenadines	Both	10 to 14	3	(2.0 to 4.2)	22.7	(13.9 to 35.5)	0.3	(0.2 to 0.5)
Saint Vincent and the Grenadines	Both	15 to 19	5.4	(3.2 to 7.8)	36.6	(23.5 to 53.5)	0.5	(0.3 to 0.8)
Suriname	Male	1 to 4	0.5	(0.2 to 0.8)	62.5	(32.5 to 113.7)	0.7	(0.4 to 1.3)
Suriname	Male	5 to 9	1.7	(0.7 to 2.6)	30.8	(18.9 to 50.4)	0.4	(0.2 to 0.6)
Suriname	Male	10 to 14	3.7	(2.2 to 5.3)	36.2	(21.1 to 57.7)	0.5	(0.3 to 0.8)
Suriname	Male	15 to 19	6.4	(3.8 to 9.9)	59	(31.6 to 99.9)	0.8	(0.4 to 1.4)
Suriname	Female	1 to 4	0.3	(0.2 to 0.5)	40.3	(21.8 to 73.9)	0.5	(0.3 to 0.9)
Suriname	Female	5 to 9	1	(0.6 to 1.7)	28.3	(16.5 to 51.6)	0.4	(0.2 to 0.6)
Suriname	Female	10 to 14	2.4	(1.4 to 3.6)	27.3	(16.1 to 46.2)	0.4	(0.2 to 0.6)
Suriname	Female	15 to 19	4.4	(2.4 to 6.8)	30.8	(17.1 to 51.7)	0.4	(0.2 to 0.7)
Suriname	Both	1 to 4	0.4	(0.2 to 0.6)	51.8	(30.3 to 88.2)	0.6	(0.4 to 1.0)
Suriname	Both	5 to 9	1.4	(0.8 to 1.9)	29.6	(20.2 to 46.8)	0.4	(0.3 to 0.6)

Suriname	Both	10 to 14	3	(2.1 to 4.0)	31.8	(21.9 to 48.4)	0.4	(0.3 to 0.6)
Suriname	Both	15 to 19	5.4	(3.6 to 7.3)	45.1	(29.1 to 69.3)	0.6	(0.4 to 1.0)
Trinidad and Tobago	Male	1 to 4	0.5	(0.2 to 0.8)	30.6	(11.3 to 70.0)	0.4	(0.1 to 0.8)
Trinidad and Tobago	Male	5 to 9	1.6	(0.8 to 2.7)	16	(7.1 to 32.2)	0.2	(0.1 to 0.4)
Trinidad and Tobago	Male	10 to 14	3.8	(2.0 to 5.6)	22.6	(11.6 to 41.3)	0.3	(0.1 to 0.6)
Trinidad and Tobago	Male	15 to 19	6.6	(3.5 to 10.0)	44.8	(24.6 to 77.5)	0.6	(0.3 to 1.1)
Trinidad and Tobago	Female	1 to 4	0.3	(0.1 to 0.5)	20.1	(6.9 to 48.8)	0.2	(0.1 to 0.6)
Trinidad and Tobago	Female	5 to 9	1	(0.4 to 1.6)	14.9	(6.4 to 30.9)	0.2	(0.1 to 0.4)
Trinidad and Tobago	Female	10 to 14	2.3	(1.1 to 3.7)	19.8	(10.3 to 36.1)	0.3	(0.1 to 0.5)
Trinidad and Tobago	Female	15 to 19	4.3	(2.1 to 6.8)	22.8	(13.2 to 38.9)	0.3	(0.2 to 0.5)
Trinidad and Tobago	Both	1 to 4	0.4	(0.2 to 0.6)	25.4	(10.0 to 58.0)	0.3	(0.1 to 0.7)
Trinidad and Tobago	Both	5 to 9	1.3	(0.7 to 1.9)	15.5	(6.9 to 29.9)	0.2	(0.1 to 0.4)
Trinidad and Tobago	Both	10 to 14	3	(1.9 to 4.1)	21.2	(12.5 to 36.0)	0.3	(0.2 to 0.5)
Trinidad and Tobago	Both	15 to 19	5.5	(3.5 to 7.4)	33.9	(21.5 to 53.2)	0.5	(0.3 to 0.8)
Bolivia	Male	1 to 4	0.5	(0.2 to 0.8)	17.3	(4.9 to 45.1)	0.2	(0.1 to 0.5)
Bolivia	Male	5 to 9	1.4	(0.8 to 2.2)	12.7	(4.8 to 27.0)	0.2	(0.1 to 0.3)
Bolivia	Male	10 to 14	2.9	(1.6 to 4.3)	15.7	(7.3 to 28.4)	0.2	(0.1 to 0.4)
Bolivia	Male	15 to 19	4.6	(2.5 to 7.1)	28.8	(11.9 to 54.5)	0.4	(0.2 to 0.8)
Bolivia	Female	1 to 4	0.2	(0.1 to 0.4)	17.5	(5.9 to 46.3)	0.2	(0.1 to 0.5)
Bolivia	Female	5 to 9	0.7	(0.3 to 1.3)	14.8	(5.2 to 36.0)	0.2	(0.1 to 0.5)
Bolivia	Female	10 to 14	1.5	(0.8 to 2.5)	13.6	(4.8 to 31.6)	0.2	(0.1 to 0.4)
Bolivia	Female	15 to 19	2.6	(1.2 to 4.1)	26.7	(10.8 to 54.5)	0.4	(0.2 to 0.8)
Bolivia	Both	1 to 4	0.3	(0.2 to 0.5)	17.4	(7.4 to 41.1)	0.2	(0.1 to 0.5)
Bolivia	Both	5 to 9	1.1	(0.6 to 1.5)	13.7	(6.5 to 27.1)	0.2	(0.1 to 0.3)
Bolivia	Both	10 to 14	2.2	(1.5 to 3.1)	14.7	(8.0 to 25.5)	0.2	(0.1 to 0.3)
Bolivia	Both	15 to 19	3.6	(2.4 to 5.0)	27.8	(15.2 to 47.5)	0.4	(0.2 to 0.7)
Ecuador	Male	1 to 4	0.5	(0.2 to 0.8)	13	(5.8 to 25.9)	0.2	(0.1 to 0.3)
Ecuador	Male	5 to 9	1.5	(0.7 to 2.3)	9.5	(5.5 to 16.2)	0.1	(0.1 to 0.2)
Ecuador	Male	10 to 14	2.9	(1.8 to 4.3)	17.4	(9.6 to 29.6)	0.2	(0.1 to 0.4)
Ecuador	Male	15 to 19	4.6	(2.6 to 7.1)	50	(27.2 to 90.6)	0.7	(0.4 to 1.3)
Ecuador	Female	1 to 4	0.2	(0.1 to 0.4)	7.3	(3.8 to 14.9)	0.1	(0.0 to 0.2)
Ecuador	Female	5 to 9	0.8	(0.3 to 1.3)	7.9	(4.6 to 13.9)	0.1	(0.1 to 0.2)
Ecuador	Female	10 to 14	1.6	(0.8 to 2.5)	16.4	(9.4 to 31.8)	0.2	(0.1 to 0.4)

Ecuador	Female	15 to 19	2.7	(1.5 to 4.1)	33.6	(18.1 to 66.1)	0.5	(0.3 to 1.0)
Ecuador	Both	1 to 4	0.4	(0.2 to 0.6)	10.2	(5.7 to 19.3)	0.1	(0.1 to 0.2)
Ecuador	Both	5 to 9	1.1	(0.7 to 1.6)	8.7	(5.9 to 13.7)	0.1	(0.1 to 0.2)
Ecuador	Both	10 to 14	2.3	(1.6 to 3.2)	16.9	(10.8 to 28.6)	0.2	(0.1 to 0.4)
Ecuador	Both	15 to 19	3.7	(2.5 to 5.3)	41.9	(26.4 to 70.5)	0.6	(0.4 to 1.0)
Peru	Male	1 to 4	0.4	(0.1 to 0.8)	10.5	(4.2 to 22.6)	0.1	(0.0 to 0.3)
Peru	Male	5 to 9	1.4	(0.5 to 2.2)	15.4	(8.1 to 29.6)	0.2	(0.1 to 0.4)
Peru	Male	10 to 14	2.8	(1.6 to 4.3)	19	(9.5 to 35.6)	0.3	(0.1 to 0.5)
Peru	Male	15 to 19	4.5	(2.6 to 6.9)	43.2	(20.2 to 88.3)	0.6	(0.3 to 1.3)
Peru	Female	1 to 4	0.3	(0.1 to 0.5)	6	(2.4 to 14.9)	0.1	(0.0 to 0.2)
Peru	Female	5 to 9	0.8	(0.4 to 1.4)	10.2	(5.8 to 19.1)	0.1	(0.1 to 0.2)
Peru	Female	10 to 14	1.7	(1.0 to 2.5)	18.1	(10.5 to 32.7)	0.2	(0.1 to 0.4)
Peru	Female	15 to 19	2.7	(1.6 to 4.1)	29.3	(16.2 to 53.2)	0.4	(0.2 to 0.8)
Peru	Both	1 to 4	0.3	(0.1 to 0.5)	8.3	(4.2 to 17.1)	0.1	(0.0 to 0.2)
Peru	Both	5 to 9	1.1	(0.6 to 1.6)	12.9	(8.1 to 22.3)	0.2	(0.1 to 0.3)
Peru	Both	10 to 14	2.3	(1.6 to 3.1)	18.6	(11.6 to 31.0)	0.2	(0.2 to 0.4)
Peru	Both	15 to 19	3.6	(2.5 to 5.0)	36.4	(22.2 to 64.5)	0.5	(0.3 to 0.9)
Colombia	Male	1 to 4	0.1	(0.0 to 0.1)	10.1	(4.9 to 18.6)	0.1	(0.1 to 0.2)
Colombia	Male	5 to 9	0.2	(0.0 to 0.4)	5	(2.8 to 8.7)	0.1	(0.0 to 0.1)
Colombia	Male	10 to 14	0.5	(0.2 to 0.8)	6.7	(3.5 to 11.3)	0.1	(0.0 to 0.2)
Colombia	Male	15 to 19	1	(0.5 to 1.7)	15.5	(8.4 to 28.1)	0.2	(0.1 to 0.4)
Colombia	Female	1 to 4	0.1	(0.0 to 0.1)	9.1	(3.9 to 18.5)	0.1	(0.0 to 0.2)
Colombia	Female	5 to 9	0.2	(0.1 to 0.3)	4.8	(2.8 to 8.3)	0.1	(0.0 to 0.1)
Colombia	Female	10 to 14	0.4	(0.2 to 0.7)	5.9	(3.2 to 11.0)	0.1	(0.0 to 0.1)
Colombia	Female	15 to 19	0.8	(0.4 to 1.3)	10	(5.5 to 17.3)	0.1	(0.1 to 0.2)
Colombia	Both	1 to 4	0.1	(0.0 to 0.1)	9.6	(5.6 to 16.2)	0.1	(0.1 to 0.2)
Colombia	Both	5 to 9	0.2	(0.1 to 0.3)	4.9	(3.2 to 7.8)	0.1	(0.0 to 0.1)
Colombia	Both	10 to 14	0.4	(0.3 to 0.7)	6.3	(4.2 to 9.9)	0.1	(0.1 to 0.1)
Colombia	Both	15 to 19	0.9	(0.6 to 1.3)	12.8	(8.2 to 20.4)	0.2	(0.1 to 0.3)
Costa Rica	Male	1 to 4	0.1	(0.0 to 0.1)	2	(0.9 to 4.4)	0	(0.0 to 0.1)
Costa Rica	Male	5 to 9	0.2	(0.1 to 0.5)	1.4	(0.7 to 3.0)	0	(0.0 to 0.0)
Costa Rica	Male	10 to 14	0.5	(0.3 to 1.0)	3.1	(1.5 to 6.8)	0	(0.0 to 0.1)
Costa Rica	Male	15 to 19	1	(0.5 to 1.7)	7.8	(3.8 to 16.6)	0.1	(0.1 to 0.2)

								(0.0.1
Costa Rica	Female	1 to 4	0.1	(0.0 to 0.1)	2.2	(1.0 to 4.4)	0	(0.0 to 0.1)
Costa Rica	Female	5 to 9	0.2	(0.1 to 0.3)	1.9	(1.1 to 3.9)	0	(0.0 to 0.0)
Costa Rica	Female	10 to 14	0.4	(0.2 to 0.7)	3.8	(1.8 to 9.8)	0.1	(0.0 to 0.1)
Costa Rica	Female	15 to 19	0.8	(0.4 to 1.3)	5.8	(3.2 to 12.2)	0.1	(0.0 to 0.2)
Costa Rica	Both	1 to 4	0.1	(0.0 to 0.1)	2.1	(1.1 to 3.9)	0	(0.0 to 0.0)
Costa Rica	Both	5 to 9	0.2	(0.1 to 0.3)	1.7	(1.0 to 3.1)	0	(0.0 to 0.0)
Costa Rica	Both	10 to 14	0.5	(0.3 to 0.7)	3.4	(1.9 to 7.5)	0	(0.0 to 0.1)
Costa Rica	Both	15 to 19	0.9	(0.6 to 1.4)	6.8	(4.0 to 13.6)	0.1	(0.1 to 0.2)
El Salvador	Male	1 to 4	0.1	(0.0 to 0.1)	12	(4.8 to 23.6)	0.1	(0.1 to 0.3)
El Salvador	Male	5 to 9	0.2	(0.1 to 0.4)	7	(3.6 to 12.6)	0.1	(0.0 to 0.2)
El Salvador	Male	10 to 14	0.6	(0.3 to 0.9)	14.3	(7.3 to 26.6)	0.2	(0.1 to 0.4)
El Salvador	Male	15 to 19	1	(0.5 to 1.7)	32.7	(17.3 to 60.1)	0.5	(0.2 to 0.9)
El Salvador	Female	1 to 4	0.1	(0.0 to 0.1)	9.2	(3.6 to 21.2)	0.1	(0.0 to 0.3)
El Salvador	Female	5 to 9	0.2	(0.1 to 0.4)	6.8	(3.7 to 13.1)	0.1	(0.0 to 0.2)
El Salvador	Female	10 to 14	0.4	(0.2 to 0.7)	17.1	(9.1 to 38.1)	0.2	(0.1 to 0.5)
El Salvador	Female	15 to 19	0.8	(0.4 to 1.3)	25.2	(13.7 to 45.0)	0.4	(0.2 to 0.6)
El Salvador	Both	1 to 4	0.1	(0.0 to 0.1)	10.7	(5.3 to 20.7)	0.1	(0.1 to 0.2)
El Salvador	Both	5 to 9	0.2	(0.1 to 0.4)	6.9	(4.4 to 11.4)	0.1	(0.1 to 0.1)
El Salvador	Both	10 to 14	0.5	(0.3 to 0.7)	15.7	(9.7 to 29.4)	0.2	(0.1 to 0.4)
El Salvador	Both	15 to 19	0.9	(0.6 to 1.3)	29	(18.9 to 46.8)	0.4	(0.3 to 0.7)
Guatemala	Male	1 to 4	0.1	(0.0 to 0.1)	15.3	(6.3 to 30.4)	0.2	(0.1 to 0.4)
Guatemala	Male	5 to 9	0.2	(0.1 to 0.5)	7.5	(3.6 to 13.6)	0.1	(0.0 to 0.2)
Guatemala	Male	10 to 14	0.5	(0.3 to 0.9)	13	(6.4 to 24.1)	0.2	(0.1 to 0.3)
Guatemala	Male	15 to 19	1	(0.5 to 1.7)	27.9	(14.6 to 52.2)	0.4	(0.2 to 0.8)
Guatemala	Female	1 to 4	0	(0.0 to 0.1)	15.9	(4.1 to 41.1)	0.2	(0.0 to 0.5)
Guatemala	Female	5 to 9	0.2	(0.1 to 0.3)	8	(3.0 to 17.6)	0.1	(0.0 to 0.2)
Guatemala	Female	10 to 14	0.4	(0.2 to 0.7)	12.2	(5.5 to 23.1)	0.2	(0.1 to 0.3)
Guatemala	Female	15 to 19	0.8	(0.4 to 1.3)	33.6	(18.9 to 58.3)	0.5	(0.3 to 0.8)
Guatemala	Both	1 to 4	0.1	(0.0 to 0.1)	15.6	(7.2 to 32.4)	0.2	(0.1 to 0.4)
Guatemala	Both	5 to 9	0.2	(0.1 to 0.3)	7.7	(4.2 to 14.0)	0.1	(0.1 to 0.2)
Guatemala	Both	10 to 14	0.5	(0.3 to 0.7)	12.6	(8.0 to 21.0)	0.2	(0.1 to 0.3)
Guatemala	Both	15 to 19	0.9	(0.6 to 1.3)	30.7	(20.1 to 49.1)	0.4	(0.3 to 0.7)
Honduras	Male	1 to 4	0.1	(0.0 to 0.2)	74.7	(20.5 to 182.3)	0.9	(0.2 to 2.2)

Honduras	Male	5 to 9	0.3	(0.1 to 0.5)	41.5	(15.4 to 85.8)	0.5	(0.2 to 1.1)
Honduras	Male	10 to 14	0.6	(0.3 to 1.0)	42.6	(16.0 to 92.0)	0.6	(0.2 to 1.2)
Honduras	Male	15 to 19	1.2	(0.6 to 1.9)	62.9	(21.8 to 146.6)	0.9	(0.3 to 2.1)
Honduras	Female	1 to 4	0.1	(0.0 to 0.1)	47.5	(11.1 to 128.7)	0.6	(0.1 to 1.5)
Honduras	Female	5 to 9	0.2	(0.1 to 0.4)	27.9	(7.6 to 70.1)	0.4	(0.1 to 0.9)
Honduras	Female	10 to 14	0.5	(0.2 to 0.9)	36.7	(12.7 to 87.2)	0.5	(0.2 to 1.2)
Honduras	Female	15 to 19	0.9	(0.5 to 1.6)	62.5	(20.0 to 125.3)	0.9	(0.3 to 1.8)
Honduras	Both	1 to 4	0.1	(0.0 to 0.1)	61.4	(23.0 to 143.6)	0.7	(0.3 to 1.7)
Honduras	Both	5 to 9	0.2	(0.1 to 0.4)	34.8	(15.2 to 68.0)	0.4	(0.2 to 0.9)
Honduras	Both	10 to 14	0.5	(0.3 to 0.8)	39.7	(17.8 to 79.2)	0.5	(0.2 to 1.1)
Honduras	Both	15 to 19	1.1	(0.6 to 1.5)	62.7	(28.0 to 116.7)	0.9	(0.4 to 1.7)
Mexico	Male	1 to 4	0.1	(0.1 to 0.1)	4.3	(2.4 to 7.1)	0.1	(0.0 to 0.1)
Mexico	Male	5 to 9	0.2	(0.2 to 0.3)	3.1	(2.0 to 4.7)	0	(0.0 to 0.1)
Mexico	Male	10 to 14	0.5	(0.5 to 0.6)	5.1	(3.6 to 7.4)	0.1	(0.0 to 0.1)
Mexico	Male	15 to 19	1	(0.9 to 1.1)	12.6	(8.8 to 18.6)	0.2	(0.1 to 0.3)
Mexico	Female	1 to 4	0.1	(0.0 to 0.1)	3.5	(1.9 to 5.5)	0	(0.0 to 0.1)
Mexico	Female	5 to 9	0.2	(0.2 to 0.2)	2.6	(1.7 to 3.9)	0	(0.0 to 0.0)
Mexico	Female	10 to 14	0.4	(0.4 to 0.5)	4.2	(2.6 to 6.3)	0.1	(0.0 to 0.1)
Mexico	Female	15 to 19	0.8	(0.7 to 0.9)	9.7	(6.2 to 14.8)	0.1	(0.1 to 0.2)
Mexico	Both	1 to 4	0.1	(0.1 to 0.1)	3.9	(2.4 to 5.7)	0	(0.0 to 0.1)
Mexico	Both	5 to 9	0.2	(0.2 to 0.2)	2.8	(2.1 to 4.0)	0	(0.0 to 0.0)
Mexico	Both	10 to 14	0.5	(0.4 to 0.5)	4.7	(3.6 to 6.3)	0.1	(0.0 to 0.1)
Mexico	Both	15 to 19	0.9	(0.8 to 1.0)	11.2	(8.7 to 15.2)	0.2	(0.1 to 0.2)
Nicaragua	Male	1 to 4	0.1	(0.0 to 0.1)	5.8	(2.4 to 11.7)	0.1	(0.0 to 0.1)
Nicaragua	Male	5 to 9	0.2	(0.1 to 0.4)	4.5	(2.1 to 8.2)	0.1	(0.0 to 0.1)
Nicaragua	Male	10 to 14	0.5	(0.2 to 0.9)	5.2	(2.8 to 9.9)	0.1	(0.0 to 0.1)
Nicaragua	Male	15 to 19	0.9	(0.5 to 1.6)	6.1	(3.0 to 11.0)	0.1	(0.0 to 0.2)
Nicaragua	Female	1 to 4	0.1	(0.0 to 0.1)	4.3	(1.8 to 9.9)	0.1	(0.0 to 0.1)
Nicaragua	Female	5 to 9	0.2	(0.1 to 0.4)	2.3	(1.0 to 3.9)	0	(0.0 to 0.0)
Nicaragua	Female	10 to 14	0.5	(0.2 to 0.8)	3.2	(1.6 to 6.3)	0	(0.0 to 0.1)
Nicaragua	Female	15 to 19	0.8	(0.4 to 1.3)	5.7	(3.0 to 10.7)	0.1	(0.0 to 0.2)
Nicaragua	Both	1 to 4	0.1	(0.0 to 0.1)	5.1	(2.6 to 9.5)	0.1	(0.0 to 0.1)
Nicaragua	Both	5 to 9	0.2	(0.1 to 0.4)	3.5	(1.9 to 5.6)	0	(0.0 to 0.1)

Nicaragua	Both	10 to 14	0.5	(0.3 to 0.7)	4.2	(2.6 to 7.5)	0.1	(0.0 to 0.1)
Nicaragua	Both	15 to 19	0.9	(0.5 to 1.3)	5.9	(3.6 to 9.9)	0.1	(0.0 to 0.1)
Panama	Male	1 to 4	0.1	(0.0 to 0.1)	12.9	(5.6 to 27.7)	0.2	(0.1 to 0.3)
Panama	Male	5 to 9	0.2	(0.1 to 0.5)	6.1	(2.8 to 13.0)	0.1	(0.0 to 0.2)
Panama	Male	10 to 14	0.6	(0.3 to 1.0)	4.8	(2.4 to 9.9)	0.1	(0.0 to 0.1)
Panama	Male	15 to 19	1.1	(0.4 to 1.9)	17.4	(7.0 to 42.7)	0.2	(0.1 to 0.6)
Panama	Female	1 to 4	0.1	(0.0 to 0.1)	5.4	(2.4 to 12.2)	0.1	(0.0 to 0.1)
Panama	Female	5 to 9	0.2	(0.1 to 0.4)	2.3	(1.2 to 5.5)	0	(0.0 to 0.1)
Panama	Female	10 to 14	0.4	(0.2 to 0.7)	2.5	(1.4 to 5.3)	0	(0.0 to 0.1)
Panama	Female	15 to 19	0.8	(0.5 to 1.4)	8.8	(3.9 to 23.4)	0.1	(0.1 to 0.3)
Panama	Both	1 to 4	0.1	(0.0 to 0.1)	9.2	(4.6 to 18.5)	0.1	(0.1 to 0.2)
Panama	Both	5 to 9	0.2	(0.1 to 0.3)	4.2	(2.3 to 8.5)	0.1	(0.0 to 0.1)
Panama	Both	10 to 14	0.5	(0.3 to 0.7)	3.7	(2.2 to 7.2)	0	(0.0 to 0.1)
Panama	Both	15 to 19	1	(0.6 to 1.4)	13.2	(6.3 to 29.0)	0.2	(0.1 to 0.4)
Venezuela	Male	1 to 4	0.1	(0.0 to 0.1)	4.2	(2.0 to 7.8)	0.1	(0.0 to 0.1)
Venezuela	Male	5 to 9	0.2	(0.1 to 0.5)	2.9	(1.5 to 5.2)	0	(0.0 to 0.1)
Venezuela	Male	10 to 14	0.5	(0.2 to 0.9)	4.1	(2.3 to 7.2)	0.1	(0.0 to 0.1)
Venezuela	Male	15 to 19	1	(0.5 to 1.7)	19.4	(10.0 to 39.7)	0.3	(0.1 to 0.6)
Venezuela	Female	1 to 4	0.1	(0.0 to 0.1)	3.7	(1.7 to 7.2)	0	(0.0 to 0.1)
Venezuela	Female	5 to 9	0.2	(0.1 to 0.4)	2.8	(1.5 to 5.6)	0	(0.0 to 0.1)
Venezuela	Female	10 to 14	0.4	(0.2 to 0.8)	5	(2.6 to 12.0)	0.1	(0.0 to 0.2)
Venezuela	Female	15 to 19	0.8	(0.4 to 1.4)	10.2	(5.5 to 22.5)	0.1	(0.1 to 0.3)
Venezuela	Both	1 to 4	0.1	(0.0 to 0.1)	4	(2.2 to 6.6)	0	(0.0 to 0.1)
Venezuela	Both	5 to 9	0.2	(0.1 to 0.3)	2.9	(1.8 to 5.0)	0	(0.0 to 0.1)
Venezuela	Both	10 to 14	0.5	(0.3 to 0.8)	4.5	(2.7 to 8.8)	0.1	(0.0 to 0.1)
Venezuela	Both	15 to 19	0.9	(0.6 to 1.4)	14.9	(8.5 to 29.0)	0.2	(0.1 to 0.4)
Brazil	Male	1 to 4	0.8	(0.4 to 1.2)	4.4	(1.4 to 9.3)	0.1	(0.0 to 0.1)
Brazil	Male	5 to 9	2.5	(1.4 to 3.8)	3.4	(1.9 to 5.1)	0	(0.0 to 0.1)
Brazil	Male	10 to 14	5.3	(3.4 to 7.4)	4.2	(2.7 to 6.4)	0	(0.0 to 0.1)
Brazil	Male	15 to 19	8.8	(5.4 to 12.4)	14	(8.0 to 22.0)	0.2	(0.1 to 0.3)
Brazil	Female	1 to 4	0.5	(0.3 to 0.8)	2.6	(1.1 to 5.1)	0	(0.0 to 0.1)
Brazil	Female	5 to 9	1.6	(0.8 to 2.4)	2.6	(1.5 to 3.9)	0	(0.0 to 0.0)
Brazil	Female	10 to 14	3.6	(2.3 to 5.2)	4.1	(2.5 to 6.0)	0	(0.0 to 0.1)

Brazil	Female	15 to 19	6.2	(3.8 to 9.0)	9.8	(5.9 to 15.7)	0.1	(0.1 to 0.2)
Brazil	Both	1 to 4	0.6	(0.4 to 0.9)	3.5	(1.5 to 6.9)	0	(0.0 to 0.1)
Brazil	Both	5 to 9	2.1	(1.4 to 2.7)	3	(2.0 to 4.1)	0	(0.0 to 0.0)
Brazil	Both	10 to 14	4.5	(3.3 to 5.6)	4.1	(3.0 to 5.6)	0	(0.0 to 0.1)
Brazil	Both	15 to 19	7.5	(5.4 to 10.0)	12	(8.2 to 16.6)	0.2	(0.1 to 0.2)
Paraguay	Male	1 to 4	0.8	(0.4 to 1.2)	2.1	(0.7 to 5.0)	0	(0.0 to 0.1)
Paraguay	Male	5 to 9	2.5	(1.3 to 3.7)	2.3	(1.1 to 4.9)	0	(0.0 to 0.1)
Paraguay	Male	10 to 14	5.3	(3.2 to 7.7)	4.1	(2.3 to 8.0)	0	(0.0 to 0.1)
Paraguay	Male	15 to 19	9	(5.2 to 13.1)	18.4	(8.1 to 38.2)	0.2	(0.1 to 0.5)
Paraguay	Female	1 to 4	0.4	(0.2 to 0.7)	2.5	(1.0 to 5.4)	0	(0.0 to 0.1)
Paraguay	Female	5 to 9	1.5	(0.8 to 2.2)	2.8	(1.2 to 6.0)	0	(0.0 to 0.1)
Paraguay	Female	10 to 14	3.4	(2.1 to 4.8)	5.8	(2.6 to 12.6)	0.1	(0.0 to 0.2)
Paraguay	Female	15 to 19	6	(3.6 to 8.5)	11.7	(5.4 to 24.0)	0.2	(0.1 to 0.3)
Paraguay	Both	1 to 4	0.6	(0.4 to 0.8)	2.3	(1.1 to 4.5)	0	(0.0 to 0.1)
Paraguay	Both	5 to 9	2	(1.3 to 2.7)	2.6	(1.4 to 4.7)	0	(0.0 to 0.1)
Paraguay	Both	10 to 14	4.4	(3.0 to 5.7)	5	(2.8 to 9.4)	0.1	(0.0 to 0.1)
Paraguay	Both	15 to 19	7.5	(5.1 to 9.9)	15.1	(8.7 to 28.2)	0.2	(0.1 to 0.4)
Algeria	Male	1 to 4	0.5	(0.3 to 0.7)	2.3	(0.8 to 5.3)	0	(0.0 to 0.1)
Algeria	Male	5 to 9	1.6	(1.1 to 2.1)	1.6	(0.8 to 2.9)	0	(0.0 to 0.0)
Algeria	Male	10 to 14	3	(2.1 to 4.0)	3.2	(1.5 to 5.7)	0	(0.0 to 0.1)
Algeria	Male	15 to 19	4.6	(2.9 to 6.3)	18.8	(7.1 to 43.0)	0.3	(0.1 to 0.6)
Algeria	Female	1 to 4	0.3	(0.2 to 0.4)	3.9	(1.4 to 8.9)	0	(0.0 to 0.1)
Algeria	Female	5 to 9	1	(0.6 to 1.4)	1.6	(0.7 to 3.1)	0	(0.0 to 0.0)
Algeria	Female	10 to 14	1.9	(1.2 to 2.9)	2.9	(1.2 to 5.8)	0	(0.0 to 0.1)
Algeria	Female	15 to 19	3	(1.8 to 4.6)	9.3	(4.6 to 16.7)	0.1	(0.1 to 0.2)
Algeria	Both	1 to 4	0.4	(0.3 to 0.5)	3.1	(1.4 to 5.7)	0	(0.0 to 0.1)
Algeria	Both	5 to 9	1.3	(0.9 to 1.7)	1.6	(0.9 to 2.6)	0	(0.0 to 0.0)
Algeria	Both	10 to 14	2.5	(1.8 to 3.2)	3.1	(1.5 to 4.9)	0	(0.0 to 0.1)
Algeria	Both	15 to 19	3.8	(2.8 to 5.1)	14.2	(7.1 to 28.0)	0.2	(0.1 to 0.4)
Bahrain	Male	1 to 4	0.5	(0.3 to 0.7)	2.9	(1.0 to 6.2)	0	(0.0 to 0.1)
Bahrain	Male	5 to 9	1.6	(1.1 to 2.2)	1.6	(0.8 to 2.8)	0	(0.0 to 0.0)
Bahrain	Male	10 to 14	3.1	(2.0 to 4.4)	2.9	(1.4 to 5.2)	0	(0.0 to 0.1)
Bahrain	Male	15 to 19	4.7	(3.1 to 6.7)	9.3	(4.6 to 15.2)	0.1	(0.1 to 0.2)

Bahrain	Female	1 to 4	0.3	(0.2 to 0.4)	8.8	(3.3 to 18.8)	0.1	(0.0 to 0.2)
Bahrain	Female	5 to 9	0.9	(0.6 to 1.3)	2.6	(1.1 to 4.6)	0.1	(0.0 to 0.2)
Bahrain	Female	10 to 14	1.9	(1.2 to 2.6)	4.1	(2.1 to 6.7)	0.1	(0.0 to 0.1)
Bahrain	Female	15 to 19	3	(1.8 to 4.2)	5.7	(2.8 to 8.7)	0.1	(0.0 to 0.1)
Bahrain	Both	13 to 15	0.4	(0.3 to 0.5)	5.8	(2.5 to 11.2)	0.1	(0.0 to 0.1)
Bahrain	Both	5 to 9	1.3	(0.9 to 1.7)	2.1	(1.1 to 3.4)	0	(0.0 to 0.1)
Bahrain	Both	10 to 14	2.5	(1.8 to 3.3)	3.5	(2.0 to 5.2)	0	(0.0 to 0.1)
Bahrain	Both	15 to 19	3.9	(2.8 to 5.1)	7.6	(4.2 to 11.1)	0.1	(0.1 to 0.2)
Egypt	Male	1 to 4	0.5	(0.3 to 0.7)	57.2	(27.4 to 106.7)	0.7	(0.3 to 1.3)
Egypt	Male	5 to 9	1.6	(1.0 to 2.1)	28.5	(18.2 to 46.3)	0.4	(0.2 to 0.6)
Egypt	Male	10 to 14	3.1	(2.1 to 4.4)	33.2	(21.2 to 50.1)	0.4	(0.3 to 0.7)
Egypt	Male	15 to 19	4.7	(3.1 to 7.0)	70.6	(44.6 to 120.9)	1	(0.6 to 1.7)
Egypt	Female	1 to 4	0.3	(0.2 to 0.5)	52.8	(22.9 to 93.2)	0.6	(0.3 to 1.1)
Egypt	Female	5 to 9	1	(0.6 to 1.5)	24.3	(14.6 to 37.6)	0.3	(0.2 to 0.5)
Egypt	Female	10 to 14	2	(1.2 to 2.9)	27.7	(16.5 to 41.9)	0.4	(0.2 to 0.6)
Egypt	Female	15 to 19	3.3	(1.7 to 4.6)	36.2	(22.3 to 57.5)	0.5	(0.3 to 0.8)
Egypt	Both	1 to 4	0.4	(0.3 to 0.6)	55.1	(32.6 to 89.4)	0.7	(0.4 to 1.1)
Egypt	Both	5 to 9	1.3	(0.9 to 1.6)	26.5	(19.1 to 38.0)	0.3	(0.2 to 0.5)
Egypt	Both	10 to 14	2.6	(2.0 to 3.3)	30.5	(21.6 to 42.1)	0.4	(0.3 to 0.6)
Egypt	Both	15 to 19	4	(3.0 to 5.2)	53.7	(38.5 to 82.0)	0.8	(0.5 to 1.2)
Iran	Male	1 to 4	0.8	(0.5 to 1.0)	4.6	(1.3 to 9.8)	0.1	(0.0 to 0.1)
Iran	Male	5 to 9	2.2	(1.5 to 2.9)	3.8	(1.2 to 7.5)	0	(0.0 to 0.1)
Iran	Male	10 to 14	4	(2.8 to 5.3)	7.2	(2.0 to 12.9)	0.1	(0.0 to 0.2)
Iran	Male	15 to 19	5.9	(3.9 to 8.0)	12.5	(4.1 to 25.6)	0.2	(0.0 to 0.4)
Iran	Female	1 to 4	0.5	(0.3 to 0.7)	5.7	(2.3 to 13.8)	0.1	(0.0 to 0.2)
Iran	Female	5 to 9	1.4	(0.8 to 2.0)	3.6	(1.7 to 7.7)	0	(0.0 to 0.1)
Iran	Female	10 to 14	2.6	(1.6 to 3.6)	5.4	(2.6 to 10.4)	0.1	(0.0 to 0.1)
Iran	Female	15 to 19	4	(2.4 to 5.7)	6.9	(3.1 to 12.3)	0.1	(0.0 to 0.2)
Iran	Both	1 to 4	0.6	(0.4 to 0.8)	5.1	(2.3 to 9.7)	0.1	(0.0 to 0.1)
Iran	Both	5 to 9	1.8	(1.4 to 2.3)	3.7	(1.9 to 6.3)	0	(0.0 to 0.1)
Iran	Both	10 to 14	3.3	(2.6 to 4.2)	6.3	(3.0 to 9.9)	0.1	(0.0 to 0.1)
Iran	Both	15 to 19	4.9	(3.7 to 6.3)	9.7	(4.4 to 16.7)	0.1	(0.1 to 0.2)
Iraq	Male	1 to 4	0.5	(0.3 to 0.7)	6.8	(2.2 to 16.7)	0.1	(0.0 to 0.2)

			1					
Iraq	Male	5 to 9	1.5	(1.0 to 2.1)	9.9	(3.8 to 21.4)	0.1	(0.0 to 0.3)
Iraq	Male	10 to 14	3	(1.9 to 4.1)	16.8	(8.1 to 29.6)	0.2	(0.1 to 0.4)
Iraq	Male	15 to 19	4.6	(2.8 to 6.7)	34	(15.5 to 68.7)	0.5	(0.2 to 1.0)
Iraq	Female	1 to 4	0.3	(0.2 to 0.5)	20.9	(6.2 to 51.0)	0.2	(0.1 to 0.6)
Iraq	Female	5 to 9	1	(0.6 to 1.4)	12.2	(5.0 to 23.1)	0.2	(0.1 to 0.3)
Iraq	Female	10 to 14	2	(1.2 to 2.8)	20	(9.3 to 36.8)	0.3	(0.1 to 0.5)
Iraq	Female	15 to 19	3.2	(1.9 to 4.6)	25.1	(11.4 to 46.9)	0.4	(0.2 to 0.7)
Iraq	Both	1 to 4	0.4	(0.3 to 0.5)	13.7	(5.3 to 30.6)	0.2	(0.1 to 0.4)
Iraq	Both	5 to 9	1.2	(0.9 to 1.6)	11	(6.0 to 19.1)	0.1	(0.1 to 0.2)
Iraq	Both	10 to 14	2.5	(1.8 to 3.2)	18.3	(10.9 to 29.0)	0.2	(0.1 to 0.4)
Iraq	Both	15 to 19	3.9	(2.8 to 5.2)	29.6	(16.3 to 49.8)	0.4	(0.2 to 0.7)
Jordan	Male	1 to 4	0.5	(0.3 to 0.8)	17.7	(6.2 to 40.9)	0.2	(0.1 to 0.5)
Jordan	Male	5 to 9	1.7	(1.1 to 2.4)	1.5	(0.7 to 2.8)	0	(0.0 to 0.0)
Jordan	Male	10 to 14	3.1	(2.1 to 4.6)	2.1	(1.1 to 3.5)	0	(0.0 to 0.0)
Jordan	Male	15 to 19	4.6	(3.0 to 7.0)	2.8	(1.5 to 5.0)	0	(0.0 to 0.1)
Jordan	Female	1 to 4	0.3	(0.2 to 0.5)	3.7	(0.9 to 8.6)	0	(0.0 to 0.1)
Jordan	Female	5 to 9	1	(0.6 to 1.6)	1.8	(0.8 to 3.5)	0	(0.0 to 0.0)
Jordan	Female	10 to 14	2.1	(1.3 to 3.1)	2.6	(1.1 to 5.3)	0	(0.0 to 0.1)
Jordan	Female	15 to 19	3.3	(2.1 to 4.9)	6.3	(3.2 to 11.8)	0.1	(0.0 to 0.2)
Jordan	Both	1 to 4	0.4	(0.3 to 0.6)	10.9	(4.9 to 22.7)	0.1	(0.1 to 0.3)
Jordan	Both	5 to 9	1.4	(1.0 to 1.7)	1.6	(1.0 to 2.7)	0	(0.0 to 0.0)
Jordan	Both	10 to 14	2.6	(2.0 to 3.4)	2.4	(1.3 to 3.9)	0	(0.0 to 0.0)
Jordan	Both	15 to 19	4	(2.9 to 5.2)	4.5	(2.8 to 7.3)	0.1	(0.0 to 0.1)
Kuwait	Male	1 to 4	0.5	(0.3 to 0.9)	11.6	(6.0 to 19.0)	0.1	(0.1 to 0.2)
Kuwait	Male	5 to 9	1.7	(1.0 to 2.4)	5.4	(2.7 to 8.7)	0.1	(0.0 to 0.1)
Kuwait	Male	10 to 14	3.2	(2.0 to 4.5)	8	(4.0 to 13.1)	0.1	(0.0 to 0.2)
Kuwait	Male	15 to 19	4.9	(2.9 to 7.0)	19.2	(10.9 to 29.7)	0.3	(0.1 to 0.4)
Kuwait	Female	1 to 4	0.3	(0.2 to 0.5)	19.9	(8.6 to 31.4)	0.2	(0.1 to 0.4)
Kuwait	Female	5 to 9	1	(0.6 to 1.5)	9.6	(4.8 to 14.6)	0.1	(0.1 to 0.2)
Kuwait	Female	10 to 14	2.1	(1.2 to 3.0)	11.5	(4.3 to 18.2)	0.1	(0.1 to 0.2)
Kuwait	Female	15 to 19	3.3	(1.7 to 4.8)	17.7	(8.1 to 27.9)	0.2	(0.1 to 0.4)
Kuwait	Both	1 to 4	0.4	(0.3 to 0.6)	15.7	(8.3 to 24.3)	0.2	(0.1 to 0.3)
Kuwait	Both	5 to 9	1.4	(0.9 to 1.8)	7.4	(4.4 to 10.5)	0.1	(0.1 to 0.1)

Kuwait	Both	10 to 14	2.7	(1.9 to 3.5)	9.7	(4.7 to 14.4)	0.1	(0.1 to 0.2)
Kuwait	Both	15 to 19	4.1	(2.8 to 5.5)	18.5	(11.6 to 25.9)	0.3	(0.2 to 0.4)
Lebanon	Male	1 to 4	0.4	(0.3 to 0.7)	3	(0.3 to 9.1)	0	(0.0 to 0.1)
Lebanon	Male	5 to 9	1.4	(0.9 to 2.0)	2	(0.3 to 5.1)	0	(0.0 to 0.1)
Lebanon	Male	10 to 14	2.8	(1.8 to 3.9)	3.5	(0.6 to 8.1)	0	(0.0 to 0.1)
Lebanon	Male	15 to 19	4.2	(2.6 to 6.2)	6	(1.1 to 15.4)	0.1	(0.0 to 0.2)
Lebanon	Female	1 to 4	0.3	(0.1 to 0.4)	16.2	(0.9 to 40.9)	0.2	(0.0 to 0.5)
Lebanon	Female	5 to 9	0.9	(0.6 to 1.3)	6.5	(0.7 to 14.6)	0.1	(0.0 to 0.2)
Lebanon	Female	10 to 14	1.9	(1.1 to 2.8)	11.5	(1.2 to 26.9)	0.2	(0.0 to 0.4)
Lebanon	Female	15 to 19	3	(1.7 to 4.6)	15.9	(1.6 to 34.3)	0.2	(0.0 to 0.5)
Lebanon	Both	1 to 4	0.4	(0.2 to 0.5)	9.5	(0.7 to 22.6)	0.1	(0.0 to 0.3)
Lebanon	Both	5 to 9	1.2	(0.8 to 1.5)	4.3	(0.6 to 8.6)	0.1	(0.0 to 0.1)
Lebanon	Both	10 to 14	2.3	(1.7 to 3.1)	7.6	(1.1 to 15.8)	0.1	(0.0 to 0.2)
Lebanon	Both	15 to 19	3.6	(2.5 to 4.9)	11.1	(1.7 to 21.5)	0.2	(0.0 to 0.3)
Libya	Male	1 to 4	0.1	(0.0 to 0.1)	50.7	(19.4 to 106.2)	0.6	(0.2 to 1.3)
Libya	Male	5 to 9	0.3	(0.2 to 0.4)	13.8	(6.0 to 27.7)	0.2	(0.1 to 0.3)
Libya	Male	10 to 14	0.6	(0.3 to 0.8)	20.5	(8.8 to 38.6)	0.3	(0.1 to 0.5)
Libya	Male	15 to 19	0.8	(0.4 to 1.4)	34.9	(15.1 to 72.2)	0.5	(0.2 to 1.0)
Libya	Female	1 to 4	0.1	(0.0 to 0.1)	62.2	(22.4 to 135.8)	0.7	(0.3 to 1.6)
Libya	Female	5 to 9	0.2	(0.1 to 0.3)	12.9	(5.0 to 27.4)	0.2	(0.1 to 0.3)
Libya	Female	10 to 14	0.4	(0.2 to 0.6)	19.1	(7.7 to 35.8)	0.3	(0.1 to 0.5)
Libya	Female	15 to 19	0.6	(0.3 to 1.1)	26.2	(12.1 to 48.8)	0.4	(0.2 to 0.7)
Libya	Both	1 to 4	0.1	(0.1 to 0.1)	56.3	(26.9 to 102.5)	0.7	(0.3 to 1.2)
Libya	Both	5 to 9	0.2	(0.2 to 0.3)	13.3	(6.9 to 22.9)	0.2	(0.1 to 0.3)
Libya	Both	10 to 14	0.5	(0.3 to 0.7)	19.8	(10.1 to 31.7)	0.3	(0.1 to 0.4)
Libya	Both	15 to 19	0.7	(0.5 to 1.1)	30.6	(17.5 to 51.2)	0.4	(0.3 to 0.7)
Morocco	Male	1 to 4	0.5	(0.3 to 0.7)	29.5	(11.0 to 63.8)	0.3	(0.1 to 0.8)
Morocco	Male	5 to 9	1.5	(1.0 to 2.1)	5.4	(2.0 to 10.5)	0.1	(0.0 to 0.1)
Morocco	Male	10 to 14	3	(1.9 to 4.2)	14.6	(7.4 to 24.6)	0.2	(0.1 to 0.3)
Morocco	Male	15 to 19	4.7	(2.7 to 6.7)	34	(16.2 to 63.5)	0.5	(0.2 to 0.9)
Morocco	Female	1 to 4	0.3	(0.2 to 0.5)	28.1	(11.5 to 55.5)	0.3	(0.1 to 0.7)
Morocco	Female	5 to 9	1	(0.6 to 1.4)	5.1	(2.3 to 10.4)	0.1	(0.0 to 0.1)
Morocco	Female	10 to 14	2	(1.2 to 2.9)	8.5	(3.7 to 16.5)	0.1	(0.0 to 0.2)

		1		1		1		1
Morocco	Female	15 to 19	3.2	(1.8 to 4.6)	13.2	(6.5 to 24.0)	0.2	(0.1 to 0.3)
Morocco	Both	1 to 4	0.4	(0.3 to 0.5)	28.8	(14.1 to 51.7)	0.3	(0.2 to 0.6)
Morocco	Both	5 to 9	1.3	(0.9 to 1.6)	5.2	(2.5 to 8.7)	0.1	(0.0 to 0.1)
Morocco	Both	10 to 14	2.5	(1.8 to 3.3)	11.6	(6.7 to 18.3)	0.2	(0.1 to 0.2)
Morocco	Both	15 to 19	3.9	(2.8 to 5.2)	23.9	(13.7 to 39.2)	0.3	(0.2 to 0.6)
Palestine	Male	1 to 4	0.8	(0.5 to 1.1)	1.6	(0.5 to 3.6)	0	(0.0 to 0.0)
Palestine	Male	5 to 9	2.2	(1.5 to 3.0)	1.6	(0.8 to 3.0)	0	(0.0 to 0.0)
Palestine	Male	10 to 14	4.1	(2.7 to 5.6)	12.7	(5.2 to 30.4)	0.2	(0.1 to 0.4)
Palestine	Male	15 to 19	5.9	(3.7 to 8.4)	10.7	(5.0 to 21.3)	0.1	(0.1 to 0.3)
Palestine	Female	1 to 4	0.4	(0.3 to 0.6)	18	(5.9 to 43.8)	0.2	(0.1 to 0.5)
Palestine	Female	5 to 9	1.3	(0.8 to 1.8)	2.5	(0.9 to 5.3)	0	(0.0 to 0.1)
Palestine	Female	10 to 14	2.5	(1.6 to 3.4)	8.2	(3.8 to 16.6)	0.1	(0.0 to 0.2)
Palestine	Female	15 to 19	3.9	(2.4 to 5.4)	6.7	(2.7 to 12.8)	0.1	(0.0 to 0.2)
Palestine	Both	1 to 4	0.6	(0.4 to 0.8)	9.6	(3.6 to 22.0)	0.1	(0.0 to 0.3)
Palestine	Both	5 to 9	1.7	(1.3 to 2.2)	2	(1.0 to 3.5)	0	(0.0 to 0.0)
Palestine	Both	10 to 14	3.3	(2.5 to 4.1)	10.5	(5.4 to 21.3)	0.1	(0.1 to 0.3)
Palestine	Both	15 to 19	4.9	(3.5 to 6.4)	8.7	(4.6 to 15.1)	0.1	(0.1 to 0.2)
Oman	Male	1 to 4	0.5	(0.3 to 0.7)	4	(1.4 to 8.8)	0	(0.0 to 0.1)
Oman	Male	5 to 9	1.5	(1.0 to 2.0)	1.1	(0.5 to 2.3)	0	(0.0 to 0.0)
Oman	Male	10 to 14	2.9	(1.9 to 4.0)	2	(0.9 to 3.7)	0	(0.0 to 0.0)
Oman	Male	15 to 19	4.4	(2.7 to 6.2)	8.3	(3.9 to 15.6)	0.1	(0.0 to 0.2)
Oman	Female	1 to 4	0.3	(0.2 to 0.4)	3.6	(1.0 to 8.5)	0	(0.0 to 0.1)
Oman	Female	5 to 9	1	(0.6 to 1.4)	1.9	(0.8 to 3.7)	0	(0.0 to 0.0)
Oman	Female	10 to 14	1.9	(1.3 to 2.9)	6.1	(2.7 to 11.7)	0.1	(0.0 to 0.2)
Oman	Female	15 to 19	3.1	(1.9 to 4.6)	17.2	(8.0 to 33.2)	0.2	(0.1 to 0.5)
Oman	Both	1 to 4	0.4	(0.3 to 0.5)	3.8	(1.6 to 7.4)	0	(0.0 to 0.1)
Oman	Both	5 to 9	1.2	(0.9 to 1.6)	1.5	(0.8 to 2.6)	0	(0.0 to 0.0)
Oman	Both	10 to 14	2.4	(1.8 to 3.2)	4	(2.0 to 7.0)	0	(0.0 to 0.1)
Oman	Both	15 to 19	3.8	(2.7 to 5.1)	12.3	(7.1 to 19.7)	0.2	(0.1 to 0.3)
Qatar	Male	1 to 4	0.5	(0.3 to 0.7)	12.1	(4.6 to 26.0)	0.1	(0.1 to 0.3)
Qatar	Male	5 to 9	1.4	(0.9 to 2.1)	6.9	(3.4 to 12.6)	0.1	(0.0 to 0.2)
Qatar	Male	10 to 14	2.8	(1.8 to 4.0)	7.4	(4.4 to 11.4)	0.1	(0.1 to 0.1)
Qatar	Male	15 to 19	4.3	(2.7 to 6.3)	7.7	(3.7 to 14.4)	0.1	(0.0 to 0.2)

Qatar	Female	1 to 4	0.3	(0.2 to 0.4)	12.2	(5.7 to 23.0)	0.1	(0.1 to 0.3)
Qatar	Female	5 to 9	0.9	(0.6 to 1.4)	4.6	(2.5 to 7.9)	0.1	(0.0 to 0.1)
Qatar	Female	10 to 14	1.8	(1.1 to 2.8)	5.5	(2.6 to 10.2)	0.1	(0.0 to 0.1)
Qatar	Female	15 to 19	2.9	(1.7 to 4.4)	5.3	(2.7 to 9.9)	0.1	(0.0 to 0.1)
Qatar	Both	1 to 4	0.4	(0.3 to 0.5)	12.2	(6.2 to 21.0)	0.1	(0.1 to 0.2)
Qatar	Both	5 to 9	1.2	(0.8 to 1.5)	5.8	(3.5 to 9.0)	0.1	(0.0 to 0.1)
Qatar	Both	10 to 14	2.4	(1.7 to 3.1)	6.5	(4.1 to 9.8)	0.1	(0.0 to 0.1)
Qatar	Both	15 to 19	3.8	(2.7 to 5.2)	6.9	(3.9 to 11.4)	0.1	(0.0 to 0.2)
Saudi Arabia	Male	1 to 4	0.2	(0.1 to 0.3)	7	(2.8 to 13.3)	0.1	(0.0 to 0.2)
Saudi Arabia	Male	5 to 9	0.8	(0.5 to 1.1)	4.8	(2.8 to 7.6)	0.1	(0.0 to 0.1)
Saudi Arabia	Male	10 to 14	1.6	(0.9 to 2.2)	7.4	(4.1 to 11.4)	0.1	(0.1 to 0.1)
Saudi Arabia	Male	15 to 19	2.5	(1.4 to 3.7)	12.5	(7.4 to 19.5)	0.2	(0.1 to 0.3)
Saudi Arabia	Female	1 to 4	0.1	(0.1 to 0.1)	6.5	(2.5 to 11.8)	0.1	(0.0 to 0.1)
Saudi Arabia	Female	5 to 9	0.3	(0.2 to 0.5)	6.1	(3.6 to 9.3)	0.1	(0.0 to 0.1)
Saudi Arabia	Female	10 to 14	0.7	(0.4 to 1.0)	9.6	(5.5 to 14.9)	0.1	(0.1 to 0.2)
Saudi Arabia	Female	15 to 19	1.2	(0.6 to 1.8)	12.1	(7.0 to 19.4)	0.2	(0.1 to 0.3)
Saudi Arabia	Both	1 to 4	0.2	(0.1 to 0.2)	6.7	(3.1 to 11.7)	0.1	(0.0 to 0.1)
Saudi Arabia	Both	5 to 9	0.6	(0.4 to 0.7)	5.4	(3.7 to 7.5)	0.1	(0.0 to 0.1)
Saudi Arabia	Both	10 to 14	1.2	(0.8 to 1.6)	8.5	(5.6 to 11.4)	0.1	(0.1 to 0.2)
Saudi Arabia	Both	15 to 19	1.9	(1.3 to 2.7)	12.3	(8.5 to 17.0)	0.2	(0.1 to 0.2)
Syria	Male	1 to 4	0.5	(0.3 to 0.7)	6.4	(1.3 to 18.6)	0.1	(0.0 to 0.2)
Syria	Male	5 to 9	1.6	(1.0 to 2.2)	4.7	(1.3 to 13.8)	0.1	(0.0 to 0.2)
Syria	Male	10 to 14	3.1	(1.9 to 4.3)	6.9	(2.4 to 15.8)	0.1	(0.0 to 0.2)
Syria	Male	15 to 19	4.7	(2.6 to 7.0)	35.1	(9.2 to 81.5)	0.5	(0.1 to 1.2)
Syria	Female	1 to 4	0.3	(0.1 to 0.5)	24.7	(3.3 to 79.9)	0.3	(0.0 to 0.9)
Syria	Female	5 to 9	0.9	(0.5 to 1.5)	7.2	(1.5 to 17.1)	0.1	(0.0 to 0.2)
Syria	Female	10 to 14	1.9	(1.0 to 2.8)	16.6	(4.3 to 38.8)	0.2	(0.1 to 0.5)
Syria	Female	15 to 19	3	(1.6 to 4.8)	40	(11.0 to 81.2)	0.6	(0.2 to 1.2)
Syria	Both	1 to 4	0.4	(0.3 to 0.5)	15.3	(2.9 to 44.7)	0.2	(0.0 to 0.5)
Syria	Both	5 to 9	1.3	(0.9 to 1.7)	5.9	(2.0 to 13.1)	0.1	(0.0 to 0.2)
Syria	Both	10 to 14	2.5	(1.8 to 3.4)	11.6	(4.6 to 23.7)	0.2	(0.1 to 0.3)
Syria	Both	15 to 19	3.8	(2.7 to 5.4)	37.4	(14.3 to 69.2)	0.5	(0.2 to 1.0)
Tunisia	Male	1 to 4	0.5	(0.3 to 0.8)	8.2	(2.1 to 19.6)	0.1	(0.0 to 0.2)

			1	1		1		
Tunisia	Male	5 to 9	1.6	(1.0 to 2.3)	4.1	(1.5 to 9.0)	0	(0.0 to 0.1)
Tunisia	Male	10 to 14	3	(1.9 to 4.4)	7.4	(2.5 to 14.9)	0.1	(0.0 to 0.2)
Tunisia	Male	15 to 19	4.6	(2.9 to 6.8)	15.2	(5.6 to 31.6)	0.2	(0.1 to 0.4)
Tunisia	Female	1 to 4	0.3	(0.2 to 0.5)	15.2	(2.9 to 36.7)	0.2	(0.0 to 0.4)
Tunisia	Female	5 to 9	0.9	(0.5 to 1.4)	4.8	(1.5 to 10.8)	0.1	(0.0 to 0.1)
Tunisia	Female	10 to 14	1.9	(1.1 to 2.7)	8.1	(2.5 to 16.6)	0.1	(0.0 to 0.2)
Tunisia	Female	15 to 19	3	(1.7 to 4.4)	11.2	(3.7 to 23.3)	0.2	(0.0 to 0.3)
Tunisia	Both	1 to 4	0.4	(0.3 to 0.6)	11.6	(3.5 to 24.4)	0.1	(0.0 to 0.3)
Tunisia	Both	5 to 9	1.3	(0.9 to 1.7)	4.5	(1.7 to 8.4)	0.1	(0.0 to 0.1)
Tunisia	Both	10 to 14	2.5	(1.7 to 3.3)	7.8	(3.2 to 13.2)	0.1	(0.0 to 0.2)
Tunisia	Both	15 to 19	3.8	(2.7 to 5.1)	13.3	(6.1 to 23.0)	0.2	(0.1 to 0.3)
Turkey	Male	1 to 4	0.5	(0.3 to 0.7)	1.6	(0.6 to 3.8)	0	(0.0 to 0.0)
Turkey	Male	5 to 9	1.6	(1.0 to 2.1)	6.6	(2.9 to 14.4)	0.1	(0.0 to 0.2)
Turkey	Male	10 to 14	3	(2.0 to 4.1)	6.5	(3.1 to 10.8)	0.1	(0.0 to 0.1)
Turkey	Male	15 to 19	4.5	(2.9 to 6.6)	17.2	(8.5 to 32.0)	0.2	(0.1 to 0.5)
Turkey	Female	1 to 4	0.3	(0.2 to 0.5)	4	(0.7 to 15.1)	0	(0.0 to 0.2)
Turkey	Female	5 to 9	1	(0.6 to 1.5)	5.3	(2.4 to 10.2)	0.1	(0.0 to 0.1)
Turkey	Female	10 to 14	2.1	(1.3 to 2.9)	7.2	(3.9 to 12.7)	0.1	(0.0 to 0.2)
Turkey	Female	15 to 19	3.3	(1.9 to 4.8)	8.4	(4.6 to 15.4)	0.1	(0.1 to 0.2)
Turkey	Both	1 to 4	0.4	(0.3 to 0.5)	2.8	(0.8 to 9.3)	0	(0.0 to 0.1)
Turkey	Both	5 to 9	1.3	(1.0 to 1.6)	6	(3.3 to 11.2)	0.1	(0.0 to 0.1)
Turkey	Both	10 to 14	2.6	(1.9 to 3.3)	6.8	(4.5 to 10.2)	0.1	(0.1 to 0.1)
Turkey	Both	15 to 19	3.9	(2.8 to 5.2)	12.9	(7.9 to 20.9)	0.2	(0.1 to 0.3)
United Arab Emirates	Male	1 to 4	0.5	(0.3 to 0.7)	2.6	(0.6 to 6.8)	0	(0.0 to 0.1)
United Arab Emirates	Male	5 to 9	1.6	(1.0 to 2.2)	1.7	(0.6 to 4.1)	0	(0.0 to 0.0)
United Arab Emirates	Male	10 to 14	3.1	(2.0 to 4.4)	3.8	(1.5 to 8.0)	0	(0.0 to 0.1)
United Arab Emirates	Male	15 to 19	4.7	(2.8 to 6.9)	15.9	(6.4 to 32.7)	0.2	(0.1 to 0.5)
United Arab Emirates	Female	1 to 4	0.3	(0.2 to 0.4)	4.7	(0.5 to 15.6)	0.1	(0.0 to 0.2)
United Arab Emirates	Female	5 to 9	1	(0.6 to 1.4)	2.1	(0.5 to 5.8)	0	(0.0 to 0.1)
United Arab Emirates	Female	10 to 14	2	(1.2 to 2.8)	4.4	(1.0 to 10.8)	0.1	(0.0 to 0.1)
United Arab Emirates	Female	15 to 19	3.1	(1.8 to 4.7)	9.8	(2.6 to 20.3)	0.1	(0.0 to 0.3)
United Arab Emirates	Both	1 to 4	0.4	(0.3 to 0.5)	3.6	(0.9 to 9.8)	0	(0.0 to 0.1)
United Arab Emirates	Both	5 to 9	1.3	(0.9 to 1.7)	1.9	(0.7 to 4.4)	0	(0.0 to 0.1)

United Arab Emirates	Both	10 to 14	2.5	(1.8 to 3.3)	4.1	(1.5 to 8.2)	0	(0.0 to 0.1)
United Arab Emirates	Both	15 to 19	4.1	(2.8 to 5.6)	13.5	(6.3 to 25.2)	0.2	(0.1 to 0.4)
Yemen	Male	1 to 4	0.5	(0.3 to 0.7)	34.3	(9.4 to 85.9)	0.4	(0.1 to 1.0)
Yemen	Male	5 to 9	1.6	(1.1 to 2.2)	17.8	(6.2 to 41.4)	0.2	(0.1 to 0.5)
Yemen	Male	10 to 14	3.2	(2.1 to 4.4)	26.3	(8.8 to 56.1)	0.3	(0.1 to 0.7)
Yemen	Male	15 to 19	4.9	(3.0 to 6.9)	47.7	(15.3 to 102.2)	0.7	(0.2 to 1.5)
Yemen	Female	1 to 4	0.3	(0.2 to 0.4)	53.1	(12.5 to 144.3)	0.6	(0.1 to 1.7)
Yemen	Female	5 to 9	1	(0.6 to 1.4)	19.5	(5.9 to 48.3)	0.2	(0.1 to 0.6)
Yemen	Female	10 to 14	2	(1.3 to 2.9)	31.1	(10.3 to 72.1)	0.4	(0.1 to 1.0)
Yemen	Female	15 to 19	3.2	(2.0 to 4.7)	42	(13.3 to 103.2)	0.6	(0.2 to 1.5)
Yemen	Both	1 to 4	0.4	(0.3 to 0.6)	43.5	(14.8 to 94.4)	0.5	(0.2 to 1.1)
Yemen	Both	5 to 9	1.3	(1.0 to 1.7)	18.6	(7.8 to 37.7)	0.2	(0.1 to 0.5)
Yemen	Both	10 to 14	2.6	(2.0 to 3.4)	28.7	(12.7 to 53.5)	0.4	(0.2 to 0.7)
Yemen	Both	15 to 19	4.1	(3.0 to 5.4)	44.9	(19.9 to 86.0)	0.6	(0.3 to 1.2)
Afghanistan	Male	1 to 4	0.5	(0.3 to 0.7)	5.3	(0.9 to 17.4)	0.1	(0.0 to 0.2)
Afghanistan	Male	5 to 9	1.5	(1.0 to 2.1)	4.8	(1.2 to 14.6)	0.1	(0.0 to 0.2)
Afghanistan	Male	10 to 14	2.9	(1.9 to 4.1)	9.8	(2.6 to 25.3)	0.1	(0.0 to 0.3)
Afghanistan	Male	15 to 19	4.5	(2.7 to 6.5)	17.5	(5.4 to 41.6)	0.2	(0.1 to 0.6)
Afghanistan	Female	1 to 4	0.3	(0.2 to 0.5)	2.7	(0.5 to 9.6)	0	(0.0 to 0.1)
Afghanistan	Female	5 to 9	1	(0.6 to 1.5)	5.3	(1.2 to 16.1)	0.1	(0.0 to 0.2)
Afghanistan	Female	10 to 14	2	(1.2 to 3.0)	27	(6.4 to 82.8)	0.4	(0.1 to 1.1)
Afghanistan	Female	15 to 19	3.3	(1.8 to 4.9)	47.9	(12.7 to 158.4)	0.7	(0.2 to 2.3)
Afghanistan	Both	1 to 4	0.4	(0.3 to 0.5)	4.1	(0.9 to 10.2)	0	(0.0 to 0.1)
Afghanistan	Both	5 to 9	1.3	(0.9 to 1.7)	5.1	(1.8 to 11.0)	0.1	(0.0 to 0.1)
Afghanistan	Both	10 to 14	2.5	(1.8 to 3.3)	18.2	(6.0 to 45.5)	0.2	(0.1 to 0.6)
Afghanistan	Both	15 to 19	3.9	(2.7 to 5.3)	32.4	(11.3 to 87.5)	0.5	(0.2 to 1.3)
Bangladesh	Male	1 to 4	0.8	(0.5 to 1.3)	1.2	(0.4 to 2.7)	0	(0.0 to 0.0)
Bangladesh	Male	5 to 9	2.9	(1.8 to 4.1)	0.5	(0.3 to 0.8)	0	(0.0 to 0.0)
Bangladesh	Male	10 to 14	6.3	(4.2 to 8.6)	8.1	(3.3 to 15.0)	0.1	(0.0 to 0.2)
Bangladesh	Male	15 to 19	10.8	(7.1 to 14.6)	26.1	(9.2 to 54.2)	0.4	(0.1 to 0.8)
Bangladesh	Female	1 to 4	0.6	(0.4 to 0.9)	1.3	(0.3 to 3.7)	0	(0.0 to 0.0)
Bangladesh	Female	5 to 9	2.1	(1.2 to 3.2)	3.2	(0.8 to 8.0)	0	(0.0 to 0.1)

Bangladesh	Female	10 to 14	4.6	(2.9 to 6.5)	3.9	(1.2 to 8.7)	0	(0.0 to 0.1)
Bangladesh	Female	15 to 19	7.8	(5.0 to 10.9)	7.3	(2.3 to 15.0)	0.1	(0.0 to 0.2)
Bangladesh	Both	1 to 4	0.7	(0.5 to 1.0)	1.3	(0.4 to 2.6)	0	(0.0 to 0.0)
Bangladesh	Both	5 to 9	2.5	(1.8 to 3.3)	1.8	(0.6 to 4.2)	0	(0.0 to 0.0)
Bangladesh	Both	10 to 14	5.4	(4.0 to 7.0)	6.1	(2.8 to 10.3)	0.1	(0.0 to 0.1)
Bangladesh	Both	15 to 19	9.3	(6.9 to 11.9)	16.9	(7.0 to 32.0)	0.2	(0.1 to 0.4)
Bhutan	Male	1 to 4	0.8	(0.4 to 1.3)	14.8	(4.3 to 37.2)	0.2	(0.0 to 0.4)
Bhutan	Male	5 to 9	2.8	(1.5 to 4.2)	3.8	(1.7 to 8.2)	0	(0.0 to 0.1)
Bhutan	Male	10 to 14	6.1	(3.9 to 8.8)	11	(5.0 to 21.8)	0.1	(0.1 to 0.3)
Bhutan	Male	15 to 19	10.3	(6.7 to 14.9)	22	(9.3 to 43.8)	0.3	(0.1 to 0.6)
Bhutan	Female	1 to 4	0.6	(0.3 to 0.9)	12.2	(3.4 to 32.5)	0.1	(0.0 to 0.4)
Bhutan	Female	5 to 9	2	(1.2 to 3.0)	10	(3.7 to 23.1)	0.1	(0.0 to 0.3)
Bhutan	Female	10 to 14	4.5	(2.9 to 6.7)	8	(3.0 to 18.6)	0.1	(0.0 to 0.2)
Bhutan	Female	15 to 19	7.7	(4.9 to 11.8)	13.1	(4.8 to 28.0)	0.2	(0.1 to 0.4)
Bhutan	Both	1 to 4	0.7	(0.5 to 1.0)	13.5	(5.2 to 29.4)	0.2	(0.1 to 0.3)
Bhutan	Both	5 to 9	2.4	(1.6 to 3.2)	6.9	(3.3 to 13.8)	0.1	(0.0 to 0.2)
Bhutan	Both	10 to 14	5.3	(3.9 to 6.9)	9.5	(5.1 to 17.2)	0.1	(0.1 to 0.2)
Bhutan	Both	15 to 19	9	(6.6 to 11.8)	17.6	(8.7 to 32.2)	0.2	(0.1 to 0.4)
India	Male	1 to 4	0.8	(0.5 to 1.3)	15.9	(6.1 to 34.3)	0.2	(0.1 to 0.4)
India	Male	5 to 9	2.8	(1.6 to 4.1)	9.9	(4.4 to 19.6)	0.1	(0.1 to 0.2)
India	Male	10 to 14	6.1	(3.8 to 9.1)	14.1	(6.9 to 26.6)	0.2	(0.1 to 0.3)
India	Male	15 to 19	10.4	(6.4 to 15.5)	27.8	(12.4 to 52.1)	0.4	(0.2 to 0.7)
India	Female	1 to 4	0.5	(0.3 to 0.9)	13	(4.8 to 28.4)	0.2	(0.1 to 0.3)
India	Female	5 to 9	2	(1.1 to 2.9)	14.2	(5.7 to 31.5)	0.2	(0.1 to 0.4)
India	Female	10 to 14	4.4	(2.8 to 6.1)	10.9	(4.5 to 24.6)	0.1	(0.1 to 0.3)
India	Female	15 to 19	7.3	(4.8 to 10.1)	20.1	(8.0 to 42.8)	0.3	(0.1 to 0.6)
India	Both	1 to 4	0.7	(0.5 to 0.9)	14.5	(7.3 to 26.8)	0.2	(0.1 to 0.3)
India	Both	5 to 9	2.4	(1.7 to 3.2)	11.9	(6.2 to 20.5)	0.1	(0.1 to 0.3)
India	Both	10 to 14	5.3	(3.9 to 6.9)	12.6	(7.1 to 20.4)	0.2	(0.1 to 0.3)
India	Both	15 to 19	8.9	(6.5 to 11.9)	24.1	(13.7 to 38.5)	0.3	(0.2 to 0.5)
Nepal	Male	1 to 4	0.8	(0.5 to 1.2)	6.3	(2.0 to 15.7)	0.1	(0.0 to 0.2)
Nepal	Male	5 to 9	2.9	(1.7 to 4.2)	2.5	(1.0 to 5.2)	0	(0.0 to 0.1)
Nepal	Male	10 to 14	6.3	(4.0 to 8.9)	7.7	(3.2 to 15.7)	0.1	(0.0 to 0.2)

Nepal	Male	15 to 19	10.9	(7.1 to 15.3)	18.4	(7.3 to 39.5)	0.2	(0.1 to 0.5)
Nepal	Female	1 to 4	0.6	(0.3 to 0.9)	3.8	(1.0 to 10.1)	0	(0.0 to 0.1)
Nepal	Female	5 to 9	2	(1.2 to 3.0)	5.2	(1.6 to 13.7)	0.1	(0.0 to 0.2)
Nepal	Female	10 to 14	4.4	(3.0 to 6.4)	4.8	(1.8 to 11.9)	0.1	(0.0 to 0.1)
Nepal	Female	15 to 19	7.5	(4.9 to 10.9)	6.9	(2.9 to 14.5)	0.1	(0.0 to 0.2)
Nepal	Both	1 to 4	0.7	(0.5 to 1.0)	5.1	(2.0 to 11.0)	0.1	(0.0 to 0.1)
Nepal	Both	5 to 9	2.5	(1.8 to 3.3)	3.8	(1.8 to 7.9)	0	(0.0 to 0.1)
Nepal	Both	10 to 14	5.4	(4.0 to 7.1)	6.3	(3.2 to 11.2)	0.1	(0.0 to 0.1)
Nepal	Both	15 to 19	9.2	(6.8 to 12.0)	12.5	(6.3 to 22.7)	0.2	(0.1 to 0.3)
Pakistan	Male	1 to 4	0.8	(0.5 to 1.3)	16	(5.1 to 40.3)	0.2	(0.1 to 0.5)
Pakistan	Male	5 to 9	2.9	(1.7 to 4.2)	6.7	(2.4 to 15.4)	0.1	(0.0 to 0.2)
Pakistan	Male	10 to 14	6.2	(4.1 to 8.9)	15	(6.3 to 30.1)	0.2	(0.1 to 0.4)
Pakistan	Male	15 to 19	10.6	(6.9 to 15.0)	23.3	(9.3 to 46.6)	0.3	(0.1 to 0.6)
Pakistan	Female	1 to 4	0.6	(0.3 to 0.9)	0.7	(0.2 to 2.2)	0	(0.0 to 0.0)
Pakistan	Female	5 to 9	2	(1.3 to 2.9)	9.1	(1.7 to 36.0)	0.1	(0.0 to 0.5)
Pakistan	Female	10 to 14	4.2	(2.8 to 5.9)	11.2	(3.7 to 29.3)	0.1	(0.0 to 0.4)
Pakistan	Female	15 to 19	6.9	(4.6 to 10.0)	28.7	(9.6 to 69.2)	0.4	(0.1 to 1.0)
Pakistan	Both	1 to 4	0.7	(0.5 to 1.0)	8.7	(2.9 to 21.2)	0.1	(0.0 to 0.2)
Pakistan	Both	5 to 9	2.4	(1.7 to 3.2)	7.8	(2.7 to 21.5)	0.1	(0.0 to 0.3)
Pakistan	Both	10 to 14	5.3	(3.9 to 6.8)	13.2	(6.4 to 24.4)	0.2	(0.1 to 0.3)
Pakistan	Both	15 to 19	8.8	(6.5 to 11.5)	25.9	(13.1 to 46.8)	0.4	(0.2 to 0.7)
Angola	Male	1 to 4	0.7	(0.4 to 1.0)	104.3	(15.3 to 336.3)	1.2	(0.2 to 4.0)
Angola	Male	5 to 9	2	(1.3 to 2.9)	15.7	(5.7 to 35.7)	0.2	(0.1 to 0.4)
Angola	Male	10 to 14	4	(2.6 to 5.6)	13.3	(5.7 to 26.8)	0.2	(0.1 to 0.3)
Angola	Male	15 to 19	6.3	(4.0 to 9.1)	28.4	(11.5 to 56.3)	0.4	(0.1 to 0.8)
Angola	Female	1 to 4	0.5	(0.3 to 0.7)	63.9	(5.9 to 195.2)	0.8	(0.1 to 2.3)
Angola	Female	5 to 9	1.5	(1.0 to 2.1)	19.2	(5.1 to 48.2)	0.2	(0.1 to 0.6)
Angola	Female	10 to 14	3.1	(2.1 to 4.3)	13.8	(4.9 to 32.5)	0.2	(0.1 to 0.4)
Angola	Female	15 to 19	4.9	(3.2 to 6.9)	23.7	(9.7 to 51.1)	0.3	(0.1 to 0.7)
Angola	Both	1 to 4	0.6	(0.4 to 0.8)	84.3	(13.0 to 209.2)	1	(0.2 to 2.5)
Angola	Both	5 to 9	1.8	(1.3 to 2.3)	17.4	(6.5 to 37.1)	0.2	(0.1 to 0.5)
Angola	Both	10 to 14	3.5	(2.6 to 4.6)	13.6	(6.8 to 25.9)	0.2	(0.1 to 0.3)
Angola	Both	15 to 19	5.6	(4.1 to 7.4)	26	(13.7 to 46.1)	0.4	(0.2 to 0.7)

Central African Republic	Male	1 to 4	0.6	(0.3 to 0.9)	35.3	(2.8 to 125.8)	0.4	(0.0 to 1.5)
Central African Republic	Male	5 to 9	2	(1.3 to 3.0)	7	(1.4 to 20.6)	0.1	(0.0 to 0.3)
Central African Republic	Male	10 to 14	4.2	(2.7 to 6.0)	5.3	(1.5 to 14.0)	0.1	(0.0 to 0.2)
Central African Republic	Male	15 to 19	6.7	(4.0 to 9.8)	9.8	(2.6 to 22.5)	0.1	(0.0 to 0.3)
Central African Republic	Female	1 to 4	0.5	(0.3 to 0.8)	78.8	(3.3 to 285.4)	0.9	(0.0 to 3.4)
Central African Republic	Female	5 to 9	1.6	(1.1 to 2.3)	21.6	(2.7 to 65.0)	0.3	(0.0 to 0.8)
Central African Republic	Female	10 to 14	3.2	(2.2 to 4.6)	13.4	(2.8 to 40.4)	0.2	(0.0 to 0.5)
Central African Republic	Female	15 to 19	5	(3.1 to 7.4)	24.3	(5.4 to 70.1)	0.3	(0.1 to 1.0)
Central African Republic	Both	1 to 4	0.6	(0.4 to 0.8)	56.9	(4.7 to 161.9)	0.7	(0.1 to 1.9)
Central African Republic	Both	5 to 9	1.8	(1.3 to 2.3)	14.3	(2.7 to 36.7)	0.2	(0.0 to 0.5)
Central African Republic	Both	10 to 14	3.7	(2.7 to 4.8)	9.4	(2.7 to 23.0)	0.1	(0.0 to 0.3)
Central African Republic	Both	15 to 19	5.9	(4.1 to 7.7)	17.1	(5.5 to 39.4)	0.2	(0.1 to 0.6)
Congo	Male	1 to 4	0.7	(0.4 to 1.0)	36.6	(7.1 to 107.3)	0.4	(0.1 to 1.3)
Congo	Male	5 to 9	2	(1.2 to 3.0)	8.6	(3.2 to 18.9)	0.1	(0.0 to 0.2)
Congo	Male	10 to 14	4.1	(2.6 to 5.9)	8	(3.9 to 15.0)	0.1	(0.0 to 0.2)
Congo	Male	15 to 19	6.5	(4.0 to 10.0)	20.2	(9.0 to 38.3)	0.3	(0.1 to 0.5)
Congo	Female	1 to 4	0.5	(0.3 to 0.7)	17.8	(3.7 to 47.4)	0.2	(0.0 to 0.6)
Congo	Female	5 to 9	1.6	(1.0 to 2.3)	6.6	(2.4 to 14.6)	0.1	(0.0 to 0.2)
Congo	Female	10 to 14	3.1	(2.1 to 4.4)	5.5	(2.3 to 11.8)	0.1	(0.0 to 0.2)
Congo	Female	15 to 19	4.9	(3.2 to 7.0)	11.2	(5.0 to 22.3)	0.2	(0.1 to 0.3)
Congo	Both	1 to 4	0.6	(0.4 to 0.8)	27.3	(6.9 to 63.5)	0.3	(0.1 to 0.8)
Congo	Both	5 to 9	1.8	(1.3 to 2.4)	7.6	(3.7 to 14.3)	0.1	(0.0 to 0.2)
Congo	Both	10 to 14	3.6	(2.7 to 4.7)	6.8	(3.8 to 11.5)	0.1	(0.0 to 0.1)
Congo	Both	15 to 19	5.7	(4.2 to 7.7)	15.7	(8.6 to 26.3)	0.2	(0.1 to 0.4)
Democratic Republic of the Congo	Male	1 to 4	0.7	(0.4 to 1.1)	90.2	(7.4 to 335.3)	1.1	(0.1 to 4.0)
Democratic Republic of the Congo	Male	5 to 9	2.2	(1.4 to 3.1)	15.5	(3.6 to 43.8)	0.2	(0.0 to 0.5)
Democratic Republic of the Congo	Male	10 to 14	4.2	(2.8 to 6.0)	11.5	(3.2 to 26.4)	0.1	(0.0 to 0.3)
Democratic Republic of the Congo	Male	15 to 19	6.6	(4.0 to 9.5)	24.8	(5.1 to 54.0)	0.3	(0.1 to 0.8)
Democratic Republic of the Congo	Female	1 to 4	0.5	(0.3 to 0.7)	58.4	(2.4 to 173.6)	0.7	(0.0 to 2.1)
Democratic Republic of the Congo	Female	5 to 9	1.6	(0.9 to 2.3)	18.1	(2.8 to 46.4)	0.2	(0.0 to 0.6)
Democratic Republic of the Congo	Female	10 to 14	3.1	(1.9 to 4.5)	11.5	(2.9 to 27.5)	0.1	(0.0 to 0.4)
Democratic Republic of the Congo	Female	15 to 19	4.8	(2.9 to 6.8)	22.7	(7.2 to 51.3)	0.3	(0.1 to 0.7)
Democratic Republic of the Congo	Both	1 to 4	0.6	(0.4 to 0.8)	74.4	(5.9 to 204.1)	0.9	(0.1 to 2.4)

Democratic Republic of the Congo	Both	5 to 9	1.9	(1.3 to 2.4)	16.8	(4.7 to 37.3)	0.2	(0.1 to 0.5)
Democratic Republic of the Congo	Both	10 to 14	3.7	(2.7 to 4.7)	11.5	(4.4 to 22.0)	0.1	(0.1 to 0.3)
Democratic Republic of the Congo	Both	15 to 19	5.7	(4.1 to 7.6)	23.8	(9.6 to 42.9)	0.3	(0.1 to 0.6)
Equatorial Guinea	Male	1 to 4	0.6	(0.3 to 1.0)	112.1	(12.0 to 419.2)	1.3	(0.1 to 5.0)
Equatorial Guinea	Male	5 to 9	1.9	(1.1 to 2.9)	24.8	(5.2 to 73.4)	0.3	(0.1 to 0.9)
Equatorial Guinea	Male	10 to 14	3.9	(2.5 to 5.6)	16.1	(5.2 to 44.9)	0.2	(0.1 to 0.6)
Equatorial Guinea	Male	15 to 19	6.2	(3.9 to 9.0)	26.3	(10.7 to 53.2)	0.4	(0.1 to 0.8)
Equatorial Guinea	Female	1 to 4	0.5	(0.3 to 0.7)	68.8	(2.4 to 265.5)	0.8	(0.0 to 3.1)
Equatorial Guinea	Female	5 to 9	1.5	(1.0 to 2.1)	17.1	(2.4 to 53.7)	0.2	(0.0 to 0.7)
Equatorial Guinea	Female	10 to 14	3	(2.1 to 4.1)	10.4	(2.9 to 28.8)	0.1	(0.0 to 0.4)
Equatorial Guinea	Female	15 to 19	4.8	(3.2 to 6.7)	21.7	(7.0 to 54.7)	0.3	(0.1 to 0.8)
Equatorial Guinea	Both	1 to 4	0.5	(0.4 to 0.7)	90.7	(9.3 to 270.7)	1.1	(0.1 to 3.2)
Equatorial Guinea	Both	5 to 9	1.7	(1.2 to 2.2)	20.9	(5.1 to 54.9)	0.3	(0.1 to 0.7)
Equatorial Guinea	Both	10 to 14	3.5	(2.6 to 4.4)	13.3	(5.2 to 31.7)	0.2	(0.1 to 0.4)
Equatorial Guinea	Both	15 to 19	5.5	(4.0 to 7.1)	24	(11.5 to 48.1)	0.3	(0.2 to 0.7)
Gabon	Male	1 to 4	0.6	(0.4 to 1.0)	46.9	(7.4 to 136.9)	0.6	(0.1 to 1.6)
Gabon	Male	5 to 9	2	(1.2 to 2.9)	12.8	(3.7 to 30.2)	0.2	(0.0 to 0.4)
Gabon	Male	10 to 14	4.1	(2.5 to 5.8)	13.3	(5.1 to 27.8)	0.2	(0.1 to 0.4)
Gabon	Male	15 to 19	6.6	(3.8 to 9.6)	39.6	(15.7 to 80.5)	0.6	(0.2 to 1.1)
Gabon	Female	1 to 4	0.5	(0.3 to 0.7)	22.6	(3.1 to 67.0)	0.3	(0.0 to 0.8)
Gabon	Female	5 to 9	1.5	(1.0 to 2.2)	7.9	(2.5 to 18.9)	0.1	(0.0 to 0.2)
Gabon	Female	10 to 14	3.2	(2.1 to 4.4)	7.1	(2.4 to 17.3)	0.1	(0.0 to 0.2)
Gabon	Female	15 to 19	5	(3.2 to 7.6)	16.8	(6.7 to 37.2)	0.2	(0.1 to 0.5)
Gabon	Both	1 to 4	0.6	(0.4 to 0.8)	34.9	(7.8 to 85.4)	0.4	(0.1 to 1.0)
Gabon	Both	5 to 9	1.8	(1.3 to 2.3)	10.4	(4.1 to 20.4)	0.1	(0.0 to 0.3)
Gabon	Both	10 to 14	3.6	(2.6 to 4.7)	10.2	(5.0 to 19.3)	0.1	(0.1 to 0.3)
Gabon	Both	15 to 19	5.8	(4.0 to 7.7)	28.3	(13.2 to 50.3)	0.4	(0.2 to 0.7)
Burundi	Male	1 to 4	0.9	(0.5 to 1.3)	6.5	(0.6 to 21.3)	0.1	(0.0 to 0.3)
Burundi	Male	5 to 9	2.6	(1.6 to 3.8)	3.7	(0.7 to 9.5)	0	(0.0 to 0.1)
Burundi	Male	10 to 14	4.8	(2.9 to 7.4)	4.1	(1.1 to 9.6)	0	(0.0 to 0.1)
Burundi	Male	15 to 19	7	(3.8 to 11.5)	13.3	(2.3 to 31.3)	0.2	(0.0 to 0.4)
Burundi	Female	1 to 4	0.6	(0.3 to 0.8)	3.9	(0.7 to 13.2)	0	(0.0 to 0.2)
Burundi	Female	5 to 9	1.7	(1.1 to 2.5)	2.5	(0.7 to 6.8)	0	(0.0 to 0.1)

Burundi	Female	10 to 14	3.1	(2.0 to 4.5)	2.3	(0.8 to 5.6)	0	(0.0 to 0.1)
Burundi	Female	15 to 19	4.4	(2.6 to 7.0)	7	(1.9 to 16.2)	0.1	(0.0 to 0.2)
Burundi	Both	1 to 4	0.7	(0.5 to 1.0)	5.2	(1.0 to 14.2)	0.1	(0.0 to 0.2)
Burundi	Both	5 to 9	2.1	(1.5 to 2.8)	3.1	(1.0 to 6.5)	0	(0.0 to 0.1)
Burundi	Both	10 to 14	3.9	(2.7 to 5.2)	3.2	(1.2 to 6.0)	0	(0.0 to 0.1)
Burundi	Both	15 to 19	5.7	(3.6 to 8.1)	10.1	(2.9 to 19.9)	0.1	(0.0 to 0.3)
Comoros	Male	1 to 4	0.8	(0.5 to 1.3)	1.5	(0.2 to 4.3)	0	(0.0 to 0.0)
Comoros	Male	5 to 9	2.4	(1.4 to 3.7)	2.6	(0.7 to 6.9)	0	(0.0 to 0.1)
Comoros	Male	10 to 14	4.6	(2.7 to 6.7)	4	(1.3 to 8.5)	0	(0.0 to 0.1)
Comoros	Male	15 to 19	6.7	(3.8 to 10.5)	18.1	(3.9 to 42.9)	0.2	(0.0 to 0.6)
Comoros	Female	1 to 4	0.5	(0.3 to 0.8)	0.6	(0.1 to 2.6)	0	(0.0 to 0.0)
Comoros	Female	5 to 9	1.6	(1.0 to 2.3)	1.1	(0.4 to 3.2)	0	(0.0 to 0.0)
Comoros	Female	10 to 14	3	(1.9 to 4.3)	1.8	(0.7 to 4.7)	0	(0.0 to 0.1)
Comoros	Female	15 to 19	4.5	(2.6 to 6.8)	6.6	(1.8 to 15.4)	0.1	(0.0 to 0.2)
Comoros	Both	1 to 4	0.7	(0.5 to 1.0)	1.1	(0.2 to 2.9)	0	(0.0 to 0.0)
Comoros	Both	5 to 9	2	(1.4 to 2.7)	1.9	(0.6 to 4.4)	0	(0.0 to 0.1)
Comoros	Both	10 to 14	3.8	(2.6 to 5.0)	2.9	(1.2 to 5.7)	0	(0.0 to 0.1)
Comoros	Both	15 to 19	5.6	(3.6 to 7.7)	12.4	(3.6 to 26.6)	0.2	(0.0 to 0.4)
Djibouti	Male	1 to 4	0.8	(0.5 to 1.2)	5.3	(1.0 to 17.7)	0.1	(0.0 to 0.2)
Djibouti	Male	5 to 9	2.3	(1.4 to 3.5)	4.5	(1.8 to 10.3)	0.1	(0.0 to 0.1)
Djibouti	Male	10 to 14	4.3	(2.8 to 6.2)	4.9	(2.4 to 9.5)	0.1	(0.0 to 0.1)
Djibouti	Male	15 to 19	6.2	(3.6 to 9.3)	18.8	(7.6 to 41.0)	0.3	(0.1 to 0.6)
Djibouti	Female	1 to 4	0.6	(0.3 to 0.8)	3.5	(0.7 to 10.1)	0	(0.0 to 0.1)
Djibouti	Female	5 to 9	1.7	(1.1 to 2.3)	3.4	(1.2 to 8.3)	0	(0.0 to 0.1)
Djibouti	Female	10 to 14	3.1	(1.9 to 4.6)	3.3	(1.3 to 7.6)	0	(0.0 to 0.1)
Djibouti	Female	15 to 19	4.4	(2.4 to 7.2)	12.1	(4.7 to 28.4)	0.2	(0.1 to 0.4)
Djibouti	Both	1 to 4	0.7	(0.4 to 0.9)	4.4	(1.4 to 11.4)	0.1	(0.0 to 0.1)
Djibouti	Both	5 to 9	2	(1.5 to 2.7)	3.9	(1.9 to 7.8)	0	(0.0 to 0.1)
Djibouti	Both	10 to 14	3.7	(2.6 to 5.0)	4.1	(2.2 to 7.2)	0	(0.0 to 0.1)
Djibouti	Both	15 to 19	5.3	(3.6 to 7.3)	15.5	(7.6 to 29.0)	0.2	(0.1 to 0.4)
Eritrea	Male	1 to 4	0.8	(0.5 to 1.2)	3.5	(0.7 to 10.0)	0	(0.0 to 0.1)
Eritrea	Male	5 to 9	2.4	(1.3 to 3.5)	2.1	(0.8 to 4.9)	0	(0.0 to 0.1)
Eritrea	Male	10 to 14	4.5	(2.8 to 6.3)	3	(1.3 to 5.8)	0	(0.0 to 0.1)

Eritrea	Male	15 to 19	6.6	(3.8 to 9.6)	12.7	(4.1 to 31.2)	0.2	(0.0 to 0.4)
Eritrea	Female	1 to 4	0.5	(0.3 to 0.8)	2.7	(0.4 to 9.1)	0	(0.0 to 0.1)
Eritrea	Female	5 to 9	1.6	(1.0 to 2.4)	2	(0.6 to 6.5)	0	(0.0 to 0.1)
Eritrea	Female	10 to 14	3	(1.9 to 4.4)	2.6	(1.0 to 6.9)	0	(0.0 to 0.1)
Eritrea	Female	15 to 19	4.3	(2.5 to 6.7)	8.1	(2.4 to 24.3)	0.1	(0.0 to 0.3)
Eritrea	Both	1 to 4	0.7	(0.5 to 0.9)	3.1	(0.8 to 7.6)	0	(0.0 to 0.1)
Eritrea	Both	5 to 9	2	(1.4 to 2.6)	2	(0.8 to 5.1)	0	(0.0 to 0.1)
Eritrea	Both	10 to 14	3.7	(2.7 to 4.8)	2.8	(1.4 to 5.7)	0	(0.0 to 0.1)
Eritrea	Both	15 to 19	5.4	(3.9 to 7.2)	10.5	(4.5 to 25.2)	0.1	(0.1 to 0.4)
Ethiopia	Male	1 to 4	0.8	(0.4 to 1.2)	2	(0.5 to 5.4)	0	(0.0 to 0.1)
Ethiopia	Male	5 to 9	1.8	(1.1 to 2.9)	2	(0.6 to 4.4)	0	(0.0 to 0.1)
Ethiopia	Male	10 to 14	2.8	(1.9 to 3.9)	2.1	(0.8 to 4.4)	0	(0.0 to 0.1)
Ethiopia	Male	15 to 19	3.4	(2.2 to 4.8)	9.4	(2.0 to 24.1)	0.1	(0.0 to 0.3)
Ethiopia	Female	1 to 4	0.4	(0.3 to 0.6)	1.5	(0.3 to 4.2)	0	(0.0 to 0.0)
Ethiopia	Female	5 to 9	1.1	(0.8 to 1.5)	1.2	(0.4 to 3.2)	0	(0.0 to 0.0)
Ethiopia	Female	10 to 14	1.8	(1.3 to 2.4)	1.2	(0.4 to 2.7)	0	(0.0 to 0.0)
Ethiopia	Female	15 to 19	2.3	(1.6 to 3.3)	3.5	(1.0 to 7.8)	0	(0.0 to 0.1)
Ethiopia	Both	1 to 4	0.6	(0.4 to 0.9)	1.7	(0.5 to 4.1)	0	(0.0 to 0.0)
Ethiopia	Both	5 to 9	1.5	(1.1 to 2.1)	1.6	(0.6 to 3.2)	0	(0.0 to 0.0)
Ethiopia	Both	10 to 14	2.3	(1.8 to 3.0)	1.7	(0.7 to 3.0)	0	(0.0 to 0.0)
Ethiopia	Both	15 to 19	2.9	(2.2 to 3.7)	6.5	(2.0 to 14.3)	0.1	(0.0 to 0.2)
Kenya	Male	1 to 4	0.8	(0.5 to 1.2)	2.1	(0.6 to 5.4)	0	(0.0 to 0.1)
Kenya	Male	5 to 9	2.4	(1.5 to 3.4)	2	(0.9 to 4.2)	0	(0.0 to 0.0)
Kenya	Male	10 to 14	4.5	(2.7 to 6.5)	2.2	(1.1 to 3.9)	0	(0.0 to 0.0)
Kenya	Male	15 to 19	6.6	(3.7 to 10.2)	7.8	(2.7 to 16.4)	0.1	(0.0 to 0.2)
Kenya	Female	1 to 4	0.5	(0.3 to 0.8)	1.5	(0.5 to 3.7)	0	(0.0 to 0.0)
Kenya	Female	5 to 9	1.6	(1.1 to 2.2)	1.1	(0.5 to 2.4)	0	(0.0 to 0.0)
Kenya	Female	10 to 14	2.8	(1.9 to 4.0)	1	(0.5 to 1.8)	0	(0.0 to 0.0)
Kenya	Female	15 to 19	4	(2.3 to 5.9)	3.5	(1.5 to 7.0)	0	(0.0 to 0.1)
Кепуа	Both	1 to 4	0.7	(0.5 to 0.9)	1.8	(0.7 to 3.8)	0	(0.0 to 0.0)
Кепуа	Both	5 to 9	2	(1.4 to 2.6)	1.6	(0.8 to 2.9)	0	(0.0 to 0.0)
Кепуа	Both	10 to 14	3.7	(2.5 to 4.8)	1.6	(0.9 to 2.6)	0	(0.0 to 0.0)
Kenya	Both	15 to 19	5.3	(3.4 to 7.2)	5.6	(2.6 to 10.6)	0.1	(0.0 to 0.1)

Madagascar	Male	1 to 4	0.9	(0.6 to 1.3)	7.4	(1.6 to 20.2)	0.1	(0.0 to 0.2)
Madagascar	Male	5 to 9	2.6	(1.7 to 3.7)	5.8	(1.8 to 12.4)	0.1	(0.0 to 0.1)
Madagascar	Male	10 to 14	4.8	(3.1 to 7.0)	10.4	(4.0 to 22.0)	0.1	(0.0 to 0.3)
Madagascar	Male	15 to 19	7	(4.1 to 10.8)	73.7	(20.8 to 158.8)	1	(0.3 to 2.3)
Madagascar	Female	1 to 4	0.6	(0.4 to 0.9)	4.2	(0.9 to 12.7)	0	(0.0 to 0.1)
Madagascar	Female	5 to 9	1.7	(1.1 to 2.5)	3.8	(1.1 to 10.4)	0	(0.0 to 0.1)
Madagascar	Female	10 to 14	3.2	(2.0 to 4.5)	6	(2.1 to 14.2)	0.1	(0.0 to 0.2)
Madagascar	Female	15 to 19	4.7	(2.8 to 6.9)	28.4	(10.7 to 62.2)	0.4	(0.1 to 0.9)
Madagascar	Both	1 to 4	0.7	(0.5 to 1.0)	5.8	(1.8 to 13.5)	0.1	(0.0 to 0.2)
Madagascar	Both	5 to 9	2.1	(1.6 to 2.8)	4.8	(1.8 to 9.8)	0.1	(0.0 to 0.1)
Madagascar	Both	10 to 14	4	(3.0 to 5.1)	8.2	(3.6 to 16.1)	0.1	(0.0 to 0.2)
Madagascar	Both	15 to 19	5.8	(4.0 to 7.9)	51	(19.8 to 95.9)	0.7	(0.3 to 1.4)
Malawi	Male	1 to 4	0.8	(0.5 to 1.2)	8.2	(0.8 to 25.0)	0.1	(0.0 to 0.3)
Malawi	Male	5 to 9	2.4	(1.5 to 3.5)	3	(0.9 to 7.1)	0	(0.0 to 0.1)
Malawi	Male	10 to 14	4.4	(2.8 to 6.9)	2.4	(1.1 to 4.6)	0	(0.0 to 0.1)
Malawi	Male	15 to 19	6.4	(3.7 to 10.6)	7	(1.9 to 15.8)	0.1	(0.0 to 0.2)
Malawi	Female	1 to 4	0.6	(0.3 to 0.8)	3.7	(0.8 to 11.3)	0	(0.0 to 0.1)
Malawi	Female	5 to 9	1.7	(1.1 to 2.5)	1.6	(0.6 to 3.9)	0	(0.0 to 0.0)
Malawi	Female	10 to 14	3.1	(1.8 to 4.5)	1.1	(0.6 to 2.1)	0	(0.0 to 0.0)
Malawi	Female	15 to 19	4.3	(2.4 to 6.8)	4.2	(1.6 to 8.6)	0	(0.0 to 0.1)
Malawi	Both	1 to 4	0.7	(0.5 to 0.9)	6	(1.2 to 15.0)	0.1	(0.0 to 0.2)
Malawi	Both	5 to 9	2	(1.5 to 2.7)	2.3	(0.9 to 4.9)	0	(0.0 to 0.1)
Malawi	Both	10 to 14	3.8	(2.7 to 5.0)	1.8	(0.9 to 3.2)	0	(0.0 to 0.0)
Malawi	Both	15 to 19	5.4	(3.7 to 7.7)	5.6	(2.0 to 11.1)	0.1	(0.0 to 0.1)
Mauritius	Male	1 to 4	0.4	(0.2 to 0.6)	12.2	(4.9 to 23.0)	0.1	(0.1 to 0.3)
Mauritius	Male	5 to 9	1	(0.5 to 1.8)	4.7	(2.2 to 7.8)	0.1	(0.0 to 0.1)
Mauritius	Male	10 to 14	2.2	(1.2 to 3.4)	3.4	(1.7 to 5.7)	0	(0.0 to 0.1)
Mauritius	Male	15 to 19	3.9	(2.1 to 6.0)	30.2	(16.1 to 51.9)	0.4	(0.2 to 0.7)
Mauritius	Female	1 to 4	0.2	(0.1 to 0.4)	3.1	(1.1 to 5.6)	0	(0.0 to 0.1)
Mauritius	Female	5 to 9	0.7	(0.4 to 1.2)	5	(2.5 to 11.0)	0.1	(0.0 to 0.1)
Mauritius	Female	10 to 14	1.7	(1.1 to 2.6)	2.5	(1.1 to 4.0)	0	(0.0 to 0.0)
Mauritius	Female	15 to 19	3.1	(2.0 to 4.6)	15	(8.4 to 23.5)	0.2	(0.1 to 0.3)
Mauritius	Both	1 to 4	0.3	(0.2 to 0.4)	7.8	(3.7 to 13.5)	0.1	(0.0 to 0.2)

Mauritius	Both	5 to 9	0.9	(0.5 to 1.3)	4.8	(2.8 to 7.8)	0.1	(0.0 to 0.1)
Mauritius	Both	10 to 14	2	(1.3 to 2.7)	2.9	(1.7 to 4.5)	0	(0.0 to 0.1)
Mauritius	Both	15 to 19	3.5	(2.3 to 4.8)	22.7	(14.7 to 33.9)	0.3	(0.2 to 0.5)
Mozambique	Male	1 to 4	0.8	(0.4 to 1.2)	1.8	(0.4 to 5.1)	0	(0.0 to 0.1)
Mozambique	Male	5 to 9	2.3	(1.2 to 3.4)	1.9	(0.7 to 4.8)	0	(0.0 to 0.1)
Mozambique	Male	10 to 14	4.3	(2.5 to 6.7)	2.3	(1.1 to 4.8)	0	(0.0 to 0.1)
Mozambique	Male	15 to 19	6.4	(3.5 to 11.0)	10.4	(4.2 to 20.8)	0.1	(0.0 to 0.3)
Mozambique	Female	1 to 4	0.5	(0.3 to 0.8)	1.6	(0.4 to 4.1)	0	(0.0 to 0.0)
Mozambique	Female	5 to 9	1.6	(1.1 to 2.3)	1.4	(0.6 to 3.3)	0	(0.0 to 0.0)
Mozambique	Female	10 to 14	3	(2.0 to 4.2)	1.2	(0.6 to 2.4)	0	(0.0 to 0.0)
Mozambique	Female	15 to 19	4.3	(2.5 to 6.6)	4.4	(2.0 to 8.7)	0.1	(0.0 to 0.1)
Mozambique	Both	1 to 4	0.7	(0.5 to 0.9)	1.7	(0.6 to 4.0)	0	(0.0 to 0.0)
Mozambique	Both	5 to 9	1.9	(1.4 to 2.6)	1.6	(0.8 to 3.7)	0	(0.0 to 0.0)
Mozambique	Both	10 to 14	3.7	(2.6 to 5.0)	1.8	(1.0 to 3.3)	0	(0.0 to 0.0)
Mozambique	Both	15 to 19	5.4	(3.6 to 7.9)	7.4	(3.7 to 13.1)	0.1	(0.0 to 0.2)
Rwanda	Male	1 to 4	0.8	(0.5 to 1.3)	3.7	(0.5 to 10.9)	0	(0.0 to 0.1)
Rwanda	Male	5 to 9	2.3	(1.5 to 3.3)	2.6	(0.6 to 6.4)	0	(0.0 to 0.1)
Rwanda	Male	10 to 14	4.3	(2.8 to 6.3)	2.8	(0.9 to 6.0)	0	(0.0 to 0.1)
Rwanda	Male	15 to 19	6.2	(3.5 to 9.7)	9.9	(2.0 to 23.9)	0.1	(0.0 to 0.3)
Rwanda	Female	1 to 4	0.5	(0.3 to 0.8)	2	(0.4 to 6.7)	0	(0.0 to 0.1)
Rwanda	Female	5 to 9	1.6	(1.1 to 2.3)	1.5	(0.5 to 4.4)	0	(0.0 to 0.1)
Rwanda	Female	10 to 14	2.9	(1.9 to 4.3)	1.4	(0.6 to 3.1)	0	(0.0 to 0.0)
Rwanda	Female	15 to 19	4.2	(2.4 to 6.5)	4.4	(1.2 to 11.4)	0.1	(0.0 to 0.2)
Rwanda	Both	1 to 4	0.7	(0.5 to 0.9)	2.9	(0.7 to 7.1)	0	(0.0 to 0.1)
Rwanda	Both	5 to 9	2	(1.4 to 2.6)	2	(0.7 to 4.4)	0	(0.0 to 0.1)
Rwanda	Both	10 to 14	3.6	(2.7 to 4.6)	2.1	(0.9 to 3.8)	0	(0.0 to 0.0)
Rwanda	Both	15 to 19	5.2	(3.5 to 7.1)	7.1	(2.2 to 14.6)	0.1	(0.0 to 0.2)
Seychelles	Male	1 to 4	0.4	(0.2 to 0.6)	22.2	(7.4 to 43.8)	0.3	(0.1 to 0.5)
Seychelles	Male	5 to 9	1.1	(0.5 to 1.9)	5.6	(1.9 to 10.9)	0.1	(0.0 to 0.1)
Seychelles	Male	10 to 14	2.3	(1.3 to 3.6)	6.3	(3.1 to 11.0)	0.1	(0.0 to 0.1)
Seychelles	Male	15 to 19	3.9	(2.4 to 5.9)	51.7	(17.4 to 118.4)	0.7	(0.2 to 1.7)
Seychelles	Female	1 to 4	0.3	(0.1 to 0.4)	15	(5.1 to 30.3)	0.2	(0.1 to 0.4)
Seychelles	Female	5 to 9	0.8	(0.5 to 1.4)	4.8	(0.7 to 11.2)	0.1	(0.0 to 0.1)

Seychelles	Female	10 to 14	1.8	(1.1 to 2.8)	7.2	(1.6 to 15.1)	0.1	(0.0 to 0.2)
Seychelles	Female	15 to 19	3.1	(1.8 to 4.9)	104.3	(49.9 to 230.1)	1.5	(0.7 to 3.3)
Seychelles	Both	1 to 4	0.3	(0.2 to 0.4)	18.7	(7.7 to 34.0)	0.2	(0.1 to 0.4)
Seychelles	Both	5 to 9	1	(0.6 to 1.4)	5.2	(1.5 to 9.6)	0.1	(0.0 to 0.1)
Seychelles	Both	10 to 14	2	(1.4 to 2.8)	6.7	(3.1 to 11.4)	0.1	(0.0 to 0.1)
Seychelles	Both	15 to 19	3.5	(2.4 to 4.7)	76.9	(40.1 to 128.2)	1.1	(0.6 to 1.8)
Somalia	Male	1 to 4	0.8	(0.4 to 1.3)	7.7	(1.1 to 23.2)	0.1	(0.0 to 0.3)
Somalia	Male	5 to 9	2.4	(1.4 to 3.4)	4.3	(1.2 to 10.1)	0	(0.0 to 0.1)
Somalia	Male	10 to 14	4.4	(2.9 to 6.4)	4.7	(1.6 to 10.4)	0.1	(0.0 to 0.1)
Somalia	Male	15 to 19	6.4	(3.9 to 10.3)	14.8	(3.5 to 35.5)	0.2	(0.0 to 0.5)
Somalia	Female	1 to 4	0.6	(0.4 to 0.9)	4.3	(0.8 to 13.7)	0	(0.0 to 0.2)
Somalia	Female	5 to 9	1.7	(1.1 to 2.4)	2.8	(0.9 to 6.9)	0	(0.0 to 0.1)
Somalia	Female	10 to 14	3.1	(2.0 to 4.3)	2.8	(1.0 to 6.6)	0	(0.0 to 0.1)
Somalia	Female	15 to 19	4.3	(2.5 to 6.4)	7.9	(2.3 to 18.1)	0.1	(0.0 to 0.3)
Somalia	Both	1 to 4	0.7	(0.5 to 1.0)	6	(1.2 to 14.2)	0.1	(0.0 to 0.2)
Somalia	Both	5 to 9	2	(1.5 to 2.7)	3.6	(1.3 to 7.4)	0	(0.0 to 0.1)
Somalia	Both	10 to 14	3.7	(2.8 to 4.9)	3.8	(1.6 to 7.1)	0	(0.0 to 0.1)
Somalia	Both	15 to 19	5.4	(3.7 to 7.3)	11.4	(3.8 to 23.1)	0.2	(0.0 to 0.3)
Tanzania	Male	1 to 4	0.9	(0.5 to 1.3)	3.3	(0.6 to 8.9)	0	(0.0 to 0.1)
Tanzania	Male	5 to 9	2.5	(1.4 to 3.9)	2.5	(0.9 to 5.3)	0	(0.0 to 0.1)
Tanzania	Male	10 to 14	4.7	(3.0 to 7.0)	2.4	(1.1 to 4.6)	0	(0.0 to 0.1)
Tanzania	Male	15 to 19	6.9	(4.0 to 11.5)	7.3	(2.2 to 14.9)	0.1	(0.0 to 0.2)
Tanzania	Female	1 to 4	0.5	(0.3 to 0.8)	2.1	(0.5 to 6.0)	0	(0.0 to 0.1)
Tanzania	Female	5 to 9	1.6	(1.0 to 2.4)	1.4	(0.6 to 3.0)	0	(0.0 to 0.0)
Tanzania	Female	10 to 14	3	(1.9 to 4.6)	1.3	(0.6 to 2.5)	0	(0.0 to 0.0)
Tanzania	Female	15 to 19	4.5	(2.6 to 7.2)	4.9	(2.0 to 9.6)	0.1	(0.0 to 0.1)
Tanzania	Both	1 to 4	0.7	(0.5 to 1.0)	2.7	(0.9 to 5.8)	0	(0.0 to 0.1)
Tanzania	Both	5 to 9	2.1	(1.4 to 2.8)	1.9	(0.8 to 3.7)	0	(0.0 to 0.0)
Tanzania	Both	10 to 14	3.9	(2.7 to 5.4)	1.9	(1.0 to 3.2)	0	(0.0 to 0.0)
Tanzania	Both	15 to 19	5.7	(3.8 to 8.3)	6.1	(2.6 to 11.0)	0.1	(0.0 to 0.1)
Uganda	Male	1 to 4	0.8	(0.5 to 1.2)	4.1	(0.5 to 14.0)	0	(0.0 to 0.2)
Uganda	Male	5 to 9	2.3	(1.4 to 3.6)	2.2	(0.7 to 5.3)	0	(0.0 to 0.1)
Uganda	Male	10 to 14	4.2	(2.5 to 6.5)	2.5	(1.1 to 5.7)	0	(0.0 to 0.1)

Uganda	Male	15 to 19	6.2	(3.4 to 9.9)	8	(2.4 to 18.4)	0.1	(0.0 to 0.3)
Uganda	Female	1 to 4	0.6	(0.4 to 0.8)	2.8	(0.6 to 8.1)	0	(0.0 to 0.1)
Uganda	Female	5 to 9	1.7	(1.1 to 2.4)	1.8	(0.5 to 4.5)	0	(0.0 to 0.1)
Uganda	Female	10 to 14	3	(1.9 to 4.4)	1.7	(0.6 to 3.7)	0	(0.0 to 0.0)
Uganda	Female	15 to 19	4.3	(2.5 to 6.6)	6	(1.4 to 12.5)	0.1	(0.0 to 0.2)
Uganda	Both	1 to 4	0.7	(0.5 to 1.0)	3.5	(0.8 to 8.9)	0	(0.0 to 0.1)
Uganda	Both	5 to 9	2	(1.5 to 2.7)	2	(0.7 to 4.0)	0	(0.0 to 0.0)
Uganda	Both	10 to 14	3.6	(2.6 to 4.9)	2.1	(1.0 to 4.1)	0	(0.0 to 0.0)
Uganda	Both	15 to 19	5.2	(3.6 to 7.4)	7	(2.5 to 13.5)	0.1	(0.0 to 0.2)
Zambia	Male	1 to 4	0.8	(0.4 to 1.2)	4	(0.6 to 12.2)	0	(0.0 to 0.1)
Zambia	Male	5 to 9	2.3	(1.4 to 3.4)	2	(0.8 to 4.3)	0	(0.0 to 0.0)
Zambia	Male	10 to 14	4.3	(2.7 to 6.6)	2	(1.1 to 3.8)	0	(0.0 to 0.0)
Zambia	Male	15 to 19	6.3	(3.7 to 10.4)	8.1	(3.4 to 17.0)	0.1	(0.0 to 0.2)
Zambia	Female	1 to 4	0.6	(0.4 to 0.8)	2.6	(0.6 to 6.6)	0	(0.0 to 0.1)
Zambia	Female	5 to 9	1.7	(1.1 to 2.4)	1.1	(0.5 to 2.3)	0	(0.0 to 0.0)
Zambia	Female	10 to 14	3.1	(1.9 to 4.6)	1.3	(0.7 to 2.5)	0	(0.0 to 0.0)
Zambia	Female	15 to 19	4.5	(2.5 to 7.0)	6.3	(2.7 to 11.9)	0.1	(0.0 to 0.2)
Zambia	Both	1 to 4	0.7	(0.5 to 0.9)	3.3	(0.9 to 7.6)	0	(0.0 to 0.1)
Zambia	Both	5 to 9	2	(1.4 to 2.6)	1.6	(0.8 to 2.9)	0	(0.0 to 0.0)
Zambia	Both	10 to 14	3.7	(2.7 to 4.9)	1.7	(1.0 to 2.7)	0	(0.0 to 0.0)
Zambia	Both	15 to 19	5.4	(3.7 to 7.4)	7.2	(3.7 to 12.7)	0.1	(0.0 to 0.2)
Botswana	Male	1 to 4	0.6	(0.3 to 0.9)	3	(0.5 to 9.9)	0	(0.0 to 0.1)
Botswana	Male	5 to 9	1.8	(1.0 to 2.6)	2.3	(0.8 to 6.5)	0	(0.0 to 0.1)
Botswana	Male	10 to 14	3.8	(2.3 to 5.3)	3.3	(1.4 to 6.9)	0	(0.0 to 0.1)
Botswana	Male	15 to 19	6.4	(3.9 to 9.0)	9.7	(3.7 to 20.0)	0.1	(0.0 to 0.3)
Botswana	Female	1 to 4	0.5	(0.3 to 0.7)	3.2	(0.6 to 12.7)	0	(0.0 to 0.1)
Botswana	Female	5 to 9	1.7	(1.0 to 2.4)	3.8	(1.0 to 15.2)	0	(0.0 to 0.2)
Botswana	Female	10 to 14	3.5	(2.3 to 4.8)	1.9	(0.6 to 9.9)	0	(0.0 to 0.1)
Botswana	Female	15 to 19	5.8	(3.8 to 8.2)	5	(1.8 to 15.7)	0.1	(0.0 to 0.2)
Botswana	Both	1 to 4	0.5	(0.4 to 0.7)	3.1	(0.9 to 10.5)	0	(0.0 to 0.1)
Botswana	Both	5 to 9	1.7	(1.2 to 2.2)	3.1	(1.2 to 10.2)	0	(0.0 to 0.1)
Botswana	Both	10 to 14	3.7	(2.7 to 4.7)	2.6	(1.2 to 7.1)	0	(0.0 to 0.1)
Botswana	Both	15 to 19	6.1	(4.4 to 7.9)	7.4	(3.7 to 16.1)	0.1	(0.0 to 0.2)

Lesotho	Male	1 to 4	0.5	(0.3 to 0.8)	8.2	(1.7 to 22.4)	0.1	(0.0 to 0.3)
Lesotho	Male	5 to 9	1.7	(1.0 to 2.5)	5.1	(1.6 to 12.4)	0.1	(0.0 to 0.2)
Lesotho	Male	10 to 14	3.6	(2.2 to 5.1)	4.3	(1.7 to 9.8)	0	(0.0 to 0.1)
Lesotho	Male	15 to 19	6.2	(3.6 to 8.8)	16.2	(6.5 to 34.2)	0.2	(0.1 to 0.5)
Lesotho	Female	1 to 4	0.5	(0.3 to 0.7)	9.2	(2.2 to 26.4)	0.1	(0.0 to 0.3)
Lesotho	Female	5 to 9	1.6	(1.0 to 2.3)	7.2	(2.2 to 18.6)	0.1	(0.0 to 0.2)
Lesotho	Female	10 to 14	3.3	(2.2 to 4.8)	3.3	(1.3 to 8.6)	0	(0.0 to 0.1)
Lesotho	Female	15 to 19	5.6	(3.4 to 8.2)	12.7	(4.5 to 32.9)	0.2	(0.1 to 0.5)
Lesotho	Both	1 to 4	0.5	(0.3 to 0.7)	8.7	(3.0 to 20.4)	0.1	(0.0 to 0.2)
Lesotho	Both	5 to 9	1.6	(1.2 to 2.2)	6.1	(2.7 to 12.9)	0.1	(0.0 to 0.2)
Lesotho	Both	10 to 14	3.5	(2.5 to 4.6)	3.8	(2.0 to 7.2)	0	(0.0 to 0.1)
Lesotho	Both	15 to 19	5.9	(4.0 to 7.9)	14.5	(7.2 to 26.1)	0.2	(0.1 to 0.4)
Namibia	Male	1 to 4	0.5	(0.3 to 0.9)	3.9	(0.8 to 11.1)	0	(0.0 to 0.1)
Namibia	Male	5 to 9	1.7	(1.0 to 2.5)	3.1	(1.0 to 7.1)	0	(0.0 to 0.1)
Namibia	Male	10 to 14	3.7	(2.4 to 5.2)	3.6	(1.7 to 6.8)	0	(0.0 to 0.1)
Namibia	Male	15 to 19	6.2	(4.0 to 8.8)	14.3	(6.3 to 27.9)	0.2	(0.1 to 0.4)
Namibia	Female	1 to 4	0.5	(0.3 to 0.7)	3.5	(0.7 to 11.5)	0	(0.0 to 0.1)
Namibia	Female	5 to 9	1.6	(0.9 to 2.3)	3.3	(0.9 to 11.5)	0	(0.0 to 0.1)
Namibia	Female	10 to 14	3.3	(2.1 to 4.7)	2.8	(1.0 to 7.5)	0	(0.0 to 0.1)
Namibia	Female	15 to 19	5.6	(3.5 to 8.0)	7.1	(2.9 to 15.0)	0.1	(0.0 to 0.2)
Namibia	Both	1 to 4	0.5	(0.3 to 0.7)	3.7	(1.0 to 9.9)	0	(0.0 to 0.1)
Namibia	Both	5 to 9	1.6	(1.2 to 2.1)	3.2	(1.3 to 8.8)	0	(0.0 to 0.1)
Namibia	Both	10 to 14	3.5	(2.6 to 4.5)	3.2	(1.6 to 6.6)	0	(0.0 to 0.1)
Namibia	Both	15 to 19	5.9	(4.3 to 7.6)	10.7	(5.6 to 18.3)	0.1	(0.1 to 0.2)
South Africa	Male	1 to 4	0.5	(0.3 to 0.8)	3.4	(0.7 to 10.5)	0	(0.0 to 0.1)
South Africa	Male	5 to 9	1.7	(1.0 to 2.5)	1.7	(0.7 to 4.2)	0	(0.0 to 0.0)
South Africa	Male	10 to 14	3.5	(2.2 to 5.1)	2.1	(1.1 to 3.7)	0	(0.0 to 0.0)
South Africa	Male	15 to 19	5.8	(3.5 to 8.4)	13	(6.9 to 21.8)	0.2	(0.1 to 0.3)
South Africa	Female	1 to 4	0.5	(0.3 to 0.7)	3.2	(0.8 to 11.9)	0	(0.0 to 0.1)
South Africa	Female	5 to 9	1.6	(1.1 to 2.4)	2.3	(0.8 to 6.8)	0	(0.0 to 0.1)
South Africa	Female	10 to 14	3.4	(2.2 to 4.9)	2.8	(1.2 to 6.7)	0	(0.0 to 0.1)
South Africa	Female	15 to 19	5.7	(3.5 to 8.1)	8.2	(4.1 to 15.2)	0.1	(0.0 to 0.2)
South Africa	Both	1 to 4	0.5	(0.4 to 0.7)	3.3	(1.1 to 10.2)	0	(0.0 to 0.1)

	D I.	51.0	47	(4.2.1.2.2)	2			(0.01.0.1)
South Africa	Both	5 to 9	1.7	(1.2 to 2.2)	2	(0.9 to 5.2)	0	(0.0 to 0.1)
South Africa	Both	10 to 14	3.5	(2.6 to 4.5)	2.4	(1.4 to 4.7)	0	(0.0 to 0.1)
South Africa	Both	15 to 19	5.7	(4.1 to 7.7)	10.6	(6.4 to 16.7)	0.1	(0.1 to 0.2)
Swaziland	Male	1 to 4	0.6	(0.3 to 0.8)	9.9	(2.9 to 29.0)	0.1	(0.0 to 0.3)
Swaziland	Male	5 to 9	1.7	(1.0 to 2.5)	4.7	(1.9 to 10.8)	0.1	(0.0 to 0.1)
Swaziland	Male	10 to 14	3.6	(2.2 to 5.1)	4.2	(2.0 to 8.8)	0	(0.0 to 0.1)
Swaziland	Male	15 to 19	6	(3.6 to 8.7)	15.9	(6.5 to 33.4)	0.2	(0.1 to 0.5)
Swaziland	Female	1 to 4	0.5	(0.3 to 0.7)	13.2	(3.7 to 30.4)	0.2	(0.0 to 0.4)
Swaziland	Female	5 to 9	1.6	(1.1 to 2.3)	7.4	(2.7 to 17.8)	0.1	(0.0 to 0.2)
Swaziland	Female	10 to 14	3.4	(2.3 to 4.9)	3.8	(1.7 to 7.8)	0	(0.0 to 0.1)
Swaziland	Female	15 to 19	5.6	(3.5 to 8.2)	13.8	(6.2 to 30.1)	0.2	(0.1 to 0.4)
Swaziland	Both	1 to 4	0.5	(0.4 to 0.7)	11.5	(4.7 to 24.8)	0.1	(0.1 to 0.3)
Swaziland	Both	5 to 9	1.7	(1.2 to 2.2)	6	(2.8 to 12.4)	0.1	(0.0 to 0.2)
Swaziland	Both	10 to 14	3.5	(2.5 to 4.4)	4	(2.2 to 6.9)	0	(0.0 to 0.1)
Swaziland	Both	15 to 19	5.8	(4.0 to 7.6)	14.8	(8.0 to 26.7)	0.2	(0.1 to 0.4)
Zimbabwe	Male	1 to 4	0.5	(0.3 to 0.9)	2.6	(0.6 to 8.7)	0	(0.0 to 0.1)
Zimbabwe	Male	5 to 9	1.7	(1.1 to 2.7)	1.4	(0.6 to 4.3)	0	(0.0 to 0.1)
Zimbabwe	Male	10 to 14	3.7	(2.4 to 5.3)	5.6	(1.9 to 15.8)	0.1	(0.0 to 0.2)
Zimbabwe	Male	15 to 19	6.1	(3.9 to 8.8)	30.8	(12.3 to 60.3)	0.4	(0.2 to 0.9)
Zimbabwe	Female	1 to 4	0.5	(0.3 to 0.7)	19.1	(2.7 to 74.1)	0.2	(0.0 to 0.9)
Zimbabwe	Female	5 to 9	1.6	(1.1 to 2.3)	2.1	(0.7 to 9.0)	0	(0.0 to 0.1)
Zimbabwe	Female	10 to 14	3.4	(2.3 to 4.7)	2.2	(1.0 to 6.2)	0	(0.0 to 0.1)
Zimbabwe	Female	15 to 19	5.6	(3.5 to 8.0)	12.4	(4.8 to 29.6)	0.2	(0.1 to 0.4)
Zimbabwe	Both	1 to 4	0.5	(0.4 to 0.7)	10.8	(2.0 to 39.2)	0.1	(0.0 to 0.5)
Zimbabwe	Both	5 to 9	1.7	(1.2 to 2.2)	1.8	(0.7 to 6.0)	0	(0.0 to 0.1)
Zimbabwe	Both	10 to 14	3.5	(2.6 to 4.6)	3.9	(1.6 to 9.4)	0	(0.0 to 0.1)
Zimbabwe	Both	15 to 19	5.9	(4.3 to 7.7)	21.6	(10.3 to 41.4)	0.3	(0.1 to 0.6)
Benin	Male	1 to 4	0.7	(0.4 to 1.0)	9.7	(1.7 to 27.1)	0.1	(0.0 to 0.3)
Benin	Male	5 to 9	2.2	(1.3 to 3.1)	3.8	(1.0 to 10.0)	0	(0.0 to 0.1)
Benin	Male	10 to 14	4.3	(2.9 to 6.1)	8.3	(2.1 to 17.1)	0.1	(0.0 to 0.2)
Benin	Male	15 to 19	6.8	(4.3 to 9.9)	30.5	(7.5 to 65.5)	0.4	(0.1 to 0.9)
Benin	Female	1 to 4	0.5	(0.3 to 0.7)	10.7	(1.7 to 37.6)	0.1	(0.0 to 0.4)
Benin	Female	5 to 9	1.6	(1.0 to 2.2)	4	(0.9 to 11.9)	0	(0.0 to 0.1)

Benin	Female	10 to 14	3	(2.0 to 4.4)	2.9	(0.9 to 9.5)	0	(0.0 to 0.1)
Benin	Female	15 to 19	4.7	(3.1 to 7.0)	8.9	(2.3 to 23.0)	0.1	(0.0 to 0.3)
Benin	Both	1 to 4	0.6	(0.4 to 0.8)	10.2	(2.3 to 26.9)	0.1	(0.0 to 0.3)
Benin	Both	5 to 9	1.9	(1.4 to 2.4)	3.9	(1.3 to 9.9)	0	(0.0 to 0.1)
Benin	Both	10 to 14	3.7	(2.8 to 4.8)	5.6	(2.2 to 11.4)	0.1	(0.0 to 0.1)
Benin	Both	15 to 19	5.8	(4.1 to 7.6)	19.7	(6.8 to 37.4)	0.3	(0.1 to 0.5)
Burkina Faso	Male	1 to 4	0.6	(0.4 to 0.9)	5.7	(1.0 to 16.4)	0.1	(0.0 to 0.2)
Burkina Faso	Male	5 to 9	2	(1.2 to 2.8)	2.8	(0.8 to 7.1)	0	(0.0 to 0.1)
Burkina Faso	Male	10 to 14	3.9	(2.6 to 5.6)	4.4	(1.2 to 8.4)	0	(0.0 to 0.1)
Burkina Faso	Male	15 to 19	6.1	(3.9 to 9.1)	15.5	(2.8 to 33.7)	0.2	(0.0 to 0.5)
Burkina Faso	Female	1 to 4	0.5	(0.3 to 0.7)	6.2	(1.2 to 18.7)	0.1	(0.0 to 0.2)
Burkina Faso	Female	5 to 9	1.6	(1.1 to 2.3)	2.6	(0.7 to 7.2)	0	(0.0 to 0.1)
Burkina Faso	Female	10 to 14	3.2	(2.1 to 4.6)	1.7	(0.7 to 4.7)	0	(0.0 to 0.1)
Burkina Faso	Female	15 to 19	5	(3.1 to 7.2)	6.1	(1.8 to 16.3)	0.1	(0.0 to 0.2)
Burkina Faso	Both	1 to 4	0.6	(0.4 to 0.7)	6	(1.8 to 14.3)	0.1	(0.0 to 0.2)
Burkina Faso	Both	5 to 9	1.8	(1.3 to 2.4)	2.7	(1.1 to 6.2)	0	(0.0 to 0.1)
Burkina Faso	Both	10 to 14	3.6	(2.6 to 4.7)	3.1	(1.3 to 5.6)	0	(0.0 to 0.1)
Burkina Faso	Both	15 to 19	5.6	(3.9 to 7.5)	10.9	(3.5 to 21.5)	0.1	(0.0 to 0.3)
Cameroon	Male	1 to 4	0.6	(0.4 to 1.0)	51.5	(10.5 to 144.3)	0.6	(0.1 to 1.7)
Cameroon	Male	5 to 9	2	(1.2 to 3.0)	10.6	(3.9 to 28.9)	0.1	(0.0 to 0.4)
Cameroon	Male	10 to 14	4.1	(2.7 to 6.1)	15.3	(6.2 to 29.6)	0.2	(0.1 to 0.4)
Cameroon	Male	15 to 19	6.4	(4.1 to 9.5)	39.3	(14.4 to 81.1)	0.6	(0.2 to 1.2)
Cameroon	Female	1 to 4	0.5	(0.4 to 0.8)	44.5	(8.9 to 141.0)	0.5	(0.1 to 1.7)
Cameroon	Female	5 to 9	1.6	(1.1 to 2.3)	9.9	(2.7 to 29.9)	0.1	(0.0 to 0.4)
Cameroon	Female	10 to 14	3.2	(2.2 to 4.5)	4.9	(1.6 to 16.8)	0.1	(0.0 to 0.2)
Cameroon	Female	15 to 19	5	(3.3 to 7.1)	16	(6.1 to 38.8)	0.2	(0.1 to 0.6)
Cameroon	Both	1 to 4	0.6	(0.4 to 0.8)	48	(13.0 to 119.7)	0.6	(0.2 to 1.4)
Cameroon	Both	5 to 9	1.8	(1.4 to 2.4)	10.2	(4.2 to 24.9)	0.1	(0.0 to 0.3)
Cameroon	Both	10 to 14	3.6	(2.7 to 4.6)	10.1	(4.9 to 18.5)	0.1	(0.1 to 0.2)
Cameroon	Both	15 to 19	5.7	(4.2 to 7.5)	27.7	(13.2 to 50.1)	0.4	(0.2 to 0.7)
Cape Verde	Male	1 to 4	0.6	(0.4 to 0.9)	31.8	(3.7 to 109.1)	0.4	(0.0 to 1.3)
Cape Verde	Male	5 to 9	1.9	(1.3 to 2.8)	13.6	(2.5 to 38.9)	0.2	(0.0 to 0.5)
Cape Verde	Male	10 to 14	3.9	(2.5 to 5.6)	27.3	(9.7 to 59.8)	0.4	(0.1 to 0.8)

Cape Verde	Male	15 to 19	6.1	(3.8 to 9.2)	95.9	(39.3 to 179.7)	1.4	(0.6 to 2.6)
Cape Verde	Female	1 to 4	0.5	(0.3 to 0.7)	9.2	(0.3 to 47.9)	0.1	(0.0 to 0.6)
Cape Verde	Female	5 to 9	1.6	(1.0 to 2.3)	4	(0.4 to 23.0)	0	(0.0 to 0.3)
Cape Verde	Female	10 to 14	3.2	(2.2 to 4.5)	3.9	(0.5 to 21.9)	0	(0.0 to 0.3)
Cape Verde	Female	15 to 19	5.1	(3.3 to 7.3)	3.2	(0.8 to 12.8)	0	(0.0 to 0.2)
Cape Verde	Both	1 to 4	0.6	(0.4 to 0.7)	20.6	(2.6 to 70.1)	0.2	(0.0 to 0.8)
Cape Verde	Both	5 to 9	1.8	(1.3 to 2.3)	8.8	(1.6 to 27.2)	0.1	(0.0 to 0.3)
Cape Verde	Both	10 to 14	3.5	(2.7 to 4.6)	15.7	(5.4 to 36.3)	0.2	(0.1 to 0.5)
Cape Verde	Both	15 to 19	5.6	(4.2 to 7.4)	50.1	(20.8 to 93.3)	0.7	(0.3 to 1.3)
Chad	Male	1 to 4	0.7	(0.3 to 1.0)	31.9	(5.1 to 109.7)	0.4	(0.1 to 1.3)
Chad	Male	5 to 9	2	(1.1 to 3.1)	7.6	(2.0 to 21.4)	0.1	(0.0 to 0.3)
Chad	Male	10 to 14	4.1	(2.4 to 6.0)	10	(2.1 to 21.1)	0.1	(0.0 to 0.3)
Chad	Male	15 to 19	6.5	(3.8 to 10.0)	18.9	(3.8 to 43.1)	0.3	(0.0 to 0.6)
Chad	Female	1 to 4	0.5	(0.3 to 0.7)	49.6	(7.6 to 161.9)	0.6	(0.1 to 1.9)
Chad	Female	5 to 9	1.6	(1.0 to 2.3)	10.2	(2.1 to 31.6)	0.1	(0.0 to 0.4)
Chad	Female	10 to 14	3.2	(2.1 to 4.6)	4.4	(1.2 to 16.8)	0.1	(0.0 to 0.2)
Chad	Female	15 to 19	4.9	(3.2 to 7.4)	10.7	(2.4 to 27.3)	0.1	(0.0 to 0.4)
Chad	Both	1 to 4	0.6	(0.4 to 0.8)	40.7	(8.7 to 106.6)	0.5	(0.1 to 1.3)
Chad	Both	5 to 9	1.8	(1.3 to 2.4)	8.9	(3.2 to 23.5)	0.1	(0.0 to 0.3)
Chad	Both	10 to 14	3.6	(2.6 to 4.8)	7.2	(2.7 to 15.6)	0.1	(0.0 to 0.2)
Chad	Both	15 to 19	5.8	(4.0 to 7.8)	14.8	(4.5 to 28.9)	0.2	(0.1 to 0.4)
Cote d'Ivoire	Male	1 to 4	0.6	(0.4 to 0.9)	34.2	(8.4 to 90.0)	0.4	(0.1 to 1.1)
Cote d'Ivoire	Male	5 to 9	2.1	(1.3 to 3.0)	9.9	(3.3 to 27.7)	0.1	(0.0 to 0.3)
Cote d'Ivoire	Male	10 to 14	4.2	(2.7 to 6.0)	14.3	(5.3 to 29.0)	0.2	(0.1 to 0.4)
Cote d'Ivoire	Male	15 to 19	6.6	(4.0 to 9.9)	40.3	(15.0 to 80.4)	0.6	(0.2 to 1.1)
Cote d'Ivoire	Female	1 to 4	0.5	(0.3 to 0.8)	31.9	(7.4 to 89.6)	0.4	(0.1 to 1.1)
Cote d'Ivoire	Female	5 to 9	1.6	(1.0 to 2.4)	12.3	(4.0 to 32.0)	0.2	(0.0 to 0.4)
Cote d'Ivoire	Female	10 to 14	3.1	(2.0 to 4.5)	5.7	(1.8 to 18.0)	0.1	(0.0 to 0.2)
Cote d'Ivoire	Female	15 to 19	4.8	(3.0 to 7.0)	19.3	(7.5 to 46.7)	0.3	(0.1 to 0.7)
Cote d'Ivoire	Both	1 to 4	0.6	(0.4 to 0.8)	33.1	(10.1 to 76.7)	0.4	(0.1 to 0.9)
Cote d'Ivoire	Both	5 to 9	1.8	(1.3 to 2.4)	11.1	(4.8 to 26.0)	0.1	(0.1 to 0.3)
Cote d'Ivoire	Both	10 to 14	3.7	(2.8 to 4.7)	10.1	(4.9 to 19.9)	0.1	(0.1 to 0.3)
Cote d'Ivoire	Both	15 to 19	5.7	(4.1 to 7.5)	29.9	(15.8 to 53.8)	0.4	(0.2 to 0.8)

			-					
The Gambia	Male	1 to 4	0.6	(0.4 to 0.9)	15.4	(4.0 to 40.9)	0.2	(0.0 to 0.5)
The Gambia	Male	5 to 9	2	(1.2 to 2.9)	5.4	(2.0 to 13.7)	0.1	(0.0 to 0.2)
The Gambia	Male	10 to 14	4.1	(2.7 to 5.8)	11.1	(4.5 to 22.4)	0.1	(0.1 to 0.3)
The Gambia	Male	15 to 19	6.5	(4.2 to 9.5)	31.7	(11.6 to 65.8)	0.4	(0.2 to 0.9)
The Gambia	Female	1 to 4	0.5	(0.3 to 0.7)	16.4	(3.7 to 42.3)	0.2	(0.0 to 0.5)
The Gambia	Female	5 to 9	1.6	(1.1 to 2.3)	5.7	(1.7 to 14.4)	0.1	(0.0 to 0.2)
The Gambia	Female	10 to 14	3.2	(2.1 to 4.6)	4.3	(1.4 to 13.5)	0.1	(0.0 to 0.2)
The Gambia	Female	15 to 19	5	(3.1 to 7.4)	13.3	(4.3 to 30.6)	0.2	(0.0 to 0.4)
The Gambia	Both	1 to 4	0.6	(0.4 to 0.7)	15.9	(5.4 to 33.5)	0.2	(0.1 to 0.4)
The Gambia	Both	5 to 9	1.8	(1.3 to 2.3)	5.5	(2.3 to 12.0)	0.1	(0.0 to 0.1)
The Gambia	Both	10 to 14	3.6	(2.7 to 4.7)	7.7	(3.6 to 14.8)	0.1	(0.0 to 0.2)
The Gambia	Both	15 to 19	5.7	(4.2 to 7.5)	22.5	(9.2 to 41.3)	0.3	(0.1 to 0.6)
Ghana	Male	1 to 4	0.6	(0.3 to 1.0)	31.4	(10.0 to 72.5)	0.4	(0.1 to 0.9)
Ghana	Male	5 to 9	2	(1.3 to 2.9)	9.5	(3.2 to 21.1)	0.1	(0.0 to 0.3)
Ghana	Male	10 to 14	4	(2.6 to 5.7)	19	(8.4 to 33.3)	0.2	(0.1 to 0.4)
Ghana	Male	15 to 19	6.3	(3.9 to 9.1)	43.5	(20.5 to 82.2)	0.6	(0.3 to 1.2)
Ghana	Female	1 to 4	0.5	(0.3 to 0.8)	33	(10.0 to 76.9)	0.4	(0.1 to 0.9)
Ghana	Female	5 to 9	1.6	(1.1 to 2.4)	8.9	(3.2 to 19.5)	0.1	(0.0 to 0.2)
Ghana	Female	10 to 14	3.2	(2.1 to 4.5)	2.9	(1.1 to 5.9)	0	(0.0 to 0.1)
Ghana	Female	15 to 19	4.9	(3.0 to 7.1)	13	(5.3 to 25.8)	0.2	(0.1 to 0.4)
Ghana	Both	1 to 4	0.6	(0.4 to 0.8)	32.2	(14.4 to 62.5)	0.4	(0.2 to 0.7)
Ghana	Both	5 to 9	1.8	(1.3 to 2.4)	9.2	(4.2 to 17.1)	0.1	(0.0 to 0.2)
Ghana	Both	10 to 14	3.6	(2.7 to 4.7)	11.1	(5.4 to 19.0)	0.1	(0.1 to 0.2)
Ghana	Both	15 to 19	5.6	(4.1 to 7.3)	28.6	(15.8 to 49.9)	0.4	(0.2 to 0.7)
Guinea	Male	1 to 4	0.7	(0.4 to 1.0)	42.8	(8.9 to 118.5)	0.5	(0.1 to 1.4)
Guinea	Male	5 to 9	2	(1.2 to 3.1)	13.4	(4.2 to 34.8)	0.2	(0.0 to 0.4)
Guinea	Male	10 to 14	4.1	(2.7 to 6.0)	19.1	(7.0 to 37.8)	0.2	(0.1 to 0.5)
Guinea	Male	15 to 19	6.4	(4.2 to 9.3)	45.1	(15.7 to 94.6)	0.6	(0.2 to 1.4)
Guinea	Female	1 to 4	0.5	(0.3 to 0.8)	40.5	(6.6 to 138.6)	0.5	(0.1 to 1.6)
Guinea	Female	5 to 9	1.6	(1.1 to 2.3)	13.3	(3.1 to 40.1)	0.2	(0.0 to 0.5)
Guinea	Female	10 to 14	3.2	(2.1 to 4.5)	7.6	(2.0 to 27.1)	0.1	(0.0 to 0.4)
Guinea	Female	15 to 19	5	(3.1 to 7.1)	19.7	(6.7 to 51.1)	0.3	(0.1 to 0.7)
Guinea	Both	1 to 4	0.6	(0.4 to 0.8)	41.7	(10.8 to 104.1)	0.5	(0.1 to 1.2)

Guinea	Both	5 to 9	1.8	(1.3 to 2.5)	13.4	(4.8 to 31.4)	0.2	(0.1 to 0.4)
Guinea	Both	10 to 14	3.7	(2.7 to 4.7)	13.4	(5.9 to 26.9)	0.2	(0.1 to 0.4)
Guinea	Both	15 to 19	5.7	(4.3 to 7.4)	32.5	(15.4 to 58.3)	0.5	(0.2 to 0.8)
Guinea-Bissau	Male	1 to 4	0.6	(0.4 to 1.0)	77.7	(13.1 to 236.1)	0.9	(0.2 to 2.8)
Guinea-Bissau	Male	5 to 9	2	(1.1 to 3.0)	27.3	(7.8 to 89.1)	0.3	(0.1 to 1.1)
Guinea-Bissau	Male	10 to 14	4	(2.4 to 5.7)	32.4	(13.9 to 75.5)	0.4	(0.2 to 1.0)
Guinea-Bissau	Male	15 to 19	6.3	(3.7 to 9.2)	65.1	(28.5 to 132.3)	0.9	(0.4 to 1.9)
Guinea-Bissau	Female	1 to 4	0.5	(0.3 to 0.7)	102.7	(15.6 to 453.6)	1.2	(0.2 to 5.4)
Guinea-Bissau	Female	5 to 9	1.6	(1.0 to 2.2)	37.6	(6.8 to 170.8)	0.5	(0.1 to 2.1)
Guinea-Bissau	Female	10 to 14	3.1	(2.1 to 4.3)	21.7	(2.9 to 118.1)	0.3	(0.0 to 1.6)
Guinea-Bissau	Female	15 to 19	4.9	(3.1 to 6.9)	45.1	(11.0 to 179.9)	0.6	(0.1 to 2.6)
Guinea-Bissau	Both	1 to 4	0.6	(0.4 to 0.8)	90.1	(17.6 to 294.8)	1.1	(0.2 to 3.5)
Guinea-Bissau	Both	5 to 9	1.8	(1.3 to 2.3)	32.4	(9.2 to 115.2)	0.4	(0.1 to 1.4)
Guinea-Bissau	Both	10 to 14	3.6	(2.7 to 4.6)	27	(9.9 to 85.2)	0.4	(0.1 to 1.1)
Guinea-Bissau	Both	15 to 19	5.6	(4.0 to 7.3)	55.1	(25.3 to 129.5)	0.8	(0.4 to 1.9)
Liberia	Male	1 to 4	0.7	(0.4 to 1.1)	17.2	(3.5 to 49.0)	0.2	(0.0 to 0.6)
Liberia	Male	5 to 9	2	(1.2 to 3.1)	8.7	(2.6 to 19.8)	0.1	(0.0 to 0.2)
Liberia	Male	10 to 14	4	(2.6 to 6.0)	14.2	(5.8 to 28.2)	0.2	(0.1 to 0.4)
Liberia	Male	15 to 19	6.4	(3.9 to 9.5)	39.5	(13.9 to 82.8)	0.6	(0.2 to 1.2)
Liberia	Female	1 to 4	0.5	(0.3 to 0.7)	18.7	(2.5 to 64.6)	0.2	(0.0 to 0.8)
Liberia	Female	5 to 9	1.6	(1.0 to 2.2)	8.8	(2.1 to 26.5)	0.1	(0.0 to 0.3)
Liberia	Female	10 to 14	3.2	(2.1 to 4.4)	6	(1.5 to 22.6)	0.1	(0.0 to 0.3)
Liberia	Female	15 to 19	4.9	(3.0 to 7.0)	15.8	(4.8 to 48.2)	0.2	(0.1 to 0.7)
Liberia	Both	1 to 4	0.6	(0.4 to 0.8)	17.9	(4.3 to 45.5)	0.2	(0.0 to 0.5)
Liberia	Both	5 to 9	1.8	(1.3 to 2.4)	8.7	(3.2 to 19.9)	0.1	(0.0 to 0.2)
Liberia	Both	10 to 14	3.6	(2.7 to 4.7)	10.2	(4.5 to 19.1)	0.1	(0.1 to 0.2)
Liberia	Both	15 to 19	5.6	(4.1 to 7.6)	27.8	(13.2 to 51.0)	0.4	(0.2 to 0.7)
Mali	Male	1 to 4	0.6	(0.4 to 1.0)	49.2	(8.6 to 145.7)	0.6	(0.1 to 1.7)
Mali	Male	5 to 9	2	(1.2 to 2.9)	17.1	(5.0 to 46.1)	0.2	(0.1 to 0.6)
Mali	Male	10 to 14	3.9	(2.4 to 6.0)	21.7	(9.4 to 43.3)	0.3	(0.1 to 0.6)
Mali	Male	15 to 19	6.2	(3.5 to 9.7)	44	(15.7 to 93.2)	0.6	(0.2 to 1.3)
Mali	Female	1 to 4	0.5	(0.3 to 0.8)	43.8	(11.3 to 109.1)	0.5	(0.1 to 1.3)
Mali	Female	5 to 9	1.6	(1.1 to 2.4)	12	(3.5 to 28.3)	0.1	(0.0 to 0.4)

Mali	Female	10 to 14	3.2	(2.2 to 4.5)	11	(3.1 to 33.5)	0.1	(0.0 to 0.4)
Mali	Female	15 to 19	4.9	(3.1 to 7.3)	38.8	(13.6 to 86.0)	0.1	(0.2 to 1.2)
Mali	Both	1 to 4	0.6	(0.4 to 0.8)	46.5	(13.1 to 107.2)	0.5	(0.2 to 1.2) (0.2 to 1.3)
Mali	Both	5 to 9	1.8	(0.4 to 0.8) (1.3 to 2.4)	14.6	(6.0 to 30.0)	0.2	(0.2 to 1.3) (0.1 to 0.4)
Mali	Both	10 to 14	3.5	(1.5 to 2.4) (2.6 to 4.7)	14.0	(7.8 to 30.8)	0.2	(0.1 to 0.4)
Mali	Both	15 to 19	5.5	(3.9 to 7.5)	41.5	(7.8 to 30.8) (20.9 to 69.2)	0.2	(0.1 to 0.4) (0.3 to 1.0)
Mauritania	Male	13 to 19	0.6	(0.4 to 0.9)	19.2	(4.3 to 50.6)	0.0	(0.3 to 1.0) (0.0 to 0.6)
Mauritania	Male	5 to 9	1.9	(0.4 to 0.9) (1.2 to 2.9)	7.4	(4.5 to 30.0) (2.5 to 19.7)	0.2	(0.0 to 0.0)
Mauritania	Male	10 to 14	3.9	(1.2 to 2.9) (2.5 to 5.6)	13.1	(5.3 to 25.7)	0.1	(0.0 to 0.2) (0.1 to 0.3)
								. ,
Mauritania Mauritania	Male	15 to 19	6.1	(3.8 to 9.0)	33.6 16.6	(11.8 to 72.5)	0.5	(0.2 to 1.0)
Mauritania	Female	1 to 4	0.5	(0.3 to 0.8)		(3.4 to 46.2)	0.2	(0.0 to 0.5)
Mauritania	Female	5 to 9	1.6	(1.0 to 2.3)	7.4	(2.4 to 19.8)	0.1	(0.0 to 0.2)
Mauritania	Female	10 to 14	3.2	(2.0 to 4.4)	4.8	(1.7 to 14.3)	0.1	(0.0 to 0.2)
Mauritania	Female	15 to 19	4.9	(3.1 to 7.0)	12.2	(4.7 to 27.8)	0.2	(0.1 to 0.4)
Mauritania	Both	1 to 4	0.6	(0.4 to 0.8)	17.9	(5.2 to 42.4)	0.2	(0.1 to 0.5)
Mauritania	Both	5 to 9	1.8	(1.3 to 2.3)	7.4	(2.9 to 16.9)	0.1	(0.0 to 0.2)
Mauritania	Both	10 to 14	3.5	(2.7 to 4.5)	9	(4.2 to 17.3)	0.1	(0.0 to 0.2)
Mauritania	Both	15 to 19	5.5	(4.1 to 7.2)	23.1	(9.7 to 44.5)	0.3	(0.1 to 0.6)
Niger	Male	1 to 4	0.6	(0.3 to 1.0)	19.6	(2.0 to 58.8)	0.2	(0.0 to 0.7)
Niger	Male	5 to 9	2	(1.2 to 3.0)	4.6	(0.8 to 12.9)	0.1	(0.0 to 0.2)
Niger	Male	10 to 14	4.1	(2.6 to 5.8)	6.9	(1.1 to 15.6)	0.1	(0.0 to 0.2)
Niger	Male	15 to 19	6.3	(3.9 to 9.4)	14.5	(1.9 to 36.9)	0.2	(0.0 to 0.5)
Niger	Female	1 to 4	0.5	(0.3 to 0.8)	34	(1.9 to 131.6)	0.4	(0.0 to 1.6)
Niger	Female	5 to 9	1.6	(1.0 to 2.4)	9.2	(0.7 to 31.2)	0.1	(0.0 to 0.4)
Niger	Female	10 to 14	3.1	(1.9 to 4.5)	4.6	(0.8 to 21.1)	0.1	(0.0 to 0.3)
Niger	Female	15 to 19	4.8	(2.9 to 7.4)	9.9	(1.2 to 30.1)	0.1	(0.0 to 0.4)
Niger	Both	1 to 4	0.6	(0.4 to 0.7)	26.6	(3.3 to 76.4)	0.3	(0.0 to 0.9)
Niger	Both	5 to 9	1.8	(1.3 to 2.3)	6.9	(1.5 to 19.1)	0.1	(0.0 to 0.2)
Niger	Both	10 to 14	3.6	(2.7 to 4.7)	5.8	(1.6 to 14.5)	0.1	(0.0 to 0.2)
Niger	Both	15 to 19	5.5	(4.1 to 7.5)	12.2	(2.5 to 27.1)	0.2	(0.0 to 0.4)
Nigeria	Male	1 to 4	0.7	(0.4 to 1.0)	41.9	(7.7 to 150.0)	0.5	(0.1 to 1.8)
Nigeria	Male	5 to 9	2.1	(1.3 to 3.1)	9.3	(2.5 to 25.8)	0.1	(0.0 to 0.3)
Nigeria	Male	10 to 14	4.1	(2.7 to 5.9)	10.6	(4.0 to 22.4)	0.1	(0.0 to 0.3)

Nigeria	Male	15 to 19	6.5	(4.0 to 9.6)	16.9	(6.7 to 32.8)	0.2	(0.1 to 0.5)
Nigeria	Female	1 to 4	0.5	(0.3 to 0.8)	52.8	(8.8 to 194.4)	0.6	(0.1 to 2.3)
Nigeria	Female	5 to 9	1.7	(1.1 to 2.3)	8.3	(2.2 to 25.2)	0.1	(0.0 to 0.3)
Nigeria	Female	10 to 14	3.3	(2.1 to 4.7)	4.1	(1.2 to 14.5)	0	(0.0 to 0.2)
Nigeria	Female	15 to 19	5.1	(3.1 to 7.6)	10.9	(4.4 to 23.8)	0.1	(0.1 to 0.3)
Nigeria	Both	1 to 4	0.6	(0.4 to 0.8)	47.2	(10.8 to 138.0)	0.6	(0.1 to 1.6)
Nigeria	Both	5 to 9	1.9	(1.3 to 2.5)	8.8	(3.0 to 21.9)	0.1	(0.0 to 0.3)
Nigeria	Both	10 to 14	3.7	(2.7 to 4.8)	7.4	(3.2 to 15.0)	0.1	(0.0 to 0.2)
Nigeria	Both	15 to 19	5.8	(4.2 to 7.8)	14	(7.0 to 24.3)	0.2	(0.1 to 0.3)
Sao Tome and Principe	Male	1 to 4	0.6	(0.4 to 1.0)	64.9	(8.4 to 172.8)	0.8	(0.1 to 2.0)
Sao Tome and Principe	Male	5 to 9	2	(1.2 to 3.0)	22.7	(5.3 to 55.3)	0.3	(0.1 to 0.7)
Sao Tome and Principe	Male	10 to 14	4	(2.6 to 5.7)	35.6	(11.4 to 66.9)	0.5	(0.1 to 0.9)
Sao Tome and Principe	Male	15 to 19	6.3	(4.2 to 9.1)	127	(50.0 to 243.5)	1.8	(0.7 to 3.5)
Sao Tome and Principe	Female	1 to 4	0.5	(0.4 to 0.8)	66.6	(7.2 to 241.7)	0.8	(0.1 to 2.9)
Sao Tome and Principe	Female	5 to 9	1.6	(1.1 to 2.3)	22.5	(4.3 to 73.9)	0.3	(0.0 to 0.9)
Sao Tome and Principe	Female	10 to 14	3.2	(2.1 to 4.4)	18.3	(5.3 to 44.5)	0.2	(0.1 to 0.6)
Sao Tome and Principe	Female	15 to 19	5	(3.0 to 7.2)	57.1	(18.9 to 117.5)	0.8	(0.3 to 1.7)
Sao Tome and Principe	Both	1 to 4	0.6	(0.4 to 0.8)	65.7	(11.9 to 187.9)	0.8	(0.1 to 2.2)
Sao Tome and Principe	Both	5 to 9	1.8	(1.3 to 2.4)	22.6	(6.5 to 58.6)	0.3	(0.1 to 0.7)
Sao Tome and Principe	Both	10 to 14	3.6	(2.7 to 4.6)	27	(11.2 to 50.3)	0.4	(0.1 to 0.7)
Sao Tome and Principe	Both	15 to 19	5.7	(4.3 to 7.4)	92.4	(41.4 to 156.8)	1.3	(0.6 to 2.3)
Senegal	Male	1 to 4	0.7	(0.4 to 1.0)	14	(3.7 to 39.0)	0.2	(0.0 to 0.5)
Senegal	Male	5 to 9	2.1	(1.3 to 3.0)	5.1	(1.6 to 12.9)	0.1	(0.0 to 0.2)
Senegal	Male	10 to 14	4.1	(2.7 to 5.8)	11	(4.5 to 22.0)	0.1	(0.0 to 0.3)
Senegal	Male	15 to 19	6.3	(3.9 to 9.3)	28.4	(10.5 to 56.0)	0.4	(0.1 to 0.8)
Senegal	Female	1 to 4	0.5	(0.3 to 0.7)	15.9	(3.4 to 45.2)	0.2	(0.0 to 0.5)
Senegal	Female	5 to 9	1.5	(1.0 to 2.2)	5.8	(1.6 to 15.5)	0.1	(0.0 to 0.2)
Senegal	Female	10 to 14	3.1	(2.0 to 4.3)	4.5	(1.3 to 15.3)	0.1	(0.0 to 0.2)
Senegal	Female	15 to 19	4.8	(2.9 to 6.9)	10.9	(3.4 to 26.6)	0.1	(0.0 to 0.4)
Senegal	Both	1 to 4	0.6	(0.4 to 0.8)	15	(5.0 to 34.5)	0.2	(0.1 to 0.4)
Senegal	Both	5 to 9	1.8	(1.3 to 2.4)	5.4	(2.1 to 13.3)	0.1	(0.0 to 0.2)
Senegal	Both	10 to 14	3.6	(2.7 to 4.6)	7.8	(3.5 to 16.1)	0.1	(0.0 to 0.2)
Senegal	Both	15 to 19	5.6	(4.2 to 7.4)	19.7	(8.8 to 36.0)	0.3	(0.1 to 0.5)

			-					
Sierra Leone	Male	1 to 4	0.7	(0.4 to 1.0)	40.2	(8.0 to 120.5)	0.5	(0.1 to 1.4)
Sierra Leone	Male	5 to 9	2.1	(1.1 to 3.0)	11.3	(3.4 to 28.9)	0.1	(0.0 to 0.4)
Sierra Leone	Male	10 to 14	4	(2.5 to 5.5)	16.9	(4.8 to 33.1)	0.2	(0.1 to 0.4)
Sierra Leone	Male	15 to 19	6.3	(4.1 to 9.0)	47	(13.3 to 97.8)	0.7	(0.2 to 1.4)
Sierra Leone	Female	1 to 4	0.5	(0.3 to 0.7)	32.1	(6.1 to 86.9)	0.4	(0.1 to 1.0)
Sierra Leone	Female	5 to 9	1.5	(0.9 to 2.2)	10.9	(2.8 to 31.2)	0.1	(0.0 to 0.4)
Sierra Leone	Female	10 to 14	3	(1.9 to 4.4)	5.3	(1.6 to 18.9)	0.1	(0.0 to 0.2)
Sierra Leone	Female	15 to 19	4.7	(2.9 to 6.9)	16.1	(5.0 to 41.7)	0.2	(0.1 to 0.6)
Sierra Leone	Both	1 to 4	0.6	(0.4 to 0.8)	36.2	(9.6 to 82.2)	0.4	(0.1 to 1.0)
Sierra Leone	Both	5 to 9	1.8	(1.3 to 2.4)	11.1	(4.1 to 27.8)	0.1	(0.0 to 0.3)
Sierra Leone	Both	10 to 14	3.5	(2.7 to 4.6)	11.1	(4.3 to 22.5)	0.1	(0.1 to 0.3)
Sierra Leone	Both	15 to 19	5.5	(4.0 to 7.1)	31.5	(11.9 to 58.3)	0.4	(0.2 to 0.8)
Тодо	Male	1 to 4	0.7	(0.4 to 1.0)	29.8	(6.4 to 74.9)	0.4	(0.1 to 0.9)
Тодо	Male	5 to 9	2	(1.2 to 2.9)	7.9	(2.9 to 18.3)	0.1	(0.0 to 0.2)
Тодо	Male	10 to 14	4	(2.6 to 5.7)	10.2	(3.4 to 19.5)	0.1	(0.0 to 0.3)
Тодо	Male	15 to 19	6.4	(4.0 to 9.2)	25	(7.4 to 54.7)	0.3	(0.1 to 0.8)
Тодо	Female	1 to 4	0.5	(0.3 to 0.8)	27.1	(5.5 to 81.9)	0.3	(0.1 to 1.0)
Тодо	Female	5 to 9	1.6	(1.0 to 2.3)	5.9	(1.7 to 15.8)	0.1	(0.0 to 0.2)
Тодо	Female	10 to 14	3.2	(2.0 to 4.5)	2.9	(1.0 to 8.3)	0	(0.0 to 0.1)
Тодо	Female	15 to 19	4.9	(3.1 to 7.2)	10.1	(3.4 to 23.6)	0.1	(0.0 to 0.3)
Тодо	Both	1 to 4	0.6	(0.4 to 0.8)	28.5	(8.1 to 67.0)	0.3	(0.1 to 0.8)
Тодо	Both	5 to 9	1.8	(1.3 to 2.4)	6.9	(3.0 to 15.0)	0.1	(0.0 to 0.2)
Тодо	Both	10 to 14	3.6	(2.7 to 4.7)	6.6	(2.9 to 11.6)	0.1	(0.0 to 0.1)
Тодо	Both	15 to 19	5.6	(4.1 to 7.6)	17.6	(7.1 to 34.0)	0.2	(0.1 to 0.5)
South Sudan	Male	1 to 4	0.9	(0.5 to 1.3)	10.6	(1.5 to 32.7)	0.1	(0.0 to 0.4)
South Sudan	Male	5 to 9	2.4	(1.5 to 3.6)	5.8	(1.9 to 13.5)	0.1	(0.0 to 0.2)
South Sudan	Male	10 to 14	4.4	(2.7 to 6.5)	7.5	(2.9 to 17.4)	0.1	(0.0 to 0.2)
South Sudan	Male	15 to 19	6.3	(3.4 to 9.8)	21.7	(8.1 to 45.0)	0.3	(0.1 to 0.6)
South Sudan	Female	1 to 4	0.5	(0.3 to 0.8)	6.1	(1.0 to 18.4)	0.1	(0.0 to 0.2)
South Sudan	Female	5 to 9	1.6	(1.1 to 2.4)	4.7	(1.3 to 12.0)	0.1	(0.0 to 0.1)
South Sudan	Female	10 to 14	3	(2.0 to 4.4)	4.1	(1.4 to 11.5)	0	(0.0 to 0.1)
South Sudan	Female	15 to 19	4.4	(2.7 to 6.7)	9.5	(3.8 to 20.5)	0.1	(0.0 to 0.3)
South Sudan	Both	1 to 4	0.7	(0.5 to 0.9)	8.4	(1.8 to 20.9)	0.1	(0.0 to 0.2)

Both	5 to 9	2	(1.5 to 2.7)	5.3	(2.0 to 11.4)	0.1	(0.0 to 0.1)
Both	10 to 14	3.7	(2.7 to 4.9)	5.9	(2.6 to 13.0)	0.1	(0.0 to 0.2)
Both	15 to 19	5.3	(3.6 to 7.4)	15.7	(7.5 to 28.0)	0.2	(0.1 to 0.4)
Male	1 to 4	0.5	(0.3 to 0.7)	55.4	(10.3 to 172.0)	0.7	(0.1 to 2.0)
Male	5 to 9	1.6	(1.0 to 2.1)	16.2	(5.3 to 38.3)	0.2	(0.1 to 0.5)
Male	10 to 14	3.1	(1.9 to 4.3)	25.8	(8.1 to 53.1)	0.3	(0.1 to 0.7)
Male	15 to 19	4.8	(2.7 to 6.7)	43.8	(16.1 to 84.8)	0.6	(0.2 to 1.2)
Female	1 to 4	0.3	(0.2 to 0.4)	72.5	(7.7 to 197.0)	0.9	(0.1 to 2.3)
Female	5 to 9	0.9	(0.6 to 1.3)	17.3	(4.8 to 39.9)	0.2	(0.1 to 0.5)
Female	10 to 14	1.9	(1.1 to 2.8)	25.2	(7.6 to 57.8)	0.3	(0.1 to 0.8)
Female	15 to 19	3	(1.7 to 4.6)	26.3	(9.7 to 56.8)	0.4	(0.1 to 0.8)
Both	1 to 4	0.4	(0.3 to 0.5)	63.8	(11.4 to 143.7)	0.8	(0.1 to 1.7)
Both	5 to 9	1.3	(0.9 to 1.6)	16.8	(6.4 to 32.9)	0.2	(0.1 to 0.4)
Both	10 to 14	2.5	(1.9 to 3.2)	25.5	(10.9 to 48.3)	0.3	(0.1 to 0.6)
Both	15 to 19	3.9	(2.8 to 5.2)	35.2	(18.3 to 60.7)	0.5	(0.3 to 0.9)
Both	10 to 14	0.7	(0.4 to 1.1)	167.1	106.1 to 253.2	2.2	(1.4 to 3.4)
Both	15 to 19	1.2	(0.6 to 1.7)	200.7	129.0 to 292.0	2.9	(1.9 to 4.2)
	Both Both Male Male Male Female Female Female Female Both Both Both Both Both	Both 10 to 14   Both 15 to 19   Male 1 to 4   Male 5 to 9   Male 10 to 14   Male 10 to 14   Male 15 to 19   Female 1 to 4   Female 1 to 4   Female 1 to 14   Female 1 to 4   Female 10 to 14   Female 15 to 19   Both 1 to 4   Both 5 to 9   Both 10 to 14   Both 10 to 14   Both 10 to 14   Both 10 to 14	Both10 to 143.7Both15 to 195.3Male1 to 40.5Male5 to 91.6Male10 to 143.1Male15 to 194.8Female1 to 40.3Female5 to 90.9Female10 to 141.9Female10 to 141.9Female15 to 193Both1 to 40.4Both5 to 91.3Both10 to 142.5Both15 to 193.9Both10 to 140.7	Both10 to 143.7(2.7 to 4.9)Both15 to 195.3(3.6 to 7.4)Male1 to 40.5(0.3 to 0.7)Male5 to 91.6(1.0 to 2.1)Male10 to 143.1(1.9 to 4.3)Male15 to 194.8(2.7 to 6.7)Female1 to 40.3(0.2 to 0.4)Female5 to 90.9(0.6 to 1.3)Female10 to 141.9(1.1 to 2.8)Female15 to 193(1.7 to 4.6)Both1 to 40.4(0.3 to 0.5)Both5 to 91.3(0.9 to 1.6)Both10 to 142.5(1.9 to 3.2)Both15 to 193.9(2.8 to 5.2)Both10 to 140.7(0.4 to 1.1)	Both10 to 143.7(2.7 to 4.9)5.9Both15 to 195.3(3.6 to 7.4)15.7Male1 to 40.5(0.3 to 0.7)55.4Male5 to 91.6(1.0 to 2.1)16.2Male10 to 143.1(1.9 to 4.3)25.8Male15 to 194.8(2.7 to 6.7)43.8Female1 to 40.3(0.2 to 0.4)72.5Female5 to 90.9(0.6 to 1.3)17.3Female10 to 141.9(1.1 to 2.8)25.2Female15 to 193(1.7 to 4.6)26.3Both1 to 40.4(0.3 to 0.5)63.8Both10 to 142.5(1.9 to 3.2)25.5Both15 to 193.9(2.8 to 5.2)35.2Both10 to 140.7(0.4 to 1.1)167.1	Both10 to 143.7(2.7 to 4.9)5.9(2.6 to 13.0)Both15 to 195.3(3.6 to 7.4)15.7(7.5 to 28.0)Male1 to 40.5(0.3 to 0.7)55.4(10.3 to 172.0)Male5 to 91.6(1.0 to 2.1)16.2(5.3 to 38.3)Male10 to 143.1(1.9 to 4.3)25.8(8.1 to 53.1)Male15 to 194.8(2.7 to 6.7)43.8(16.1 to 84.8)Female1 to 40.3(0.2 to 0.4)72.5(7.7 to 197.0)Female5 to 90.9(0.6 to 1.3)17.3(4.8 to 39.9)Female10 to 141.9(1.1 to 2.8)25.2(7.6 to 57.8)Female15 to 193(1.7 to 4.6)26.3(9.7 to 56.8)Both1 to 40.4(0.3 to 0.5)63.8(11.4 to 143.7)Both5 to 91.3(0.9 to 1.6)16.8(6.4 to 32.9)Both10 to 142.5(1.9 to 3.2)25.5(10.9 to 48.3)Both10 to 140.7(0.4 to 1.1)167.1106.1 to 253.2	Both10 to 143.7(2.7 to 4.9)5.9(2.6 to 13.0)0.1Both15 to 195.3(3.6 to 7.4)15.7(7.5 to 28.0)0.2Male1 to 40.5(0.3 to 0.7)55.4(10.3 to 172.0)0.7Male5 to 91.6(1.0 to 2.1)16.2(5.3 to 38.3)0.2Male10 to 143.1(1.9 to 4.3)25.8(8.1 to 53.1)0.3Male15 to 194.8(2.7 to 6.7)43.8(16.1 to 84.8)0.6Female1 to 40.3(0.2 to 0.4)72.5(7.7 to 197.0)0.9Female5 to 90.9(0.6 to 1.3)17.3(4.8 to 39.9)0.2Female10 to 141.9(1.1 to 2.8)25.2(7.6 to 57.8)0.3Female15 to 193(1.7 to 4.6)26.3(9.7 to 56.8)0.4Both1 to 40.4(0.3 to 0.5)63.8(11.4 to 143.7)0.8Both5 to 91.3(0.9 to 1.6)16.8(6.4 to 32.9)0.2Both10 to 142.5(1.9 to 3.2)25.5(10.9 to 48.3)0.3Both15 to 193.9(2.8 to 5.2)35.2(18.3 to 60.7)0.5Both10 to 140.7(0.4 to 1.1)167.1106.1 to 253.22.2