Online supplemental data

A familial history of pulmonary fibrosis in patients with chronic hypersensitivity pneumonitis

Tsukasa Okamoto [1], Yasunari Miyazaki [1], Makoto Tomita [2], Meiyo Tamaoka [1], Naohiko Inase [1]

[1] Department of Integrated Pulmonology, Tokyo Medical and Dental University, Japan

[2] Clinical Research Center, Tokyo Medical and Dental University, Japan

Table S1. Information of family members

case	relationship	age of onset	age of death	etiology	smoking history	lung cancer
1	father	64	66	IIPs	NA	−
	uncle	NA	91	IIPs	NA	−
2	father	74	76	IPF	NA	+
3	sister	64	67	IIPs	NA	−
4	sister	NA	NA	IIPs	NA	−
5	mother	67	67	IPF	NA	−
	cousin	45	alive	RA	NA	−
6	sister	NA	78	IIPs	NA	−
7	brother	NA	alive	RA	−	−
	sister	77	78	IPF	NA	−
8, 9	brother	46	alive	Chronic HP	+	−
	father	65	71	IPF	−	+
	uncle	70	78	IPF	+	+
	uncle	68	71	IPF	+	−
	uncle	63	63	IIPs	+	−
	uncle	65	70	IIPs	+	−
	aunt	NA	NA	IIPs	NA	−
	grandfather	NA	71	IIPs	NA	−
10	mother	NA	72	IPF	NA	−
11	mother	NA	83	IIPs	−	−
	aunt	NA	50	IIPs	−	−
12	father	60	77	IPF	+	−
	uncle	NA	80	IPF	NA	−
13	father	NA	80	IIPs	+	−
	mother	NA	78	IIPs	−	−
14	brother	NA	62	IPF	NA	−
15	mother	72	74	RA	−	−
	uncle	NA	68	IPF	NA	−
16	brother	NA	NA	IIPs	NA	−
17	brother	NA	NA	IIPs	+	−
18	brother	NA	NA	IIPs	+	−
19	sister	25	40	SSc	NA	−
	brother	74	alive	IIPs	NA	−
20	mother	66	69	IPF	−	−

IIP: idiopathic interstitial pneumonia, IPF: idiopathic pulmonary fibrosis, RA: rheumatoid arthritis, SSc: systemic sclerosis, NA: not available.

Figure legends

Figure S1

A family tree of a large family with 7 cases with pulmonary fibrosis. The arrow indicates the proband. Circles represent females; squares represent males. Symbols with a slash indicate deceased subjects. Individuals with pulmonary fibrosis are indicated by closed symbols.