

Evidence of a continuum of trait mindfulness deficits in psychiatric disorders

Details for Supplemental Online Material

Table 2. Mean CTQ scores and standard deviations across diagnostic groups

Diagnostic Group	Sexual Abuse	Physical Abuse	Emotional Abuse	Emotional Neglect	Physical Neglect
DID	17.8 (7.9)	14.2 (6.3)	19.1 (5.7)	20.5 (5.0)	13.7 (5.0)
DDNOS	15.1 (7.4)	14.4 (6.2)	19.5 (4.8)	20.7 (4.8)	13.5 (4.5)
BPD	14.2 (6.9)	12.8 (6.5)	18.6 (5.3)	20.4 (4.5)	12.8 (4.1)
PTSD	12.6 (7.1)	11.4 (6.2)	16.4 (6.3)	18.4 (5.9)	12.0 (4.8)
MDD-ct	7.5 (4.0)	8.7 (4.6)	14.4 (5.3)	17.3 (4.6)	10.0 (3.5)
AD	6.5 (2.9)	6.4 (2.2)	10.1 (5.0)	13.4 (6.2)	8.0 (2.7)
MDD-noct	5.12 (0.4)	5.4 (0.9)	7.0 (2.1)	8.9 (2.8)	6.1 (1.3)

DID = dissociative identity disorder; DDNOS = dissociative disorder not otherwise specified; BPD = borderline personality disorder; PTSD = post-traumatic stress disorder; MDD-ct = major depressive disorder with a background of childhood trauma; AD = anxiety disorder; MDD-noct = major depressive disorder with no background of childhood trauma