2 Supplemental material - tables

	Total				T0			
	M ± SD	**Md**	**Min**	**Max**	**M ± SD**	**Md**	**Min**	**Max**
IBP	87.24 ± 23.93	100.00	.00	120.00	77.59 ± 36.22	100.00	.00	120.00
IBP10	88.77 ± 20.82	100.00	10.00	140.00	77.95 ± 32.56	80.00	10.00	140.00
IBP10_MML	91.63 ± 19.01	100.00	10.00	110.00	81.72 ± 28.17	100.00	10.00	110.00
IBP40	86.16 ± 24.60	100.00	.00	130.00	77.59 ± 37.57	100.00	.00	130.00
WN	90.00 ± 23.29	100.00	.00	140.00	77.59 ± 37.00	100.00	.00	140.00
WN10	89.41 ± 20.93	100.00	.00	120.00	77.24 ± 32.28	80.00	.00	120.00
WN40	87.95 ± 26.51	100.00	.00	130.00	73.10 ± 41.76	100.00	.00	130.00
Noise-like								
IBP	78.98 ± 27.86	90.00	.00	120.00	61.43 ± 38.00	65.00	.00	120.00
IBP10	80.71 ± 24.67	90.00	10.00	120.00	62.86 ± 34.96	50.00	10.00	120.00
IBP10_MML	85.92 ± 24.49	100.00	10.00	110.00	69.29 ± 33.16	80.00	10.00	110.00
IBP40	80.10 ± 26.81	90.00	.00	120.00	62.86 ± 37.50	55.00	.00	120.00
WN	84.49 ± 26.56	100.00	.00	110.00	63.57 ± 37.54	70.00	.00	110.00
WN10	84.18 ± 24.41	100.00	.00	120.00	64.29 ± 36.94	65.00	.00	120.00
WN40	80.61 ± 31.29	100.00	.00	120.00	63.57 ± 44.13	70.00	.00	120.00
Tonal								
IBP	94.95 ± 16.24	100.00	10.00	120.00	92.67 ± 27.89	100.00	10.00	120.00
IBP10	96.29 ± 12.50	100.00	50.00	140.00	92.00 ± 23.36	100.00	50.00	140.00
IBP10_MML	96.95 ± 9.11	100.00	50.00	110.00	93.33 ± 16.33	100.00	50.00	110.00
IBP40	91.81 ± 20.93	100.00	10.00	130.00	91.33 ± 33.14	100.00	10.00	130.00
WN	95.14 ± 18.46	100.00	.00	140.00	90.67 ± 32.40	100.00	.00	140.00
WN10	94.29 ± 15.68	100.00	40.00	120.00	89.33 ± 22.19	100.00	40.00	120.00
WN40	94.10 ± 19.05	100.00	.00	130.00	82.00 ± 38.77	100.00	.00	130.00

Table S1: Tinnitus loudness per condition. M = mean; SD = standard deviation; Md = median; Min = minimum; Max = maximum; T0 = immediately after stimulation offset

	R^2 (marginal)	R^2 (conditional)	df	AIC	BIC	logLik	LRT	p
Intercept only: response ~ 1 + (1|id)	.00	.51	3	12046.00	12061.00	-6019.00		
Fitted model : response ~ condition + time * group + (1|id)	.17	.60	22	11774.00	11890.00	-5865.20	309.22	<.01

Table S2: Model fitting. df = degrees of freedom; AIC = Akaike Information Criterion; BIC = Bayesian Information Criterion; logLik = log-likelihood; LRT = Likelihood Ratio Test

	Arousal				Valence			
	M ± SD	**Md**	**Min**	**Max**	**M ± SD**	**Md**	**Min**	**Max**
IBP	4.55 ± 1.76	5.00	1.00	7.00	5.17 ± 2.09	5.00	2.00	9.00
IBP10	5.17 ± 1.65	5.00	2.00	8.00	5.00 ± 2.33	5.00	1.00	9.00
IBP10_MML	4.10 ± 1.70	4.00	.00	8.00	5.66 ± 2.00	5.00	2.00	9.00
IBP40	5.66 ± 1.52	6.00	2.00	8.00	4.59 ± 2.20	4.00	1.00	9.00
WN	4.93 ± 1.89	5.00	1.00	8.00	5.03 ± 2.58	5.00	1.00	9.00
WN10	5.41 ± 1.52	5.00	3.00	9.00	4.38 ± 2.03	4.00	1.00	9.00
WN40	5.55 ± 1.88	5.00	1.00	9.00	3.97 ± 1.90	3.00	1.00	9.00
Noise-like								
IBP	3.86 ± 1.88	4.00	1.00	7.00	5.86 ± 2.21	6.00	2.00	9.00
IBP10	4.93 ± 1.69	5.00	3.00	8.00	5.29 ± 2.58	5.50	1.00	9.00
IBP10_MML	3.71 ± 1.33	3.50	2.00	6.00	5.93 ± 2.16	6.00	2.00	9.00
IBP40	5.36 ± 1.50	5.00	3.00	8.00	5.00 ± 2.29	5.00	1.00	9.00
WN	4.57 ± 1.45	5.00	2.00	7.00	5.21 ± 2.33	5.00	2.00	9.00
WN10	5.36 ± 1.50	5.00	3.00	8.00	4.50 ± 2.21	4.00	1.00	9.00
WN40	5.57 ± 2.34	6.00	1.00	9.00	3.79 ± 2.22	3.00	1.00	9.00
Tonal								
IBP	5.20 ± 1.42	5.00	3.00	7.00	4.53 ± 1.81	4.00	2.00	8.00
IBP10	5.40 ± 1.64	5.00	2.00	7.00	4.73 ± 2.12	4.00	2.00	9.00
IBP10_MML	4.47 ± 1.96	5.00	.00	8.00	5.40 ± 1.88	5.00	3.00	9.00
IBP40	5.93 ± 1.53	6.00	2.00	8.00	4.20 ± 2.11	3.00	1.00	8.00
WN	5.27 ± 2.22	5.00	1.00	8.00	4.87 ± 2.88	5.00	1.00	9.00
WN10	5.47 ± 1.60	5.00	3.00	9.00	4.27 ± 1.91	4.00	1.00	7.00
WN40	5.53 ± 1.41	5.00	3.00	8.00	4.13 ± 1.60	4.00	2.00	7.00

Table S3: Stimulus evaluation. M = mean; SD = standard deviation; Md = median; Min = minimum; Max = maximum

Model	R^2 (marginal)	R^2 (conditional)	df	AIC	BIC	logLIK	LRT	p
Arousal								
Intercept only: response ~ 1 + (1|id)	.00	.33	3	776.28	786.22	-385.14		
Fitted model: response ~ condition + (1|id)	.09	.42	9	759.72	789.54	-370.86	28.56	<.01
Valence								
Intercept only: response ~ 1 + (1|id)	.00	.37	3	858.16	868.10	-426.08		
Fitted model: response ~ condition + (1|id)	.06	.42	9	851.69	881.51	-416.84	18.48	<.01

Table S4: Model fitting - arousal & valence. df = degrees of freedom; AIC = Akaike Information Criterion; BIC = Bayesian Information Criterion; logLik = log-likelihood; LRT = Likelihood Ratio Test